

# EQUIPTO<sup>®</sup>

ONE DECISION • INFINITE SOLUTIONS

## PRODUCT CATALOG

2026/2027



The industry leader in  
space storage and  
utilization products.



## **EQUIPTO's History**

Recognized for innovation, quality and service, Equipto products are proudly manufactured in Tatamy, PA.

It all began in 1907, when Thomas M. Dunham began developing motorcycle headlights and sidecars in Aurora, Illinois. With the increase in automobile production, motorcycle parts soon were not in such high demand, so Equipto began producing body parts for Ford Motor Company's Model T Chassis. As the relationship with the car industry flourished, Dunham heard other needs within the automotive industry. One car dealer needed heavy-duty shelving to store large, heavy car parts and the idea for space storage and utilization was born.

Equipto can be your single source for the largest offering of Innovative Storage Solutions. Products we proudly manufacture include: Shelving and Racks, Modular Storage Cabinets, Small Parts Storage Systems, Mobile Aisle Storage Systems, Conveyor Crossovers and Platforms, Mezzanines and Stairways, Crosswalks, Workcenters and Workbenches, Storage Cabinets, Carts, and Military Storage Systems. Equipto provides a limited lifetime warranty.

After more than 100 years, Equipto's customer base reaches across the U.S. and the world.

## **Equipto's Mission**

EQUIPTO's mission is to become your preferred provider in the material storage market by offering a broad line of products and services that fulfill the needs of our customers with high-quality items manufactured in the USA. We will accomplish this by:

- 1. Breadth of products**
- 2. Product flexibility and modularity**
- 3. Reliable, on-time delivery**
- 4. Installation services — full and supervisory**
- 5. Made in USA**



# New Products

## Modular Cabinet Mezzanine

### Double Storage Capacity without Expanding Your Footprint

The Modular Cabinet Mezzanine system sets itself apart by not only doubling storage capacity within the same footprint through a configurable mezzanine level with drawers and/or shelving but also by including storage cabinets on the back side. This smart design makes better use of space compared to usual storage or adding more room for your parts and tool storage.



## Keyless Lock

### Modular Drawer Cabinet

Leveraging user-friendly technology, this lock system eliminates the need for physical keys. Offers streamlined access and enhanced control over valuable parts and tools. Unlike other options, seamless retrofitting, increased efficiency, and full control and visibility to who has access.



# New Products

## Conveyor Crossovers

### Designed to Meet Your Unique Needs

Equipto's crossovers range from standard sizes to extended heights and lengths allowing for crossing over multiple conveyors and configurations. Crossovers can be used permanently or temporarily. Each system has the parts to be transformed into one of four standard configurations. Our crossovers are designed to handle higher worker traffic and have enhanced safety features built into the crossover for a safe and reliable experience.



## Maintenance Access Platforms and Elevated Platforms

### Ship's Ladders & OSHA and IBC-Compliant Stairways



Maintenance Access Platforms provide access to elevated conveyors. Ships stairways, a steeper stairway, help reduce the floor footprint the platform takes up. Elevated Platforms give employees access to hard-to-reach elevated conveyors can improve safety and efficiency in the warehouse. have enhanced safety features built into the crossover for a safe and reliable experience.

## Rapid Deployment Storage Platform

Our unique conveyor system makes it easy for military personnel to maneuver the containers, such as ISU-90, TRICON, Quadcon, PALCON containers, 463L master pallets, and much more, over the tracks and ball transfer tables. The containers can be moved forward and back and left to right over the transfer tables. maximize your existing footprint with offering accessibility with strategically placed gates to allow for forklift access to retrieve the desired container.





|                                                 |                |
|-------------------------------------------------|----------------|
| <b>Shelving &amp; Racks</b>                     | <b>1-31</b>    |
| <b>Wire Shelving</b>                            | <b>32-35</b>   |
| <b>Modular Drawer Cabinets</b>                  | <b>36-64</b>   |
| <b>Small Parts Storage</b>                      | <b>65-70</b>   |
| <b>Conveyor Crossovers &amp; Work Platforms</b> | <b>71-87</b>   |
| <b>Platforms &amp; Mezzanines</b>               | <b>88-95</b>   |
| <b>Stairways &amp; Crosswalks</b>               | <b>96-104</b>  |
| <b>Mobile Aisles</b>                            | <b>105-110</b> |
| <b>Workcenters &amp; Workbenches</b>            | <b>111-138</b> |
| <b>Storage Cabinets</b>                         | <b>139-148</b> |
| <b>Carts</b>                                    | <b>149-150</b> |
| <b>Military Storage Solutions</b>               | <b>151-155</b> |
| <b>Clubstor</b>                                 | <b>156-159</b> |

# Shelving & Racks





# Shelving & Racks

|                                            |              |
|--------------------------------------------|--------------|
| <b>V-Grip™ Shelving</b>                    | <b>4</b>     |
| <b>V-Grip™ Spill Containment System</b>    | <b>5</b>     |
| <b>V-Grip™ Shelving &amp; Drawer Units</b> | <b>6</b>     |
| <b>V-Grip™ Shelving Bin Units</b>          | <b>7</b>     |
| <b>V-Grip™ Shelving Carts</b>              | <b>8</b>     |
| <b>V-Grip™ Shelving Components</b>         | <b>9-16</b>  |
| <b>V-Grip™ Bulk Rack</b>                   | <b>17-21</b> |
| <b>V-Grip™ Bulk Rack Drawers</b>           | <b>22</b>    |
| <b>V-Grip™ Tire Rack</b>                   | <b>23</b>    |
| <b>Iron Grip® Shelving</b>                 | <b>24-27</b> |
| <b>Bar Racks</b>                           | <b>28-29</b> |
| <b>Reel Racks</b>                          | <b>30</b>    |
| <b>Wire Spool Management Units</b>         | <b>31</b>    |

# V-Grip™ Shelving

At the heart of Equipto's engineered space solutions is V-Grip, an industrial shelving system design that is unmatched in structural integrity and provides the industry's broadest selection of accessory components to meet virtually any application.

- V-Grip upright posts have an exclusive triangular design that maximizes load-bearing capability while providing a smooth front surface without unsightly holes or hardware.
- Combine V-Grip components to meet specific applications:
- Heavy-duty and medium-duty steel shelves
- Wire shelves for better flow of light and air
- Modular drawers in 48 different sizes with a static load capacity of 200 or 400 lbs.
- Use full or partial height dividers to create custom storage bins
- Bulk rack options including solid or wire shelves with spans up to 8 feet
- Back and end panels in any color
- Consult Equipto Inside Sales if you are in a seismic zone



Multiple connected V-Grip shelving units.

## The Versatility of the V-Grip™ Upright Post

### One post - multiple shelf options

Wire rack truss is designed with a rigid 3-point connection for maximum rigidity. (see page 10)



Wire shelf with integrated wire truss for maximum rigidity. (see pages 5, 11 and 14)

Heavy duty 18 gauge solid steel shelf. (see page 9)

Bulk rack beams with reinforced drop-in wire decking. (see pages 18-19)

Bulk rack beams with heavy duty 18 gauge corrugated steel deck panels. (see pages 18-19)

Modular drawers come in 48 standard sizes in 200 lb. and 400 lb. static load capacity. (see page 12)

A standard color chart is available on page 160.




## V-Grip™ Shelving features the most efficient fastening principle known:


Corner shelf reinforcements with extruded studs insert easily into tapered slots in uprights. Shelf corner drops firmly over corner reinforcement and seats itself. Four-way, crossed tension minimizes deflection, and imparts superior strength and rigidity to the unit.



Double-flanged V-Grip uprights allow easy side-by-side assembly of shelving in rows, with the strongest configuration. Each flange of the upright supports a shelf from one adjoining unit only.



Reinforced, heavy-duty V-Grip shelves are constructed of 18-gauge steel, and double-flanged on all four sides for maximum strength and firmness.



Common upright clamp provides back-to-back reinforcement.\*\*



Optional drawers maximize cubic density in V-Grip shelving.

## Versatile V-Grip uprights


Permit practical back-to-back assembly of shelving units, with the same, strong reinforcement that actually strengthens shelves and uprights, yet permits their easy adjustment, and features a static load capacity up to 9000 lbs.

Shelves adjust instantly on 1 1/2" centers, without disturbing shelves in adjoining units.

Four corner reinforcements insert into upright; shelf simply fits down over it, and locks into place.\*

Tapered slots in uprights accept corner reinforcements for 4-way shelf support.

Double-flanged upright avoids two shelves from adjoining units placing stress on a single flange.



\* Shown in color for clarity, actual part is zinc plated.

\*\* Shown in color for clarity, actual part is galvanized steel.

# EQUIPTO® V-Grip™ Solid Shelving – Open & Closed – 84”H



## V-Grip™ Solid Shelving – Open 84”H

| Depth     | Width | Shelf Capacity | 5 Shelves |        | 7 Shelves |        | Extra Shelf |
|-----------|-------|----------------|-----------|--------|-----------|--------|-------------|
|           |       |                | Starter   | Add-On | Starter   | Add-On |             |
| 12" Depth |       |                |           |        |           |        |             |
| 12"       | 36"   | 650 lbs.       | 661-5S    | 661-5A | 661-7S    | 661-7A | 6230        |
| 12"       | 36"   | 940 lbs.       | 761-5S    | 761-5A | 761-7S    | 761-7A | 6230R       |
| 12"       | 42"   | 500 lbs.       | 661Y5S    | 661Y5A | 661Y7S    | 661Y7A | 6250        |
| 12"       | 42"   | 900 lbs.       | 761Y5S    | 761Y5A | 761Y7S    | 761Y7A | 6250R       |
| 12"       | 48"   | 430 lbs.       | 661W5S    | 661W5A | 661W7S    | 661W7A | 6240        |
| 12"       | 48"   | 700 lbs.       | 761W5S    | 761W5A | 761W7S    | 761W7A | 6240R       |
| 18" Depth |       |                |           |        |           |        |             |
| 18"       | 36"   | 700 lbs.       | 663-5S    | 663-5A | 663-7S    | 663-7A | 6231        |
| 18"       | 36"   | 1,170 lbs.     | 763-5S    | 763-5A | 763-7S    | 763-7A | 6231R       |
| 18"       | 42"   | 500 lbs.       | 663Y5S    | 663Y5A | 663Y7S    | 663Y7A | 6251        |
| 18"       | 42"   | 900 lbs.       | 763Y5S    | 763Y5A | 763Y7S    | 763Y7A | 6251R       |
| 18"       | 48"   | 440 lbs.       | 663W5S    | 663W5A | 663W7S    | 663W7A | 6241        |
| 18"       | 48"   | 740 lbs.       | 763W5S    | 763W5A | 763W7S    | 763W7A | 6241R       |
| 24" Depth |       |                |           |        |           |        |             |
| 24"       | 36"   | 721 lbs.       | 665-5S    | 665-5A | 665-7S    | 665-7A | 6232        |
| 24"       | 36"   | 1,000 lbs.     | 765-5S    | 765-5A | 765-7S    | 765-7A | 6232R       |
| 24"       | 42"   | 500 lbs.       | 665Y5S    | 665Y5A | 665Y7S    | 665Y7A | 6252        |
| 24"       | 42"   | 900 lbs.       | 765Y5S    | 765Y5A | 765Y7S    | 765Y7A | 6252R       |
| 24"       | 48"   | 450 lbs.       | 665W5S    | 665W5A | 665W7S    | 665W7A | 6242        |
| 24"       | 48"   | 720 lbs.       | 765W5S    | 765W5A | 765W7S    | 765W7A | 6242R       |
| 36" Depth |       |                |           |        |           |        |             |
| 36"       | 36"   | 670 lbs.       | 667-5S    | 667-5A | 667-7S    | 667-7A | 6234        |
| 36"       | 36"   | 790 lbs.       | 767-5S    | 767-5A | 767-7S    | 767-7A | 6234R       |

Shelves are 1 1/4” thick and adjustable in 1 1/2” increments. Add 1 5/8” to nominal shelving row width to determine total row width.

Note: Units can be ordered with 5–10 shelves. To order more shelves, change the suffix number to the desired quantity, e.g., 671-10S for 10 shelves.

**V-Grip™ Seismic Area Shelving: All preconfigured units are available in a version approved for all seismic zones in the USA. To specify seismic approved unit add an “-S” to the end of the part number (663-5A-S, for example). Anchors are not included in the kits as the proper specifications for anchors depend on local floor slab and ground conditions.**

## V-Grip™ Solid Shelving – Closed 84”H



| Depth     | Width | Shelf Capacity | 5 Shelves |        | 7 Shelves |        | Extra Shelf |
|-----------|-------|----------------|-----------|--------|-----------|--------|-------------|
|           |       |                | Starter   | Add-On | Starter   | Add-On |             |
| 12" Depth |       |                |           |        |           |        |             |
| 12"       | 36"   | 650 lbs.       | 671-5S    | 671-5A | 671-7S    | 671-7A | 6230        |
| 12        | 36"   | 940 lbs.       | 771-5S    | 771-5A | 771-7S    | 771-7A | 6230R       |
| 12        | 42"   | 500 lbs.       | 671Y5S    | 671Y5A | 671Y7S    | 671Y7A | 6250        |
| 12        | 42"   | 900 lbs.       | 771Y5S    | 771Y5A | 771Y7S    | 771Y7A | 6250R       |
| 12        | 48"   | 430 lbs.       | 671W5S    | 671W5A | 671W7S    | 671W7A | 6240        |
| 12        | 48"   | 700 lbs.       | 771W5S    | 771W5A | 771W7S    | 771W7A | 6240R       |
| 18" Depth |       |                |           |        |           |        |             |
| 18"       | 36"   | 700 lbs.       | 673-5S    | 673-5A | 673-7S    | 673-7A | 6231        |
| 18        | 36"   | 1,170 lbs.     | 773-5S    | 773-5A | 773-7S    | 773-7A | 6231R       |
| 18        | 42"   | 500 lbs.       | 673Y5S    | 673Y5A | 673Y7S    | 673Y7A | 6251        |
| 18        | 42"   | 900 lbs.       | 773Y5S    | 773Y5A | 773Y7S    | 773Y7A | 6251R       |
| 18        | 48"   | 440 lbs.       | 673W5S    | 673W5A | 673W7S    | 673W7A | 6241        |
| 18        | 48"   | 740 lbs.       | 773W5S    | 773W5A | 773W7S    | 773W7A | 6241R       |
| 24" Depth |       |                |           |        |           |        |             |
| 24"       | 36"   | 721 lbs.       | 675-5S    | 675-5A | 675-7S    | 675-7A | 6232        |
| 24        | 36"   | 1,000 lbs.     | 775-5S    | 775-5A | 775-7S    | 775-7A | 6232R       |
| 24        | 42"   | 500 lbs.       | 675Y5S    | 675Y5A | 675Y7S    | 675Y7A | 6252        |
| 24        | 42"   | 900 lbs.       | 775Y5S    | 775Y5A | 775Y7S    | 775Y7A | 6232R       |
| 24        | 48"   | 450 lbs.       | 675W5S    | 675W5A | 675W7S    | 675W7A | 6242        |
| 24        | 48"   | 720 lbs.       | 775W5S    | 775W5A | 775W7S    | 775W7A | 6242R       |
| 36" Depth |       |                |           |        |           |        |             |
| 36"       | 36"   | 690 lbs.       | 677-5S    | 677-5A | 677-7S    | 677-7A | 6234        |
| 36        | 36"   | 790 lbs.       | 777-5S    | 777-5A | 777-7S    | 777-7A | 6234R       |

Add 1 5/8” to nominal shelving row width to determine total row width.

A standard color chart is available on page 160.

V-Grip™ shelving is made with 18-gauge high-strength steel.



# V-Grip™ Spill Containment System

Utilizing our V-Grip™ wire shelving and our drip containment system, you can now have shelving fully capable of containing the occasional drip or spill from any fluid you need to store. At the same time, get the benefit from multiple levels to increase your storage capacity — no longer do you have to keep all of your fluid containers and drums on the floor. Available for four of our most popular shelf sizes.


**Pre-configured wire shelving with spill containment trays**  
(all 84" tall shelving units with 4 shelves and trays)

| Width | Shelving Depth | Height | Starter   | Add-On    |
|-------|----------------|--------|-----------|-----------|
| 36    | 18             | 84     | 43878-01S | 43878-01A |
| 36    | 24             | 84     | 43878-07S | 43878-07A |
| 48    | 18             | 84     | 43878-08S | 43878-08A |
| 48    | 24             | 84     | 43878-09S | 43878-09A |

## Spill tray only

| Part No. | Shelf Size | 'A'-Length of pan | 'B'-Width of pan | Capacity    |
|----------|------------|-------------------|------------------|-------------|
| 43878-01 | 36 x 18    | 34                | 16               | 5 Gallons   |
| 43878-07 | 36 x 24    | 34                | 22               | 6.5 Gallons |
| 43878-08 | 48 x 18    | 46                | 16               | 6.5 Gallons |
| 43878-09 | 48 x 24    | 46                | 22               | 9 Gallons   |

Spill pan is 2 1/4" deep and hooks under a wire shelf.





# V-Grip™ Shelving & Drawer Units

84"H Closed preconfigured units with drawers:

Top shelf is a wire grid, as shown, and now required by code.



Drawers included: (1)-3"H, (1)-4 1/2"H, (1)-6"H & (1)-7 1/2"H

| Drawer Depth | Drawer Width | Capacity Per Drawer | Starter Part No. | Add-On Part No. |
|--------------|--------------|---------------------|------------------|-----------------|
| 18"          | 36"          | 200 lbs.            | S4220VNS         | S4220VNA        |
|              | 36"          | 400 lbs.            | S4220VHS         | S4220VHA        |
|              | 48"          | 400 lbs.            | S4240VHS         | S4240VHA        |
| 24"          | 36"          | 200 lbs.            | S4230VNS         | S4230VNA        |
|              | 36"          | 400 lbs.            | S4230VHS         | S4230VHA        |
|              | 48"          | 400 lbs.            | S4250VHS         | S4250VHA        |



Drawers included: (2)-4 1/2"H & (2)-6" H

| Drawer Depth | Drawer Width | Capacity Per Drawer | Starter Part No. | Add-On Part No. |
|--------------|--------------|---------------------|------------------|-----------------|
| 18"          | 36"          | 200 lbs.            | S4221VNS         | S4221VNA        |
|              | 36"          | 400 lbs.            | S4221VHS         | S4221VHA        |
|              | 48"          | 400 lbs.            | S4241VHS         | S4241VHA        |
| 24"          | 36"          | 200 lbs.            | S4231VNS         | S4231VNA        |
|              | 36"          | 400 lbs.            | S4231VHS         | S4231VHA        |
|              | 48"          | 400 lbs.            | S4251VHS         | S4251VHA        |

**SEISMIC ZONE UNITS AVAILABLE\*\***



Drawers included: (2)-3"H, (1)-4 1/2"H & (1)-7 1/2"H

| Drawer Depth | Drawer Width | Capacity Per Drawer | Starter Part No. | Add-On Part No. |
|--------------|--------------|---------------------|------------------|-----------------|
| 18"          | 36"          | 200 lbs.            | S4222VNS         | S4222VNA        |
|              | 36"          | 400 lbs.            | S4222VHS         | S4222VHA        |
|              | 48"          | 400 lbs.            | S4242VHS         | S4242VHA        |
| 24"          | 36"          | 200 lbs.            | S4232VNS         | S4232VNA        |
|              | 36"          | 400 lbs.            | S4232VHS         | S4232VHA        |
|              | 48"          | 400 lbs.            | S4252VHS         | S4252VHA        |

**SEISMIC ZONE UNITS AVAILABLE\*\***



Drawers included: (4)-4 1/2"H

| Drawer Depth | Drawer Width | Capacity Per Drawer | Starter Part No. | Add-On Part No. |
|--------------|--------------|---------------------|------------------|-----------------|
| 18"          | 36"          | 200lb               | S4223VNS         | S4223VNA        |
|              | 36"          | 400lb               | S4223VHS         | S4223VHA        |
|              | 48"          | 400lb               | S4243VHS         | S4243VHA        |
| 24"          | 36"          | 200lb               | S4233VNS         | S4233VNA        |
|              | 36"          | 400lb               | S4233VHS         | S4233VHA        |
|              | 48"          | 400lb               | S4253VHS         | S 4253VHA       |

\*All units come with 4 solid shelves and one wire shelf. For additional shelves please see page 9.

No Divider Kits included, refer to pages 12 and 13 for Divider Kit options.

**\*\*V-Grip™ Seismic Area Shelving: All preconfigured units are available in a version approved for all seismic zones in the USA. To specify seismic approved unit add an "S" to the end of the part number. Anchors are not included in the kits as the proper specifications for anchors depend on local floor slab and ground conditions.**


A standard color chart is available on page 160.

# V-Grip™ Shelving Bin Units


| 23 Openings                  |         |          | 21 Openings    |          | 36 Openings  |          | 66 Openings      |          | 78 Openings  |          |
|------------------------------|---------|----------|----------------|----------|--------------|----------|------------------|----------|--------------|----------|
| 4-9"W x 9"H, 8-9"W x 12"H    |         |          | 18-12"W x 12"H |          | 36-9"W x 9"H |          | 60-6"W x 7 1/2"H |          | 72-6"W x 6"H |          |
| 9-12"W x 12"H, 2-18"W x 12"H |         |          | 3-12"W x 9"H   |          |              |          | 6-6"W x 9"H      |          | 6-6"W x 9"H  |          |
| Depth :                      | Starter | Add-on : | Starter        | Add-on : | Starter      | Add-on : | Starter          | Add-on : | Starter      | Add-on : |
| 12"                          | 914S    | 914A :   | 906S           | 906A :   | 905S         | 905A :   | 904S             | 904A :   | 903S         | 903A :   |
| 18"                          | 914DS   | 914DA :  | 906DS          | 906DA :  | 905DS        | 905DA :  | 904DS            | 904DA :  | 903DS        | 903DA :  |
| 24"                          | 914ES   | 914EA :  | 906ES          | 906EA :  | 905ES        | 905EA :  | 904ES            | 904EA :  | 903ES        | 903EA :  |

All Units are 36" Wide and 84" in Height, for other available heights and widths contact Equipto Inside Sales.

Clear height of bin opening is 1 1/2" less than nominal height shown.



- Simple clip and divider system creates efficient bin compartments.
- Match right size opening to your parts and supplies
- Add doors for cleanliness and security
- Use bin units back-to-back, form dividing walls, use near desks, machines or benches



| 36 openings<br>9"W x 9"H |         |        | 79 openings<br>Assorted Sizes<br>12 Drawers<br>3 Compartments<br>in each drawer |        | 92 openings<br>Assorted Sizes<br>24 Drawers<br>55/8"W x 3"H |        | 72 drawers<br>Drawers: 55/8"W x 3"H<br>6 Bins: 18"W |        | 108 drawers<br>55/8"W x 3"H<br>(324 Compartments) |        |
|--------------------------|---------|--------|---------------------------------------------------------------------------------|--------|-------------------------------------------------------------|--------|-----------------------------------------------------|--------|---------------------------------------------------|--------|
| Depth :                  | Starter | Add-on | Starter                                                                         | Add-on | Starter                                                     | Add-on | Starter                                             | Add-on | Starter                                           | Add-on |
| 12"                      | 907S    | 907A   | 910S                                                                            | 910A   | 911S                                                        | 911A   | 920S                                                | 920A   | 919S                                              | 919A   |
| 18"                      | 907DS   | 907DA  | 910DS                                                                           | 910DA  | 911DS                                                       | 911DA  | 920DS                                               | 920DA  | 919DS                                             | 919DA  |
| 24"                      | 907ES   | 907EA  | -                                                                               | -      | -                                                           | -      | -                                                   | -      | -                                                 | -      |

All Units are 36" Wide and 84" in Height, for other available heights and widths contact Equipto Inside Sales.

Clear height of bin opening is 1 1/2" less than nominal height shown.

A standard color chart is available on page 160.

## V-Grip™ Shelving Carts

- Instant mobility
- Open wire construction promotes high visibility, letting light and air pass freely
- Rugged and easy to use
- Handles the most demanding jobs
- All units have two brake and two rigid casters
- Casters are not recommended for units over 66"H



Equipto Carts are heavy duty to handle the toughest jobs. For Perimeter Bases only see page 14.  
Handle is standard reflective white.

### V-Grip™ wire carts Casters are not recommended for units over 66"H

| Depth            | Width | Overall Height | Number of Shelves | With Standard Duty Casters<br>(500 lbs. Static Load Capacity) | With Heavy Duty Casters<br>(800 lbs. Static Load Capacity) | Additional Intermediate Shelves |
|------------------|-------|----------------|-------------------|---------------------------------------------------------------|------------------------------------------------------------|---------------------------------|
| <b>18" Depth</b> |       |                |                   |                                                               |                                                            |                                 |
| 36"              | 42"   | 2              |                   | 4573                                                          | 4573D                                                      | 6073                            |
|                  | 54"   | 3              |                   | 4583                                                          | 4583D                                                      |                                 |
|                  | 66"   | 4              |                   | 4593                                                          | 4593D                                                      |                                 |
| 48"              | 42"   | 2              |                   | 4574                                                          | 4574D                                                      | 6074                            |
|                  | 54"   | 3              |                   | 4584                                                          | 4584D                                                      |                                 |
|                  | 66"   | 4              |                   | 4594                                                          | 4594D                                                      |                                 |
| 72"              | 42"   | 2              |                   | 4576                                                          | 4576D                                                      | 6076                            |
|                  | 54"   | 3              |                   | 4586                                                          | 4586D                                                      |                                 |
|                  | 66"   | 4              |                   | 4596                                                          | 4596D                                                      |                                 |
| <b>24" Depth</b> |       |                |                   |                                                               |                                                            |                                 |
| 36"              | 42"   | 2              |                   | 4673                                                          | 4673D                                                      | 6083                            |
|                  | 54"   | 3              |                   | 4683                                                          | 4683D                                                      |                                 |
|                  | 66"   | 4              |                   | 4693                                                          | 4693D                                                      |                                 |
| 48"              | 42"   | 2              |                   | 4674                                                          | 4674D                                                      | 6084                            |
|                  | 54"   | 3              |                   | 4684                                                          | 4684D                                                      |                                 |
|                  | 66"   | 4              |                   | 4694                                                          | 4694D                                                      |                                 |
| 72"              | 42"   | 2              |                   | 4676                                                          | 4676D                                                      | 6086                            |
|                  | 54"   | 3              |                   | 4686                                                          | 4686D                                                      |                                 |
|                  | 66"   | 4              |                   | 4696                                                          | 4696D                                                      |                                 |

A standard color chart is available on page 160.



# V-Grip™ Shelving Components

Designed and engineered for maximum interchangeability, V-Grip™ components carry the quality assurance that has made Equipto the leader in industrial shelving systems. All parts and accessories are designed and produced by Equipto to integrate and form a solid compression fit resulting in a storage system that is guaranteed to deliver years of reliable service.

## V-Grip™ shelving components

Structural Integrity comes from the integration of Equipto's exclusive V-Grip™ upright post and heavy-duty, compression-fit components. **When ordering V-Grip shelving by component, remember:**

- 1) To include 1 shelving end for each section of shelving and 1 shelving end to terminate each row.
- 2) Back sway braces and solid back panels can be shared between back-to-back units.
- 3) Closed shelving ends and solid back panels are available in all colors.
- 4) V-Grip™ shelves are heavy duty, 18-gauge steel and are provided with 4 corner clip reinforcements per shelf, which provide a friction fit to V-Grip™ upright posts.
- 5) To link open back to back shelves use 10381 clamps.
- 6) Consult Equipto Inside Sales if you are in a seismic zone.

### Heavy duty 18 ga solid shelves (D x W) 1 1/4" high

| Description | Part No. |
|-------------|----------|
| 12" x 24"   | 6202     |
| 12" x 36"   | 6230     |
| 12" x 42"   | 6250     |
| 12" x 48"   | 6240     |
| 15" x 36"   | 6229     |
| 15" x 42"   | 6249     |
| 15" x 48"   | 6239     |
| 18" x 24"   | 6203     |
| 18" x 36"   | 6231     |
| 18" x 42"   | 6251     |
| 18" x 48"   | 6241     |
| 24" x 24"   | 6204     |
| 24" x 36"   | 6232     |
| 24" x 42"   | 6252     |
| 24" x 48"   | 6242     |
| 30" x 36"   | 810230-3 |
| 30" x 42"   | 6253     |
| 30" x 48"   | 6243     |
| 36" x 36"   | 6234     |
| 36" x 48"   | 6244     |



### Reinforced heavy duty solid shelves

|           |       |
|-----------|-------|
| 12" x 36" | 6230R |
| 12" x 48" | 6240R |
| 18" x 36" | 6231R |
| 18" x 48" | 6241R |
| 24" x 36" | 6232R |
| 24" x 48" | 6242R |
| 36" x 36" | 6234R |

Includes front and rear reinforcing bars.

Recommended for bottom 2 shelves on units over 8'.

|             |          |
|-------------|----------|
| 42"D x 36"W | 810242-3 |
| 36"D x 42"W | 810250   |
| 15"D x 24"W | 810215-1 |

### Center shelf reinforcements - 16 ga

|             |       |
|-------------|-------|
| 36" Channel | 10051 |
| 48" Channel | 10052 |

### Reinforcements - 13 ga

|                   |       |
|-------------------|-------|
| 36" Front/RearEnd | 10093 |
| 42" Front or Rear | 9952  |
| 48" Front or Rear | 10094 |
| 12" End           | 9630  |
| 18" End           | 9631  |
| 24" End           | 9632  |



## 16-Gauge

### Upright posts (15/8" Wide)

| Description | Part No. |
|-------------|----------|
| 36" High    | 5003     |
| 42" High    | 5035     |
| 48" High    | 5004     |
| 54" High    | 5031     |
| 60" High    | 5005     |
| 72" High    | 5006     |
| 78" High    | 5022     |
| 84" High    | 5007     |
| 90" High    | 5023     |
| 96" High    | 5008     |
| 108" High   | 5009     |
| 120" High   | 5010     |
| 144" High*  | 5012     |
| 180" High*  | 5015     |

\*Posts over 144"H are spliced.





## Open Shelving Ends ("VGOE + D + H")

| Height           | 12" Deep   | 15" Deep   | 18" Deep   | 24" Deep   | 30" Deep   | 36" Deep   | 48" Deep   |
|------------------|------------|------------|------------|------------|------------|------------|------------|
| 60" High (5')    | VGOE1260   | VGOE1560   | VGOE1860   | VGOE2460   | VGOE3060   | VGOE3660   | VGOE4860   |
| 72" High (6')    | VGOE1272   | VGOE1572   | VGOE1872   | VGOE2472   | VGOE3072   | VGOE3672   | VGOE4872   |
| 84" High (7')    | VGOE1284   | VGOE1584   | VGOE1884   | VGOE2484   | VGOE3084   | VGOE3684   | VGOE4884   |
| 96" High (8')    | VGOE1296   | VGOE1596   | VGOE1896   | VGOE2496   | VGOE3096   | VGOE3696   | VGOE4896   |
| 108" High (9')   | VGOE12108  | VGOE15108  | VGOE18108  | VGOE24108  | VGOE30108  | VGOE36108  | VGOE48108  |
| 120" High (10')  | VGOE12120  | VGOE15120  | VGOE18120  | VGOE24120  | VGOE30120  | VGOE36120  | VGOE48120  |
| 144" High (12')  | VGOE12144  | VGOE15144  | VGOE18144  | VGOE24144  | VGOE30144  | VGOE36144  | VGOE48144  |
| 180" High (15')* | VGOE12180* | VGOE15180* | VGOE18180* | VGOE24180* | VGOE30180* | VGOE36180* | VGOE48180* |

84" and 96" high Open Shelving Ends come with 2 upright posts and 2 end brace plates.

\*Posts over 144" are spliced.

\*If stacking (2) 8" Closed units, change end panel to VGCEX192 to cover all gaps.



## Closed Shelving Ends ("VGCE + D + H")

| Height           | 12" Deep   | 15" Deep   | 18" Deep   | 24" Deep   | 30" Deep   | 36" Deep   | 48" Deep   |
|------------------|------------|------------|------------|------------|------------|------------|------------|
| 60" High (5')    | VGCE1260   | VGCE1560   | VGCE1860   | VGCE2460   | VGCE3060   | VGCE3660   | VGCE4860   |
| 72" High (6')    | VGCE1272   | VGCE1572   | VGCE1872   | VGCE2472   | VGCE3072   | VGCE3672   | VGCE4872   |
| 84" High (7')    | VGCE1284   | VGCE1584   | VGCE1884   | VGCE2484   | VGCE3084   | VGCE3684   | VGCE4884   |
| 96" High (8')    | VGCE1296   | VGCE1596   | VGCE1896   | VGCE2496   | VGCE3096   | VGCE3696   | VGCE4896   |
| 108" High (9')   | VGCE12108  | VGCE15108  | VGCE18108  | VGCE24108  | VGCE30108  | VGCE36108  | VGCE48108  |
| 120" High (10')  | VGCE12120  | VGCE15120  | VGCE18120  | VGCE24120  | VGCE30120  | VGCE36120  | VGCE48120  |
| 144" High (12')  | VGCE12144  | VGCE15144  | VGCE18144  | VGCE24144  | VGCE30144  | VGCE36144  | VGCE48144  |
| 180" High (15')* | VGCE12180* | VGCE15180* | VGCE18180* | VGCE24180* | VGCE30180* | VGCE36180* | VGCE48180* |

84" high Closed Shelving Ends come with 2 upright posts and 2 end brace plates. 96" high Closed Shelving Ends come with 2 upright posts and 3 end panels.

\*Posts over 144" are spliced. Standard reflective white.

Back and end panels are available in all colors.



## End Panels (VGEP + D + H)

| Panel height       | 12" Deep  | 15" Deep  | 18" Deep  | 24" Deep  | 30" Deep  | 36" Deep  | 48" Deep  |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 32-1/4" High       | 6786      | 6907      | 6787      | 6788      | 6911      | 6790      | 6921      |
| 35-1/4" High (3')  | 6796-36   | 6905      | 6797-36   | 6799-36   | —         | —         | —         |
| 41-1/4" High (42") | —         | —         | 6913      | 6914      | —         | —         | —         |
| 42-3/4" High       | 6796      | 6906      | 6797      | 6798      | 6910      | 6800      | 6920      |
| 47-1/4" High (4')  | 6901      | 6908      | 6902      | 6903      | 6912      | 6904      | 6922      |
| 54"-60" High (5')  | VGEP1260  | VGEP1560  | VGEP1860  | VGEP2460  | VGEP3060  | VGEP3660  | VGEP4860  |
| 72" High (6')      | VGEP1272  | VGEP1572  | VGEP1872  | VGEP2472  | VGEP3072  | VGEP3672  | VGEP4872  |
| 78"-84" High (7')  | VGEP1284  | VGEP1584  | VGEP1884  | VGEP2484  | VGEP3084  | VGEP3684  | VGEP4884  |
| 90"-96" High (8')  | VGEP1296  | VGEP1596  | VGEP1896  | VGEP2496  | VGEP3096  | VGEP3696  | VGEP4896  |
| 108" High (9')     | VGEP12108 | VGEP15108 | VGEP18108 | VGEP24108 | VGEP30108 | VGEP36108 | VGEP48108 |
| 120" High (10')    | VGEP12120 | VGEP15120 | VGEP18120 | VGEP24120 | VGEP30120 | VGEP36120 | VGEP48120 |
| 144" High (12')    | VGEP12144 | VGEP15144 | VGEP18144 | VGEP24144 | VGEP30144 | VGEP36144 | VGEP48144 |
| 180" High (15')    | VGEP12180 | VGEP15180 | VGEP18180 | VGEP24180 | VGEP30180 | VGEP36180 | VGEP48180 |

Does not include upright posts.

Back and end panels are available in all colors.



## Finishing end panels

| Description (D x H) | Part No. |
|---------------------|----------|
| 12" x 84"           | 7917-12  |
| 15" x 84"           | 7917-15  |
| 18" x 84"           | 7917-18  |
| 24" x 84"           | 7917-24  |
| 30" x 84"           | 7917-30  |

Flush fit to V-Grip. Row end covers all holes. Does not eliminate requirement for sway brace. Finishes off the end of a unit with an attractive solid panel. Standard color is reflective white regardless of shelf color.

## Back Panels ("VGBP + W + H")

| Back panel height    | 24" wide  | 36" wide  | 42" wide  | 48" wide  |
|----------------------|-----------|-----------|-----------|-----------|
| 32-1/4" High         | 7583      | 7584      | 7586      | 7587      |
| 35-1/4" High (3')    | 7590-36   | 7588-36   | 7585-36   | 7589-36   |
| 41-1/4" High (42")   | —         | 7591      | —         | 7592      |
| 42-3/4" High         | 7590      | 7588      | 7585      | 7589      |
| 48"-60" High (4'-5') | VGBP2460  | VGBP3660  | VGBP4260  | VGBP4860  |
| 72" High (6')        | VGBP2472  | VGBP3672  | VGBP4272  | VGBP4872  |
| 78"-84" High (7')    | VGBP2484  | VGBP3684  | VGBP4284  | VGBP4884  |
| 90"-96" High (8')    | VGBP2496  | VGBP3696  | VGBP4296  | VGBP4896  |
| 108" High (9')       | VGBP24108 | VGBP36108 | VGBP42108 | VGBP48108 |
| 120" High (10')      | VGBP24120 | VGBP36120 | VGBP42120 | VGBP48120 |
| 144" High (12')      | VGBP24144 | VGBP36144 | VGBP42144 | VGBP48144 |
| 180" High (15')      | VGBP24180 | VGBP36180 | VGBP42180 | VGBP48180 |

Back and end panels are available in all colors.



## V-Grip™ shelving components

Equipto's exclusive Wire Shelf design combines wire truss supports with a heavy-duty waterfall shelf to provide:

- Increased visibility of items on upper shelves
- Better flow of air, light, & sprinklers
- Static load capacity equal to heavy-duty 18 gauge solid steel shelves
- Shelves are 1 1/4" thick

### Wire back grids (W x H)

| Description | Part No. |
|-------------|----------|
| 24" x 36"   | 7546     |
| 36" x 36"   | 7556     |
| 42" x 36"   | 810442W1 |
| 48" x 36"   | 7557     |
| 60" x 36"   | 7558     |
| 72" x 36"   | 7559     |
| 96" x 36"   | 7560     |
| 24" x 48"   | 7547     |
| 36" x 48"   | 7561     |
| 42" x 48"   | 810442W2 |
| 48" x 48"   | 7562     |
| 60" x 48"   | 7563     |
| 72" x 48"   | 7564     |
| 96" x 48"   | 7566     |



When using wire shelves in a closed-back shelving configuration, an additional back panel spacer and longer bolt is required to maintain clearance between the panel and the wire shelf.

Plastic spacer PN: 13219S

Truss head bolt, 10-24 x 1 3/4" PN: 13135  
(one of each per back panel bracket)

### Wire end grids (H x D)

| Description | Part No. |
|-------------|----------|
| 36" x 12"   | 6780-03  |
| 36" x 18"   | 6781-03  |
| 36" x 24"   | 6782-03  |
| 36" x 36"   | 6783-03  |
| 36" x 48"   | 6784-03  |
| 48" x 12"   | 6795-04  |
| 48" x 18"   | 6791-04  |
| 48" x 24"   | 6792-04  |
| 48" x 36"   | 6793-04  |
| 48" x 48"   | 6794-04  |


Wire grids are reflective white.



### Back sway braces (width)

| Description    | Part No. |
|----------------|----------|
| 24" Back, pair | 6418     |
| 36" Back, pair | 6416     |
| 42" Back, pair | 6419     |
| 48" Back, pair | 6417     |

1 Req. up to 8 ft. / 2 Req. 9-15 ft.



### End brace plates

| Description   | Part No. |
|---------------|----------|
| 12" End, pair | 6412     |
| 15" End, pair | 6411     |
| 18" End, pair | 6413     |
| 24" End, pair | 6414     |
| 30" End, pair | 6406     |
| 36" End, pair | 6415     |
| 48" End, pair | 6410     |


For shelving up to 9' high, 2 pairs of plates are required For shelving 9' to 12' high, a total of 3 pairs are required. For 13' high and above, 4 pairs are required.



### Wire Hooks

| Description | Part No. |
|-------------|----------|
| 4" L        | 7694-4   |
| 6" L        | 7694-6   |
| 8" L        | 7694-8   |
| 10" L       | 7694-10  |






### Pull out reference shelves (D x W)

| Description | Part No. |
|-------------|----------|
| 12" x 36"   | 6230RFS  |
| 12" x 48"   | 6240RFS  |
| 24" x 36"   | 6232RFS  |
| 24" x 48"   | 6242RFS  |


### V-Grip Roll-out Shelves

| Size      | Static Load Capacity | Part No. |
|-----------|----------------------|----------|
| 36" x 18" | 200 lbs.             | S8603NR0 |
| 36" x 24" | 200 lbs.             | S8610NR0 |
| 36" x 18" | 400 lbs.             | S8603HR0 |
| 36" x 24" | 400 lbs.             | S8610HR0 |
| 48" x 18" | 400 lbs.             | S8661HR0 |
| 48" x 24" | 400 lbs.             | S8671HR0 |

### Divider Kits – 18" Deep



### Divider Kits – 24" Deep




### Important ordering considerations:

- When selecting divider kits select the correct height of partitions and dividers for specific drawers being ordered
- All dividers are smooth office gray in color

### Preconfigured Divider kits for 36" wide drawers

| For Drawer Width | For Drawer Height | Divider Set | 18" Deep Divider Kit | 24" Deep Divider Kit |
|------------------|-------------------|-------------|----------------------|----------------------|
| 36"              | 3"                | D           | 4173D10              | 4183D10              |
|                  | 3"                | E           | 4173E10              | 4183E10              |
|                  | 3"                | F           | 4173F10              | 4183F10              |
|                  | 3"                | H           | 4173H10              | 4183H10              |
|                  | 4 1/2"            | D           | 4174D15              | 4184D15              |
|                  | 4 1/2"            | E           | 4174E15              | 4184E15              |
|                  | 4 1/2"            | F           | 4174F15              | 4184F15              |
|                  | 4 1/2"            | H           | 4174H15              | 4184H15              |
|                  | 6" and up         | D           | 4175D20              | 4185D20              |
|                  | 6" and up         | E           | 4175E20              | 4185E20              |
|                  | 6" and up         | F           | 4175F20              | 4185F20              |
|                  | 6" and up         | H           | 4175H20              | 4185H20              |



### Front floor bases (H x W)

| Description  | Part No. |
|--------------|----------|
| 25/8" x 36"  | 6803     |
| 25/8" x 42"  | 010136   |
| 25/8" x 48"  | 6805     |
| 4 1/8" x 36" | 6804     |
| 4 1/8" x 42" | 6807     |
| 4 1/8" x 48" | 6806     |




### Bin fronts

| Description           | Part No. |
|-----------------------|----------|
| 11/2" x 36" Bin Front | 10514    |
| 11/2" x 48" Bin Front | 10515    |
| 31/4" x 36" Bin Front | 10516    |
| 31/4" x 48" Bin Front | 10517    |

### V-Grip Drawers

Maximize density with drawers for V-Grip



- 100% drawer extension
- 36 and 48 inch widths; 18 and 24 inch depths
- 200 and 400 lb. drawer load



Modular Drawers in V-Grip Shelving

| Depth (Front to Rear) | Height of Drawer Front | Inside Height | 36" Wide 200 lb. Load | 36" Wide 400 lb. Load | 48" Wide 400 lb. Load |
|-----------------------|------------------------|---------------|-----------------------|-----------------------|-----------------------|
| 18"                   | 3"                     | 2"            | S8603N                | S8603H                | S8661H                |
|                       | 4 1/2"                 | 3 1/2"        | S8604N                | S8604H                | S8662H                |
|                       | 6"                     | 5"            | S8605N                | S8605H                | S8663H                |
|                       | 7 1/2"                 | 6 1/2"        | S8606N                | S8606H                | S8664H                |
|                       | 9"                     | 8"            | S8601N                | S8601H                | S8665H                |
|                       | 10 1/2"                | 9 1/2"        | S8602N                | S8602H                | S8666H                |
| 24"                   | 12"                    | 11"           | S8607N                | S8607H                | S8667H                |
|                       | 13 1/2"                | 12"           | S8608N                | S8608H                | S8668H                |
|                       | 3"                     | 2"            | S8610N                | S8610H                | S8671H                |
|                       | 4 1/2"                 | 3 1/2"        | S8611N                | S8611H                | S8672H                |
|                       | 6"                     | 5"            | S8612N                | S8612H                | S8673H                |
|                       | 7 1/2"                 | 6 1/2"        | S8613N                | S8613H                | S8674H                |
|                       | 9"                     | 8"            | S8615N                | S8615H                | S8675H                |
|                       | 10 1/2"                | 9 1/2"        | S8616N                | S8616H                | S8676H                |
|                       | 12"                    | 11"           | S8614N                | S8614H                | S8677H                |
|                       | 13 1/2"                | 12"           | S8617N                | S8617H                | S8678H                |

Note: All Drawer part numbers listed above do not include dividers.


### Important ordering considerations:

- A shelf should be positioned above each group of drawers
- Do not exceed 36" vertical spacing of continuous drawers**
- Handles include label holder, plastic cover strip and end caps
- Inside clear width: 36" - 31 7/8" / 48" - 43 1/4"
- Inside clear depth: 18" - 16 5/16" / 24" - 22 5/16"
- Standard installation of V-Grip shelving drawers leaves a 1/4" space between the drawer and the shelf directly above. To close this gap, select the appropriate filler strip. For 36"W drawers: 7702; for 48"W drawers: 7702-48.

A standard color chart is available on page 160.

**Preconfigured Divider kits for 48" wide drawers**


| Width | For Drawer Height | Divider Set | 18" Deep Divider Kit | 24" Deep Divider Kit |
|-------|-------------------|-------------|----------------------|----------------------|
| 48"   | 3"                | D           | 4176D10              | 4186D10              |
|       | 3"                | E           | 4176E10              | 4186E10              |
|       | 3"                | F           | 4176F10              | 4186F10              |
|       | 3"                | H           | 4176H10              | 4186H10              |
|       | 4 1/2"            | D           | 4177D15              | 4187D15              |
|       | 4 1/2"            | E           | 4177E15              | 4187E15              |
|       | 4 1/2"            | F           | 4177F15              | 4187F15              |
|       | 4 1/2"            | H           | 4177H15              | 4187H15              |
|       | 6" and up         | D           | 4178D20              | 4188D20              |
|       | 6" and up         | E           | 4178E20              | 4188E20              |
|       | 6" and up         | F           | 4178F20              | 4188F20              |
|       | 6" and up         | H           | 4178H20              | 4188H20              |


**Sliding dividers (H x D)**

| Description  | Part No. |
|--------------|----------|
| 2 3/4" x 12" | 8110     |
| 4 1/4" x 12" | 8111     |
| 5 3/4" x 12" | 8112     |
| 7 1/4" x 12" | 8113     |
| 2 3/4" x 18" | 8103     |
| 4 1/4" x 18" | 8104     |
| 5 3/4" x 18" | 8105     |
| 7 1/4" x 18" | 8106     |
| 2 3/4" x 24" | 8114     |
| 4 1/4" x 24" | 8115     |
| 5 3/4" x 24" | 8116     |
| 7 1/4" x 24" | 8117     |


**Label holders**


| Description (H x W)             | Part No. |
|---------------------------------|----------|
| 1 1/8" x 34" Label Holder       | 6615     |
| 1 1/8" x 46" Label Holder       | 6613     |
| 1" x 6" Plastic (for wire only) | 6620     |


**Full height shelf dividers (H x D)**


| Description   | Part No. |
|---------------|----------|
| 2" x 12"      | 8049     |
| 4 1/2" x 12"  | 8018     |
| 6" x 12"      | 8019     |
| 7 1/2" x 12"  | 8020     |
| 9" x 12"      | 8021     |
| 10 1/2" x 12" | 8022     |
| 12" x 12"     | 8023     |
| 13 1/2" x 12" | 8024     |
| 15" x 12"     | 8025     |
| 16 1/2" x 12" | 8026     |
| 2" x 18"      | 8093     |
| 4 1/2" x 18"  | 8090     |
| 6" x 18"      | 8094     |
| 7 1/2" x 18"  | 8095     |
| 9" x 18"      | 8096     |
| 10 1/2" x 18" | 8097     |
| 12" x 18"     | 8098     |
| 13 1/2" x 18" | 8099     |
| 15" x 18"     | 810313   |
| 16 1/2" x 18" | 8091     |
| 18" x 18"     | 8092     |
| 6" x 24"      | 8119     |
| 7 1/2" x 24"  | 8120     |
| 9" x 24"      | 8121     |
| 10 1/2" x 24" | 8122     |
| 12" x 24"     | 8123     |
| 13 1/2" x 24" | 8124     |
| 15" x 24"     | 8125     |
| 16 1/2" x 24" | 8126     |
| 21" x 24"     | 8129     |
| 22 1/2" x 24" | 810306-2 |
| 24" x 24"     | 810301   |
| 25 1/2" x 24" | 810324   |
| 28 1/2" x 24" | 810324-1 |
| 37 1/2" x 24" | 810324-2 |
| 48" x 24"     | 810306-3 |
| 10 1/2" x 36" | 8133     |
| 12" x 36"     | 8134     |
| Speediclip    | 10226    |

(Speediclip holds shelf dividers to shelves above and below.)

**18" Deep**


**24" Deep**

**Important ordering considerations:**

- When selecting divider kits select the correct height of partitions and dividers for specific drawers being ordered
- All dividers are smooth office gray in color


**Top/bottom cap**

| Description             | Part No. |
|-------------------------|----------|
| Top or Bottom Cap/White | 10177W   |
| Top or Bottom Cap/Black | 10177B   |


Close the top of any V-Grip Bulk Rack upright. Easy to attach - simply tap its triangular base into the upright. May also be used as floor glide to protect all floors. Made of high-impact plastic, it will withstand any load within the capacity of the upright itself.

**Partitions**


| Partition Height | To Fit Drawer Height | To Fit 18" Deep Drawers | To Fit 24" Deep Drawers |
|------------------|----------------------|-------------------------|-------------------------|
| 2"               | 3"                   | 8780N                   | 8790N                   |
| 3"               | 4 1/2"               | 8781N                   | 8791N                   |
| 4 1/2"           | 6" and up            | 8782N                   | 8792N                   |

- All partitions are smooth office gray in color

Ribbed and slotted partitions fit easily into drawers, running the full depth of the drawer from front-to-back. Adjustable in 3/4" increments, they may be used alone, or with dividers. Metal screws are supplied for fastening to drawer bottoms.



To further expand the possibilities in creating your own drawer design, we offer a variety of individual dividers. Use them with front-to-back partitions to make compartments of all sizes. Spaces across drawers; each 3/4" wide  
36" wide drawers — 40 spaces  
48" wide drawers — 53 spaces

**Individual dividers**

| Divider Width | Spaces | For 3" High Drawers | For 4 1/2" High Drawers | For 6" High Drawers and Up |
|---------------|--------|---------------------|-------------------------|----------------------------|
| 3 3/32"       | 4      | 8834                | 8844                    | 8854                       |
| 4 11/16"      | 6      | 8835                | 8845                    | 8855                       |
| 6 9/32"       | 8      | 8836                | 8846                    | 8856                       |
| 7 7/8"        | 10     | 8837                | 8847                    | 8857                       |
| 9 7/16"       | 12     | 8838                | 8848                    | 8858                       |
| 12 11/16"     | 16     | 8839                | 8849                    | 8859                       |

- All dividers are smooth office gray in color

# NEW!

## Hinged double doors for V-Grip™ shelving

Add security and visibility to your storage material with full-height, mesh door kits. Doors provide a steel hasp for securing with customer-provided padlock.

### Wire Mesh Doors for Shelving



| Part Number | Description               |
|-------------|---------------------------|
| 19126       | Wire Mesh Door, 2'W x 6'H |
| 19127       | Wire Mesh Door, 2'W x 7'H |
| 19128       | Wire Mesh Door, 2'W x 8'H |
| 19136       | Wire Mesh Door, 3'W x 6'H |
| 19137       | Wire Mesh Door, 3'W x 7'H |
| 19138       | Wire Mesh Door, 3'W x 8'H |
| 19146       | Wire Mesh Door, 4'W x 6'H |
| 19147       | Wire Mesh Door, 4'W x 7'H |
| 19148       | Wire Mesh Door, 4'W x 8'H |

Color is Gray Powder Coat. Cannot be used with drawers in shelves.




### Wire dividers for wire shelves (H x D)

| Description | Part No. |
|-------------|----------|
| 9" x 18"    | 8101     |
| 9" x 24"    | 8102     |



### Plastic containers (W x D x H)

| Color                                                                            | Part No. |
|----------------------------------------------------------------------------------|----------|
| White (11" x 22 <sup>3</sup> / <sub>4</sub> " x 7")                              | 8501W    |
| Yellow (11" x 22 <sup>3</sup> / <sub>4</sub> " x 7")                             | 8501Y    |
| Blue (11" x 22 <sup>3</sup> / <sub>4</sub> " x 7")                               | 8501B    |
| Clear (11" x 22 <sup>3</sup> / <sub>4</sub> " x 7")                              | 8501C    |
| Red (11" x 22 <sup>3</sup> / <sub>4</sub> " x 7")                                | 8501R    |
| Black (11" x 22 <sup>3</sup> / <sub>4</sub> " x 7")                              | 8501BLK  |
| Container Lid (11" x 22 <sup>3</sup> / <sub>4</sub> " x 7")                      | 8502     |
| (3 Across fits 36" wide shelf)                                                   |          |
| White (8 <sup>1</sup> / <sub>4</sub> " x 22 <sup>3</sup> / <sub>4</sub> " x 6")  | 8512W    |
| Yellow (8 <sup>1</sup> / <sub>4</sub> " x 22 <sup>3</sup> / <sub>4</sub> " x 6") | 8512Y    |
| Blue (8 <sup>1</sup> / <sub>4</sub> " x 22 <sup>3</sup> / <sub>4</sub> " x 6")   | 8512B    |
| (4 Across fits 36" wide shelf)                                                   |          |



Add mobility to any V-Grip™ steel or wire shelving or rack 18" or more deep. Static load capacity 800 lbs. per unit.

### Mobile Perimeter base (Add 6" to height)

| Depth | 36" wide | 48" wide | 60" wide | 72" wide | 96" wide |
|-------|----------|----------|----------|----------|----------|
| 18"   | 4699C13  | 4699C14  | 4699C15  | 4699C16  | 4699C18  |
| 24"   | 4699C23  | 4699C24  | 4699C25  | 4699C26  | 4699C28  |
| 30"   | 4699C03  | 4699C04  | 4699C05  | 4699C06  | 4699C08  |
| 36"   | 4699C33  | 4699C34  | 4699C35  | 4699C36  | 4699C38  |
| 48"   | 4699C43  | 4699C44  | 4699C45  | 4699C46  | 4699C48  |

Note: Includes 2 swivel and 2 stationary heavy duty casters. when ordering V-Grip™ uprights with mobile base, add suffix "TU" after part number for upright. Ex: 5005TU. Not recommended over 66"H.



Wire Mesh Doors



### Doors for shelving (W x H)

Lock and key included

| Description                            | Part No.  |
|----------------------------------------|-----------|
| 36" x 34 <sup>1</sup> / <sub>2</sub> " | 18036*    |
| 36" x 42"                              | 18043*    |
| 36" x 72"                              | 18035-72  |
| 36" x 78"                              | 18035-78* |
| 36" x 84"                              | 18035*    |
| 36" x 96"                              | 18035-96* |
| 42" x 84"                              | 44979A    |
| 48" x 34 <sup>1</sup> / <sub>2</sub> " | 18436*    |
| 48" x 42"                              | 18443*    |
| 48" x 72"                              | 18435-72  |
| 48" x 78"                              | 18435-78* |
| 48" x 84"                              | 18435*    |
| 48" x 96"                              | 18435-96* |

\*For Quick View doors, add QV to the end of the part number (see page 142).

| Handles (white) | Part No. |
|-----------------|----------|
| 18"D            | 11580    |
| 24"D            | 11581    |
| 30"D            | 811030   |
| 36"D            | 44080-03 |





Hanger bar & bracket

### Hanger bar and bracket

(Includes rod, brackets and one support channel) (D x W)

| Description | Part No. |
|-------------|----------|
| 12" x 36"   | 9753-12  |
| 12" x 48"   | 9754-12  |
| 12" x 60"   | 9755-12  |
| 12" x 72"   | 9756-12  |
| 18" x 36"   | 9753-18  |
| 18" x 48"   | 9754-18  |
| 18" x 60"   | 9755-18  |
| 18" x 72"   | 9756-18  |
| 24" x 36"   | 9753-24  |
| 24" x 48"   | 9754-24  |
| 24" x 60"   | 9755-24  |
| 24" x 72"   | 9756-24  |
| 36" x 36"   | 9753-36  |
| 36" x 48"   | 9754-36  |
| 36" x 60"   | 9755-36  |
| 36" x 72"   | 9756-36  |

Order one end support channel to each section to finish row.

|          |      |
|----------|------|
| 12" deep | 7731 |
| 18" deep | 7732 |
| 24" deep | 7733 |
| 36" deep | 7734 |


Note: 150 lb. cap. distributed load.



### Splicer



| Description                         | Part No. |
|-------------------------------------|----------|
| To splice 2 V-Grip posts            | 5568     |
| For Bulk Rack above V-Grip shelving | 5568BS   |
| For Bulk Rack above Bulk Rack       | 5566     |



10381 - Common upright clamp  
13037 - Dart clip

### Miscellaneous parts


| Description                            | Part No. |
|----------------------------------------|----------|
| Common upright clamp                   | 10381    |
| Corner reinforcement clip              | 7680     |
| Dart clip for beams                    | 13037    |
| Dart clip for label holder             | 13041    |
| Back panel bracket for closed shelving | 10388    |
| Bolt and nut (3/16" x 1/4")            | 13001    |
| Bolt and nut (3/16" x 3/8")            | 13000    |
| Panel clip                             | 10332    |
| Speedy clip                            | 10226    |
| Upright splicer                        | 5568     |
| Corner bracket L.H.                    | 7698L    |
| Corner bracket R.H.                    | 7698R    |
| Flush bracket, L.H.                    | 7700L    |
| Flush bracket, R.H.                    | 7700R    |
| Back-to-back bracket for wire shelving | 7750     |
| #Rod (3/16" x 79")                     | 9705     |
| #Rod (3/16" x 85")                     | 9720     |
| Aisle safety rail, 3'                  | 10043V   |
| Aisle safety rail, 4'                  | 10044V   |
| Floor anchor-center                    | 190317A  |
| Floor anchor (left hand)               | 190319A  |
| Floor anchor (right hand)              | 190320A  |
| V-grip floor plates                    | 9826     |
| Aisle bracket L.H.                     | 7693L    |
| Aisle bracket R.H.                     | 7693R    |
| Foot/leveler                           | 13149    |
| V-grip™ top mount bracket, left        | 7692L    |
| V-grip™ top mount bracket, right       | 7692R    |
| 18" D handle (white)                   | 11580    |
| 24" D handle (white)                   | 11581    |
| 30" D handle (white)                   | 811030   |
| 36" D handle (white)                   | 44080-03 |

### Seismic accessories

| Description                | Part No. |
|----------------------------|----------|
| Back panel bracket, pair   | 190301U  |
| Back brace, pair, 36"      | 190302U  |
| Back brace, pair, 42"      | 190308U  |
| Back brace, pair, 48"      | 190303U  |
| Back brace, pair, 96"      | 190309U  |
| End sway brace, pair, 12"  | 190304U  |
| End sway brace, pair, 18"  | 190305U  |
| End sway brace, pair, 24"  | 190306U  |
| End sway brace, pair, 36"  | 190307U  |
| End sway brace, pair, 48"  | 190310U  |
| Back sway brace, pair, 60" | 811973P  |
| Back sway brace, pair, 72" | 811972P  |
| Shelf locking clip         | 10231    |

### Double entry beams (2 required)

| Description | Part No. |
|-------------|----------|
| 24" Long    | 811724A  |
| 36" Long    | 9403     |
| 42" Long    | 811742A  |
| 48" Long    | 9404     |



**Brackets** (flush front 7700 L & R and corner 7698 L & R) allow easy attachment of angle iron / catwalks to V-Grip™ uprights.

## "Parachute" Storage Bar

We have developed a Parachute Storage Bar for V-Grip<sup>™</sup> Shelving in numerous configurations.

| Part Number | Description                                           |
|-------------|-------------------------------------------------------|
| 20053       | 3ft Bar w/ 3 18" Hangers                              |
| 20054       | 4ft Bar w/ 4 18" Hangers                              |
| 20056       | 6ft Bar w/ 6 18" Hangers                              |
| 20060       | Extra 18" Parachute Hanger, 55lb static load capacity |

## Louver Rails for V-Grip<sup>™</sup> Shelving

| Part Number | Description       | Static Load Capacity |
|-------------|-------------------|----------------------|
| 20113       | 3ft Louvered rail | 180lb                |
| 20114       | 4ft Louvered rail | 150lb                |

## Individual Bins

| Part Number | Description                                | # of Bins to fill Rail |     |
|-------------|--------------------------------------------|------------------------|-----|
|             |                                            | 3ft                    | 4ft |
| 050-0200Y   | 5" x 4-1/8" x 3"<br>8lb capacity bin       | 8                      | 10  |
| 050-0220Y   | 7-3/8" x 4-1/8" x 3"<br>10lb capacity bin  | 8                      | 10  |
| 050-0230Y   | 10-4/8" x 5-1/2" x 5"<br>30lb capacity bin | 6                      | 8   |




Bins on Rail



4ft Bar w/ 4 Hangers



18" Parachute Hanger



050-0230Y

050-0220Y

050-0200Y



## V-Grip<sup>™</sup> Workcenters

36"H units have 33" for drawers (2 shelves)

42"H units have 39" for drawers (2 shelves)

\*Minimum 2 shelves – 1 at bottom & 1 in middle = 3" (if you add more, minus 1-1/2" for each shelf out of the total height for drawers).  
\*If you add a door kit you must deduct 1-1/2" from the total height for drawers and add (4) tek screws 13114. Also add 3" more (in addition to the 2" overhang) onto your top depth to account for the door frame.

### Uprights

|      |      |
|------|------|
| 36"H | 5003 |
| 42"H | 5035 |

### End Brace Plates

|      |      |
|------|------|
| 18"D | 6413 |
| 24"D | 6414 |

### Back Brace

|      |      |
|------|------|
| 36"W | 6416 |
| 42"W | 6417 |

### Shelves

| Depth | Width | Part |
|-------|-------|------|
| 18"   | 36"   | 6231 |
| 18"   | 48"   | 6241 |
| 24"   | 36"   | 6232 |
| 24"   | 48"   | 6242 |

To fill in space between shelf and drawer use fillers 36"W 7702 or 48"W 7702-48.

### Back Panels

| Depth | Width   | Part     |
|-------|---------|----------|
| 36"   | 35-1/4" | 7588-36  |
| 36"   | 41-1/4" | 810436-5 |
| 48"   | 35-1/4" | 7589-36  |
| 48"   | 41-1/4" | 810448-7 |

### End Panels

| Depth | Height  | Part     |
|-------|---------|----------|
| 18"   | 35-1/4" | 6797-36  |
| 18"   | 41-1/4" | 810518-4 |
| 24"   | 35-1/4" | 6799-36  |
| 24"   | 41-1/4" | 810524-5 |

### Hardwood Tops

When selecting a top, remember your shelving is always 1-5/8" longer than your nominal size, so your top must also be longer than a standard size top in the catalog.

| Part No.    | Depth | Width   | Thickness | Edge           | For V-Grip Sizes<br>(some overhang front and back) |
|-------------|-------|---------|-----------|----------------|----------------------------------------------------|
| 9111517-001 | 20"   | 38"     | 1-3/4"    | Bullnose-Front | 18" x 37-5/8"                                      |
| 9111516-001 | 20"   | 74"     | 1-3/4"    | Bullnose-Front | 18" x 73-5/8" (2-36"W units)                       |
| 9111514A001 | 26"   | 111"    | 1-3/4"    | Bullnose-Front | 24" x 109-7/8" (3-36"W units)                      |
| 9111539-002 | 24"   | 37-3/4" | 1-3/4"    | Square         | 24" x 37-5/8"                                      |
| 9111626-002 | 24"   | 74"     | 1-3/4"    | Square         | 24" x 73-5/8" (2-36"W units)                       |
| 9111601-002 | 36"   | 50"     | 1-3/4"    | Square         | 36" x 49-5/8"                                      |

To splice tops together use 51721S. You can also mix with these standard size All Square edge tops with your total run as long as 1 top is 1-5/8" longer.

### Brackets for Top Attachments

|                            |        |        |
|----------------------------|--------|--------|
| Drawers at top             | 7643LK | 7643RK |
| NO drawers or shelf at top | 7692L  | 7692R  |

Need 2L & 2R per starter, 1L & 1R per add-on.

| Part No.    | Depth | Width | Thickness | Edge   |
|-------------|-------|-------|-----------|--------|
| 9111576-002 | 24"   | 72"   | 1-3/4"    | Square |
| 9111521A001 | 36"   | 72"   | 1-3/4"    | Square |
| 9111526-001 | 36"   | 108"  | 1-3/4"    | Square |

If a top is not available in the size you need, contact Purchasing to get a quote. Make sure you remember to add 1-5/8" or more onto your nominal total width and also if you want all square or bullnose on one side that will determine your depth — all square can be exact depth (some overhang is recommended), bullnose on one edge will require additional minimum of 1" added onto nominal to account for bullnose receding and exposing the top of the upright. If you have units back to back then you should add a minimum of 2" to the overall depth and remember to specify if you want all square or bullnose on two edges.

# V-Grip™ Bulk Rack

V-Grip Bulk Rack is designed to accommodate longer spans and heavier loads than conventional shelving. Bulk Rack beams engage V-Grip upright posts providing a rigid connection. Bulk Rack levels are designed to carry load capacities from 1500 lbs. to 3000 lbs. per level, depending on beam span length and deck material used.

The unit to the right are shown with optional wire decking.



## Three level bulk rack with decking

| Depth                                                                                    | Height | 48" Wide |          | 60" Wide |          | 72" Wide |          | 96" Wide |          |
|------------------------------------------------------------------------------------------|--------|----------|----------|----------|----------|----------|----------|----------|----------|
|                                                                                          |        | Starter  | Add-on   | Starter  | Add-on   | Starter  | Add-on   | Starter  | Add-on   |
| Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 20) |        |          |          |          |          |          |          |          |          |
| 15"                                                                                      | 60"    | 1005D41S | 1005D41A | 1005D51S | 1005D51A | 1005D61S | 1005D61A | —        | —        |
|                                                                                          | 72"    | 1006D41S | 1006D41A | 1006D51S | 1006D51A | 1006D61S | 1006D61A | —        | —        |
| 18"                                                                                      | 60"    | 1005D48S | 1005D48A | 1005D58S | 1005D58A | 1005D68S | 1005D68A | —        | —        |
|                                                                                          | 72"    | 1006D48S | 1006D48A | 1006D58S | 1006D58A | 1006D68S | 1006D68A | —        | —        |
|                                                                                          | 84"    | 1007D48S | 1007D48A | 1007D58S | 1007D58A | 1007D68S | 1007D68A | —        | —        |
|                                                                                          | 24"    | 60"      | 1005D42S | 1005D42A | 1005D52S | 1005D52A | 1005D62S | 1005D62A | —        |
|                                                                                          | 72"    | 1006D42S | 1006D42A | 1006D52S | 1006D52A | 1006D62S | 1006D62A | —        | —        |
|                                                                                          | 84"    | 1007D42S | 1007D42A | 1007D52S | 1007D52A | 1007D62S | 1007D62A | —        | —        |
| 30"                                                                                      | 60"    | 1005D40S | 1005D40A | 1005D50S | 1005D50A | 1005D60S | 1005D60A | —        | —        |
|                                                                                          | 72"    | 1006D40S | 1006D40A | 1006D50S | 1006D50A | 1006D60S | 1006D60A | —        | —        |
|                                                                                          | 84"    | 1007D40S | 1007D40A | 1007D50S | 1007D50A | 1007D60S | 1007D60A | —        | —        |
|                                                                                          | 36"    | 60"      | 1005D43S | 1005D43A | 1005D53S | 1005D53A | 1005D63S | 1005D63A | —        |
|                                                                                          | 72"    | 1006D43S | 1006D43A | 1006D53S | 1006D53A | 1006D63S | 1006D63A | —        | —        |
|                                                                                          | 84"    | 1007D43S | 1007D43A | 1007D53S | 1007D53A | 1007D63S | 1007D63A | —        | —        |
| 48"                                                                                      | 60"    | 1005D44S | 1005D44A | 1005D54S | 1005D54A | 1005D64S | 1005D64A | —        | —        |
|                                                                                          | 72"    | 1006D44S | 1006D44A | 1006D54S | 1006D54A | 1006D64S | 1006D64A | —        | —        |
|                                                                                          | 84"    | 1007D44S | 1007D44A | 1007D54S | 1007D54A | 1007D64S | 1007D64A | —        | —        |
| Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 20)   |        |          |          |          |          |          |          |          |          |
| 15"                                                                                      | 60"    | 1015D41S | 1015D41A | 1015D51S | 1015D51A | 1015D61S | 1015D61A | 1015D81S | 1015D81A |
|                                                                                          | 72"    | 1016D41S | 1016D41A | 1016D51S | 1016D51A | 1016D61S | 1016D61A | 1016D81S | 1016D81A |
| 18"                                                                                      | 60"    | 1015D48S | 1015D48A | 1015D58S | 1015D58A | 1015D68S | 1015D68A | 1015D88S | 1015D88A |
|                                                                                          | 72"    | 1016D48S | 1016D48A | 1016D58S | 1016D58A | 1016D68S | 1016D68A | 1016D88S | 1016D88A |
|                                                                                          | 84"    | 1017D48S | 1017D48A | 1017D58S | 1017D58A | 1017D68S | 1017D68A | 1017D88S | 1017D88A |
|                                                                                          | 24"    | 60"      | 1015D42S | 1015D42A | 1015D52S | 1015D52A | 1015D62S | 1015D62A | 1015D82S |
|                                                                                          | 72"    | 1016D42S | 1016D42A | 1016D52S | 1016D52A | 1016D62S | 1016D62A | 1016D82S | 1016D82A |
|                                                                                          | 84"    | 1017D42S | 1017D42A | 1017D52S | 1017D52A | 1017D62S | 1017D62A | 1017D82S | 1017D82A |
| 30"                                                                                      | 60"    | 1015D40S | 1015D40A | 1015D50S | 1015D50A | 1015D60S | 1015D60A | 1015D80S | 1015D80A |
|                                                                                          | 72"    | 1016D40S | 1016D40A | 1016D50S | 1016D50A | 1016D60S | 1016D60A | 1016D80S | 1016D80A |
|                                                                                          | 84"    | 1017D40S | 1017D40A | 1017D50S | 1017D50A | 1017D60S | 1017D60A | 1017D80S | 1017D80A |
|                                                                                          | 36"    | 60"      | 1015D43S | 1015D43A | 1015D53S | 1015D53A | 1015D63S | 1015D63A | 1015D83S |
|                                                                                          | 72"    | 1016D43S | 1016D43A | 1016D53S | 1016D53A | 1016D63S | 1016D63A | 1016D83S | 1016D83A |
|                                                                                          | 84"    | 1017D43S | 1017D43A | 1017D53S | 1017D53A | 1017D63S | 1017D63A | 1017D83S | 1017D83A |
| 48"                                                                                      | 60"    | 1015D44S | 1015D44A | 1015D54S | 1015D54A | 1015D64S | 1015D64A | 1015D84S | 1015D84A |
|                                                                                          | 72"    | 1016D44S | 1016D44A | 1016D54S | 1016D54A | 1016D64S | 1016D64A | 1016D84S | 1016D84A |
|                                                                                          | 84"    | 1017D44S | 1017D44A | 1017D54S | 1017D54A | 1017D64S | 1017D64A | 1017D84S | 1017D84A |
| Heavy duty (over 2000 lbs. For specific capacities see chart on page 20)                 |        |          |          |          |          |          |          |          |          |
| 15"                                                                                      | 60"    | 1025D41S | 1025D41A | 1025D51S | 1025D51A | 1025D61S | 1025D61A | 1025D81S | 1025D81A |
|                                                                                          | 72"    | 1026D41S | 1026D41A | 1026D51S | 1026D51A | 1026D61S | 1026D61A | 1026D81S | 1026D81A |
| 18"                                                                                      | 60"    | 1025D48S | 1025D48A | 1025D58S | 1025D58A | 1025D68S | 1025D68A | 1025D88S | 1025D88A |
|                                                                                          | 72"    | 1026D48S | 1026D48A | 1026D58S | 1026D58A | 1026D68S | 1026D68A | 1026D88S | 1026D88A |
|                                                                                          | 84"    | 1027D48S | 1027D48A | 1027D58S | 1027D58A | 1027D68S | 1027D68A | 1027D88S | 1027D88A |
|                                                                                          | 24"    | 60"      | 1025D42S | 1025D42A | 1025D52S | 1025D52A | 1025D62S | 1025D62A | 1025D82S |
|                                                                                          | 72"    | 1026D42S | 1026D42A | 1026D52S | 1026D52A | 1026D62S | 1026D62A | 1026D82S | 1026D82A |
|                                                                                          | 84"    | 1027D42S | 1027D42A | 1027D52S | 1027D52A | 1027D62S | 1027D62A | 1027D82S | 1027D82A |
| 30"                                                                                      | 60"    | 1025D40S | 1025D40A | 1025D50S | 1025D50A | 1025D60S | 1025D60A | 1025D80S | 1025D80A |
|                                                                                          | 72"    | 1026D40S | 1026D40A | 1026D50S | 1026D50A | 1026D60S | 1026D60A | 1026D80S | 1026D80A |
|                                                                                          | 84"    | 1027D40S | 1027D40A | 1027D50S | 1027D50A | 1027D60S | 1027D60A | 1027D80S | 1027D80A |
|                                                                                          | 36"    | 60"      | 1025D43S | 1025D43A | 1025D53S | 1025D53A | 1025D63S | 1025D63A | 1025D83S |
|                                                                                          | 72"    | 1026D43S | 1026D43A | 1026D53S | 1026D53A | 1026D63S | 1026D63A | 1026D83S | 1026D83A |
|                                                                                          | 84"    | 1027D43S | 1027D43A | 1027D53S | 1027D53A | 1027D63S | 1027D63A | 1027D83S | 1027D83A |
| 48"                                                                                      | 60"    | 1025D44S | 1025D44A | 1025D54S | 1025D54A | 1025D64S | 1025D64A | 1025D84S | 1025D84A |
|                                                                                          | 72"    | 1026D44S | 1026D44A | 1026D54S | 1026D54A | 1026D64S | 1026D64A | 1026D84S | 1026D84A |
|                                                                                          | 84"    | 1027D44S | 1027D44A | 1027D54S | 1027D54A | 1027D64S | 1027D64A | 1027D84S | 1027D84A |

**DECKING:** "D" in catalog number represents corrugated steel decking.  
Substitute "W" for drop in wire decking (available in 24", 36", & 48" depths) or "-" for no decking.



### Four level bulk rack with solid decking

|                                                                                          |        | 48" Wide |          | 60" Wide |          | 72" Wide |          | 96" Wide |          |
|------------------------------------------------------------------------------------------|--------|----------|----------|----------|----------|----------|----------|----------|----------|
| Depth                                                                                    | Height | Starter  | Add-on   | Starter  | Add-on   | Starter  | Add-on   | Starter  | Add-on   |
| Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 20) |        |          |          |          |          |          |          |          |          |
| 18"                                                                                      | 96"    | 1008D48S | 1008D48A | 1008D58S | 1008D58A | 1008D68S | 1008D68A | —        | —        |
|                                                                                          | 120"   | 1010D48S | 1010D48A | 1010D58S | 1010D58A | 1010D68S | 1010D68A | —        | —        |
| 24"                                                                                      | 96"    | 1008D42S | 1008D42A | 1008D52S | 1008D52A | 1008D62S | 1008D62A | —        | —        |
|                                                                                          | 120"   | 1010D42S | 1010D42A | 1010D52S | 1010D52A | 1010D62S | 1010D62A | —        | —        |
| 30"                                                                                      | 96"    | 1008D40S | 1008D40A | 1008D50S | 1008D50A | 1008D60S | 1008D60A | —        | —        |
|                                                                                          | 120"   | 1010D40S | 1010D40A | 1010D50S | 1010D50A | 1010D60S | 1010D60A | —        | —        |
| 36"                                                                                      | 96"    | 1008D43S | 1008D43A | 1008D53S | 1008D53A | 1008D63S | 1008D63A | —        | —        |
|                                                                                          | 120"   | 1010D43S | 1010D43A | 1010D53S | 1010D53A | 1010D63S | 1010D63A | —        | —        |
| 48"                                                                                      | 96"    | 1008D44S | 1008D44A | 1008D54S | 1008D54A | 1008D64S | 1008D64A | —        | —        |
|                                                                                          | 120"   | 1010D44S | 1010D44A | 1010D54S | 1010D54A | 1010D64S | 1010D64A | —        | —        |
| Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 20)   |        |          |          |          |          |          |          |          |          |
| 18"                                                                                      | 96"    | 1018D48S | 1018D48A | 1018D58S | 1018D58A | 1018D68S | 1018D68A | 1018D88S | 1018D88A |
|                                                                                          | 120"   | 1020D48S | 1020D48A | 1020D58S | 1020D58A | 1020D68S | 1020D68A | 1020D88S | 1020D88A |
| 24"                                                                                      | 96"    | 1018D42S | 1018D42A | 1018D52S | 1018D52A | 1018D62S | 1018D62A | 1018D82S | 1018D82A |
|                                                                                          | 120"   | 1020D42S | 1020D42A | 1020D52S | 1020D52A | 1020D62S | 1020D62A | 1020D82S | 1020D82A |
| 30"                                                                                      | 96"    | 1018D40S | 1018D40A | 1018D50S | 1018D50A | 1018D60S | 1018D60A | 1018D80S | 1018D80A |
|                                                                                          | 120"   | 1020D40S | 1020D40A | 1020D50S | 1020D50A | 1020D60S | 1020D60A | 1020D80S | 1020D80A |
| 36"                                                                                      | 96"    | 1018D43S | 1018D43A | 1018D53S | 1018D53A | 1018D63S | 1018D63A | 1018D83S | 1018D83A |
|                                                                                          | 120"   | 1020D43S | 1020D43A | 1020D53S | 1020D53A | 1020D63S | 1020D63A | 1020D83S | 1020D83A |
| 48"                                                                                      | 96"    | 1018D44S | 1018D44A | 1018D54S | 1018D54A | 1018D64S | 1018D64A | 1018D84S | 1018D84A |
|                                                                                          | 120"   | 1020D44S | 1020D44A | 1020D54S | 1020D54A | 1020D64S | 1020D64A | 1020D84S | 1020D84A |
| Heavy duty (over 2000 lbs. For specific capacities see chart on page 20)                 |        |          |          |          |          |          |          |          |          |
| 18"                                                                                      | 96"    | 1028D48S | 1028D48A | 1028D58S | 1028D58A | 1028D68S | 1028D68A | 1028D88S | 1028D88A |
|                                                                                          | 120"   | 1030D48S | 1030D48A | 1030D58S | 1030D58A | 1030D68S | 1030D68A | 1030D88S | 1030D88A |
| 24"                                                                                      | 96"    | 1028D42S | 1028D42A | 1028D52S | 1028D52A | 1028D62S | 1028D62A | 1028D82S | 1028D82A |
|                                                                                          | 120"   | 1030D42S | 1030D42A | 1030D52S | 1030D52A | 1030D62S | 1030D62A | 1030D82S | 1030D82A |
| 30"                                                                                      | 96"    | 1028D40S | 1028D40A | 1028D50S | 1028D50A | 1028D60S | 1028D60A | 1028D80S | 1028D80A |
|                                                                                          | 120"   | 1030D40S | 1030D40A | 1030D50S | 1030D50A | 1030D60S | 1030D60A | 1030D80S | 1030D80A |
| 36"                                                                                      | 96"    | 1028D43S | 1028D43A | 1028D53S | 1028D53A | 1028D63S | 1028D63A | 1028D83S | 1028D83A |
|                                                                                          | 120"   | 1030D43S | 1030D43A | 1030D53S | 1030D53A | 1030D63S | 1030D63A | 1030D83S | 1030D83A |
| 48"                                                                                      | 96"    | 1028D44S | 1028D44A | 1028D54S | 1028D54A | 1028D64S | 1028D64A | 1028D84S | 1028D84A |
|                                                                                          | 120"   | 1030D44S | 1030D44A | 1030D54S | 1030D54A | 1030D64S | 1030D64A | 1030D84S | 1030D84A |





### Five level bulk rack with solid decking

| Depth                                                                                    | Height | 48" Wide  |          | 60" wide  |           | 72" wide  |           | 96" wide |          |
|------------------------------------------------------------------------------------------|--------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|
|                                                                                          |        | Starter   | Add-on   | Starter   | Add-on    | Starter   | Add-on    | Starter  | Add-on   |
| Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 20) |        |           |          |           |           |           |           |          |          |
| 36"                                                                                      | 180"   | 1012D43S  | 1012D43A | 1012D53S* | 1012D53A* | 1012D63S* | 1012D63A* | —        | —        |
| 48"                                                                                      | 180"   | 1012 D44S | 1012D44A | 1012D54S* | 1012D54A* | 1012D64S* | 1012D64A* | —        | —        |
| Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 20)   |        |           |          |           |           |           |           |          |          |
| 36"                                                                                      | 180"   | 1022D43S  | 1022D43A | 1022D53S  | 1022D53A  | 1022D63S  | 1022D63A  | 1022D83S | 1022D83A |
| 48"                                                                                      | 180"   | 1022D44S  | 1022D44A | 1022D54S  | 1022D54A  | 1022D64S  | 1022D64A  | 1022D84S | 1022D84A |

\*Posts for units over 12' high are spliced.

DECKING: "D" in Catalog number represents Corrugated Steel Decking. Substitute "W" for drop in Wire Decking or "-" for no decking.

### Bulk Rack shelving options



#### Solid beams

- 3 lugs on each beam connector locks securely to post
- Adjusts on 1 1/2" centers

#### Drop In Wire decking

Static Load Capacity to 2667 lbs.

- Lets air, light and water pass through
- Offset between beam and wire shelving is .2625+/- or just over 1/4"

#### Solid shelf

Static Load Capacity to 2763 lbs.

- Solid corrugated steel
- Versatile: Use ridge side up or flat channeled surface

#### Flat Steel Decking

Static Load Capacity to 4815 lbs.

#### Perforated Steel Decking

Static Load Capacity to 4815 lbs.

- Provides stronger decking with drainage / perforations

A standard color chart is available on page 160.

### Bulk Rack 2" Bin Fronts

|        |          |
|--------|----------|
| 851614 | 48" long |
| 851615 | 60" long |
| 851616 | 72" long |


### Corrugated Decking Panels

| Width | 15" Deep | 18" Deep | 24" Deep | 30" Deep | 36" Deep | 48" Deep |
|-------|----------|----------|----------|----------|----------|----------|
| 24"   | 16018    | 16001    | 16002    | 16019    | 16003    | 16004    |
| 30"   | 16020    | 16010    | 16022    | 16021    | 16023    | 16024    |

## Flat & Perforated Steel Decking for Bulk Racks

| Length | Depth of Rack | Static Load Capacity (lbs) | Flat Steel Deck | Perforated Steel Deck |
|--------|---------------|----------------------------|-----------------|-----------------------|
| 4'     | 15"           | 2407                       | 16314F          | 16314PF               |
| 5'     | 15"           | 3003                       | 16315F          | 16315PF               |
| 6'     | 15"           | 3611                       | 16316F          | 16316PF               |
| 7'     | 15"           | 4213                       | 16317F          | 16317PF               |
| 8'     | 15"           | 4815                       | 16318F          | 16318PF               |
| 4'     | 18"           | 2029                       | 16374F          | 16374PF               |
| 5'     | 18"           | 2537                       | 16375F          | 16375PF               |
| 6'     | 18"           | 3044                       | 16376F          | 16376PF               |
| 7'     | 18"           | 3552                       | 16377F          | 16377PF               |
| 8'     | 18"           | 4059                       | 16378F          | 16378PF               |
| 4'     | 24"           | 1852                       | 16324F          | 16324PF               |
| 5'     | 24"           | 2310                       | 16325F          | 16325PF               |
| 6'     | 24"           | 2778                       | 16326F          | 16326PF               |
| 7'     | 24"           | 3241                       | 16327F          | 16327PF               |
| 8'     | 24"           | 3704                       | 16328F          | 16328PF               |
| 4'     | 30"           | 1435                       | 16354F          | 16354PF               |
| 5'     | 30"           | 1794                       | 16355F          | 16355PF               |
| 6'     | 30"           | 2152                       | 16356F          | 16356PF               |
| 7'     | 30"           | 2511                       | 16357F          | 16357PF               |
| 8'     | 30"           | 2870                       | 16358F          | 16358PF               |
| 4'     | 36"           | 1196                       | 16334F          | 16334PF               |
| 5'     | 36"           | 1495                       | 16335F          | 16335PF               |
| 6'     | 36"           | 1794                       | 16336F          | 16336PF               |
| 7'     | 36"           | 2093                       | 16337F          | 16337PF               |
| 8'     | 36"           | 2392                       | 16338F          | 16338PF               |
| 4'     | 48"           | 1192                       | 16344F          | 16344PF               |
| 5'     | 48"           | 1490                       | 16345F          | 16345PF               |
| 6'     | 48"           | 1788                       | 16346F          | 16346PF               |
| 7'     | 48"           | 2086                       | 16347F          | 16347PF               |
| 8'     | 48"           | 2384                       | 16348F          | 16348PF               |

### Bulk Rack shelving decking options



#### Drop In Wire decking

Static Load Capacity to 2667 lbs.


- Lets air, light and water pass through
- Offset between beam and wire shelving is .2625+/- or just over 1/4"



#### Solid shelf


Static Load Capacity to 2763 lbs.

- Solid corrugated steel
- Versatile: Use ridge side up or flat channeled surface



#### Flat Steel Decking

Static Load Capacity to 4815 lbs.



#### Perforated Steel Decking

Static Load Capacity to 4815 lbs.

- Provides stronger decking with drainage / perforations


## Bulk Rack load capacities

These capacities are **STATIC LOAD** and do not account for any seismic conditions



## Rack Static Load Capacities

Rack end capacity is not a factor under most circumstances. However, if you intend to space beam levels unusually far apart, check your plan to insure that the cumulative load on the lower portions of each rack end is within the limits shown on this chart. Rack ends are designed with a safety factor of 1.92. Horizontal beams are designed with a safety factor of 1.65.



## Static Load Load Capacities of V-Grip Bulk Rack solid beams

### Light Duty\*

| Width | Beam Height | Capacity(lbs.) | Part No. |
|-------|-------------|----------------|----------|
| 4'    | 25/8"       | 1460           | 9434     |
| 5'    | 25/8"       | 1208           | 9435     |
| 6'    | 25/8"       | 1163           | 9436     |

### Medium Duty\*

| Width | Beam Height | Capacity(lbs.) | Part No. |
|-------|-------------|----------------|----------|
| 4'    | 27/8"       | 2112           | 9444     |
| 5'    | 27/8"       | 1690           | 9445     |
| 6'    | 27/8"       | 1622           | 9446     |
| 7'    | 33/4"       | 1557           | 830284M  |
| 8'    | 33/4"       | 1557           | 9448     |

### Heavy Duty\*

| Width | Beam Height | Capacity(lbs.) | Part No. |
|-------|-------------|----------------|----------|
| 4'    | 31/2"       | 3454           | 9454     |
| 5'    | 31/2"       | 2763           | 9455     |
| 6'    | 31/2"       | 2630           | 9456     |
| 7'    | 33/4"       | 2667           | 830284H  |
| 8'    | 33/4"       | 2667           | 9458     |

\*Capacities are in lbs. per pair of beams

## Flow Rack

- Extremely versatile rack on which multiple size containers or batteries can be stored
- Tracks allow for easy movement
- Each flow track is equipped with a front to keep products from sliding off
- Flow racks can be angled for gravity feed

| Part No. | Description                    | Size (D x W x H) |
|----------|--------------------------------|------------------|
| FR1      | 5 Shelves/15 Span Tracks       | 48" x 48" x 84"  |
| FR2      | 4 Shelves/12 Span Tracks       | 48" x 48" x 72"  |
| FR3      | 4 Shelves/12 Span Tracks       | 36" x 60" x 72"  |
| ST1536   | One Roller Track with Hardware | 36" x 15"        |
| ST1548   | One Roller Track with Hardware | 48" x 15"        |



## Static Load Capacities of drop in wire grid decking (with solid beams)

| Length | Depth of rack | Capacity(lbs.) | Part No. |
|--------|---------------|----------------|----------|
| 4'     | 24"           | 1500           | 16324W   |
| 6'     | 24"           | 2250           | 16326W   |
| 7'     | 24"           | 2625           | 16327W   |
| 8'     | 24"           | 3000           | 16328W   |
| 4'     | 36"           | 1500           | 16334W   |
| 6'     | 36"           | 2250           | 16336W   |
| 7'     | 36"           | 2625           | 16337W   |
| 8'     | 36"           | 3000           | 16338W   |
| 4'     | 48"           | 1500           | 16344W   |
| 6'     | 48"           | 2250           | 16346W   |
| 7'     | 48"           | 2625           | 16347W   |
| 8'     | 48"           | 3000           | 16348W   |

Note: To determine shelf level capacity with decking, use beam or decking capacity, whichever is less.

## Static Load Capacities of corrugated steel decking (with solid beams)

| Length | Depth of rack | Capacity(lbs.) | Part No. |
|--------|---------------|----------------|----------|
| 4'     | 15"           | 2407           | 16314    |
| 5'     | 15"           | 3003           | 16315    |
| 6'     | 15"           | 3611           | 16316    |
| 7'     | 15"           | 4213           | 16317    |
| 8'     | 15"           | 4815           | 16318    |
| 4'     | 24"           | 1852           | 16324    |
| 5'     | 24"           | 2310           | 16325    |
| 6'     | 24"           | 2778           | 16326    |
| 7'     | 24"           | 3241           | 16327    |
| 8'     | 24"           | 3704           | 16328    |
| 4'     | 30"           | 1435           | 16354    |
| 5'     | 30"           | 1794           | 16355    |
| 6'     | 30"           | 2152           | 16356    |
| 7'     | 30"           | 2511           | 16357    |
| 8'     | 30"           | 2870           | 16358    |
| 4'     | 36"           | 1196           | 16334    |
| 5'     | 36"           | 1495           | 16335    |
| 6'     | 36"           | 1794           | 16336    |
| 7'     | 36"           | 2093           | 16337    |
| 8'     | 36"           | 2392           | 16338    |
| 4'     | 48"           | 1192           | 16344    |
| 5'     | 48"           | 1490           | 16345    |
| 6'     | 48"           | 1788           | 16346    |
| 7'     | 48"           | 2086           | 16347    |
| 8'     | 48"           | 2384           | 16348    |

Note: To determine shelf level capacity with decking, use beam or decking capacity, whichever is less.



## V-Grip™ Bulk Rack shelving components

Designed with versatility to fit your needs

- Accessories to expand units higher
- Ability to mix rack with shelving
- Built-in capability for future expansion
- Plywood or other decking supplied by user: 5/8" thick

### Rack Accessories

| Description                                                            | Part No. |
|------------------------------------------------------------------------|----------|
| Clamp for fastening units back-to-back;<br>2 needed per pair of frames | 10381    |
| Dart clip for locking down beams — 2 needed                            | 13037    |
| Plastic label holder fits V-Grip wire                                  | 6620     |

### Rack Ends

| Depth | 5' High<br>Part No. | 6' High<br>Part No. | 7' High<br>Part No. | 8' High<br>Part No. | 9' High<br>Part No. | 10' High<br>Part No. | 12' High<br>Part No. | 15' High<br>Part No. |
|-------|---------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|----------------------|
| 15"   | 9304                | 9309                | 9314                | 9319                | —                   | 9329                 | —                    | 9345*                |
| 18"   | 9335                | 9336                | 9337                | 9338                | 9339                | 9340                 | 9341                 | —                    |
| 24"   | 9301                | 9306                | 9311                | 9316                | 830524-11           | 9326                 | 9332                 | 9342*                |
| 30"   | 9305                | 9310                | 9315                | 9320                | —                   | 9330                 | —                    | 9346*                |
| 36"   | 9302                | 9307                | 9312                | 9317                | 830536-6            | 9327                 | 9333                 | 9343*                |
| 48"   | 9303                | 9308                | 9313                | 9318                | 830548-9            | 9328                 | 9334                 | 9344*                |

\*Posts over 12' are spliced.

### Rack Ends with nutserts for mounting to caster base

| Depth | 5' High | 6' High |
|-------|---------|---------|
| 24"   | 9301TU  | 9306TU  |
| 30"   | —       | 9310TU  |
| 36"   | 9302TU  | 9307TU  |

Perimeter caster base (pg.17).

### Tie Bars for solid beams and Steel and Wire Decking


| Depth | Part No. | Depth | Part No. |
|-------|----------|-------|----------|
| 15"   | 6521     | 24"   | 9420     |
| 18"   | 6528     | 30"   | 830815   |
| 24"   | 6522     | 36"   | 9421     |
| 30"   | 6525     | 48"   | 9422     |
| 36"   | 6523     |       |          |
| 48"   | 6524     |       |          |

Order 1 per pair of 4' or 5' beams;  
2 per pair of 6' or 8' beams.


Use both for  
Particle Board

Add Support Bars for  
Particle Board Decking

Order 3 per pair of 4' or 5' beams;  
4 per pair of 6' or 8' beams.




Divider Arm 8008A (must add extra beam)



### Label Holder

A neat and easy way to identify records or supplies.  
Part No. 6620.


### Close the top of any V-Grip Bulk Rack Upright



Easy to attach - simply tap its triangular base into the upright. May also be used as floor glide to protect all floors. Made of high-impact plastic, it will withstand any load within the capacity of the upright itself.

### Top/bottom cap


| Description             | Part No. |
|-------------------------|----------|
| Top or Bottom Cap/White | 10177W   |
| Top or Bottom Cap/Black | 10177B   |



190317A

### Floor Anchors (one for each post)

Fasten racks to floor for increased stability. (Must be used when bottom beam is more than 12" from floor.)  
190317A Seismic Anchor for Center




### Foot Plate

Fits under uprights to protect linoleum or wood floors, or to act as shim on uneven floors.  
Part No. 9826

### Flush Front and Corner Brackets

Attach catwalks to racks.



# 60" Wide V-Grip™ Bulk Rack Drawers

30"D x 60"W x 84"H with 3 Levels (solid steel decking), Closed Ends/Backs

## 1. Shelving unit components

### Starter Unit - 4200BHS Includes

| QTY | Part #   | Description                   |
|-----|----------|-------------------------------|
| 4   | 5007     | 84" V-Grip Upright            |
| 4   | 810530   | 30"x42-3/4" End Panel         |
| 2   | 810460-1 | 60" x 42" Flat Back Panel     |
| 6   | 9435     | 60" Light Duty Beam           |
| 3   | 16355    | 30"Dx60"W Solid Decking Level |
| 3   | 13114    | Tek Screw                     |
| 3   | 6525     | 30" Tie Bar                   |
| 2   | 190319A  | LH Seismic Anchor             |
| 2   | 190320A  | RH Seismic Anchor             |
| 1   | 831515-2 | SATS Spacer Bar 5ft Pair      |

### Add-on Unit - 4200BHA Includes

| QTY | Part #   | Description                   |
|-----|----------|-------------------------------|
| 2   | 5007     | 84" V-Grip Upright            |
| 2   | 810530   | 30"x42-3/4" End Panel         |
| 2   | 810460-1 | 60" x 42" Flat Back Panel     |
| 6   | 9435     | 60" Light Duty Beam           |
| 3   | 16355    | 30"Dx60"W Solid Decking Level |
| 3   | 13114    | Tek Screw                     |
| 3   | 6525     | 30" Tie Bar                   |
| 2   | 190317A  | Center Seismic Anchor         |
| 1   | 831515-2 | SATS Spacer Bar 5ft Pair      |

There are **3** restrictions that will have to be followed when placing these drawer bodies in the bulk rack unit. **One**, to minimize the gap between the top of the drawer front and the bottom of the beam, a **4-1/2" or larger drawer must** be placed at the top position. **Two**, the light duty beams must be used in the 60" drawer in shelving applications. This is due to the height of the beam. **Three**, spacer beams are required; they will go in between the drawer configuration located approximately 36" from the bottom. #831515-2 comes in pairs assembled like the beams - one in front and one in back. You only need one pair per unit.



## 2. Drawers

| 60"W Drawers | 400 lb. Capacity                        |
|--------------|-----------------------------------------|
| PART NUMBER  | DESCRIPTION                             |
| 8653-10S     | 3"H Drawer (cannot be in top position)* |
| 8654-15S     | 4.5"H Drawer                            |
| 8655-20S     | 6"H Drawer                              |
| 8656-25S     | 7.5"H Drawer                            |
| 8657-30S     | 9"H Drawer                              |
| 8658-35S     | 10.5"H Drawer                           |
| 8659-40S     | 12"H Drawer                             |
| 8660-45S     | 13.5"H Drawer                           |

\*To minimize gap beneath beam as designated above.

The drawer is the same 60"-wide drawer that is used in our modular cabinets. Only 400 lb. static load capacity is available.

## 3. Select divider sets for each drawer

that will help you maximize your storage space within each drawer. Divider

Sets are optional, and are not required to order a cabinet. All dividers are smooth office gray in color.

### Divider sets - 60" wide

| Divider Set | For 3" High Drawer | For 4 1/2" High Drawer | For 6" High and Up Drawer |
|-------------|--------------------|------------------------|---------------------------|
| Type C      | 4153C10            | 4154C15                | 4155C20                   |
| Type D      | 4153D10            | 4154D15                | 4155D20                   |
| Type E      | 4153E10            | 4154E15                | 4155E20                   |
| Type F      | 4153F10            | 4154F15                | 4155F20                   |
| Type H      | 4153H10            | 4154H15                | 4155H20                   |

### Partitions

| Partition Height | To fit Drawer Height | To fit 27 3/4" Deep Drawers |
|------------------|----------------------|-----------------------------|
| 2"               | 3"                   | 8726                        |
| 3"               | 4 1/2"               | 8727                        |
| 4 1/2"           | 6" & up              | 8728                        |

### Full width partitions

| Partition Height | To fit Drawer Height | To fit Cabinet Width | Part No. |
|------------------|----------------------|----------------------|----------|
| 2"               | 3"                   | 60"                  | 8736     |
| 3"               | 4 1/2"               | 60"                  | 8737     |
| 4 1/2"           | 6" & up              | 60"                  | 8738     |

### Dividers

| Width                 | For 3" High Drawers | For 4 1/2" High Drawers | For 6" High and Larger Drawers |
|-----------------------|---------------------|-------------------------|--------------------------------|
| 3 3/32" (4 spaces)    | 8834                | 8844                    | 8854                           |
| 4 11/16" (6 spaces)   | 8835                | 8845                    | 8855                           |
| 6 9/32" (8 spaces)    | 8836                | 8846                    | 8856                           |
| 7 7/8" (10 spaces)    | 8837                | 8847                    | 8857                           |
| 9 7/16" (12 spaces)   | 8838                | 8848                    | 8858                           |
| 12 11/16" (16 spaces) | 8839                | 8849                    | 8859                           |


Label Holder for individual dividers Part No. 6609



C



D



E



F



H



A standard color chart is available on page 160.



# V-Grip™ Tire Rack

V-Grip Tire Racks provide a flexible and economical tire storage system. Tire Racks are available in various heights in either a stationary or mobile configuration. Support beams provide a rigid 3-point connection to V-Grip upright post and are adjustable on 1 1/2" centers to accommodate a variety of tire sizes.

## Tire racks

- Racks assemble quickly and adjust with a minimum number of tools
- Beams adjust up or down on 1 1/2" centers
- Brackets furnished for back-to-back or against the wall use




Tire racks are adjustable for all passenger car sizes of tires and rims. If you require shelving to fit truck tires please contact Equipto Inside Sales.

## Racks hold 7 to 10 tires Each level 15"D x 60"W

All equipment assembles as shown, with cross beams locking into uprights. Beams are adjustable on 1 1/2" centers. All tire racks are furnished with brackets which may be used to anchor to wall or back-to-back. Floor anchors are provided for all starter and add-on units.


## Beam-to-Post Connection

Strong, V-Grip uprights with tapered slots accept 3 lugs on each beam end to lock post to beam firmly, without fasteners.



### 3 Tier

| H   | Part No. | Description |
|-----|----------|-------------|
| 84" | 806-52S  | Starter     |
| 84" | 806-52A  | Add-on      |



### 4 Tier

| H    | Part No. | Description |
|------|----------|-------------|
| 120" | 806-32S  | Starter     |
| 120" | 806-32A  | Add-on      |

Includes wall tie and floor anchor




### Mobile Tire Rack

18"D x 60"W x 67"H  
2 tier with 5" diameter wheel casters  
Part No. 806-52MOB


## Separator wall tie

This flange is to be used for bolting brackets back-to-back or for mounting to a wall (hardware for mounting to wall by others).



11561 - Single tie (7 1/2")  
11562 - Set of two (for back-to-back racks)

## Floor anchor



Upright

Floor anchor  
R.H & L.H.  
7695L  
7695R



# Iron Grip® Shelving

**The heavier the load the tighter the grip!**

Equipto Iron Grip® features the strongest, most resourceful system.

- Quick shelf placement without tools; just a simple, solid steel stud at every shelf corner.
- Independent unit concept is engineered for strength, and is infinitely adjustable for custom fitting to your specific needs.
- Iron Grip shelving provides superior strength for heavy applications
- Add drawers, dividers, bin fronts, bases or doors for your specific applications
- The largest upright anywhere, with a heavy gauge stud in each shelf corner which locks a double thickness of metal together
- Stud grip increases as additional weight is added to shelf

**Heights:** Iron Grip shelving units come in 84" height, 38<sup>5</sup>/<sub>8</sub>", 43<sup>1</sup>/<sub>8</sub>", 60", 72", 96", 120" and 180" high units are also available. Any other heights by special order.

Specify desired height; we'll provide a prompt quotation.


**PLEASE NOTE: This shelving is not interchangeable with V-Grip.**



Superior Iron Grip strength automatically provides crucial 4-point reinforcement to shelves.

The tapered stud engages a sloped, key-shaped hole in the upright for instant binding strength.

Built to last. Studs are plated; other parts have oven-baked enamel surfaces, and all formed from prime rolled steel.



Part No. 10392

- 1" x 2<sup>3</sup>/<sub>8</sub>" uprights (13 gauge), are the largest anywhere. Side embossing adds even more strength and rigidity to the unit
- Iron Grip shelf studs allow adjustment of shelves instantly on 1<sup>1</sup>/<sub>2</sub>" centers
- Front and rear shelf flanges extend around the sides past keyhole. Steel stud binds both flanges to upright
- Dividers adjust on 1" centers with Speedy clips on 36" wide shelving (3" centers on 48" widths)



## U-formed channels add strength

Durable 18-gauge shelves feature box-formed edges on all four sides. Adding 13-gauge, U-formed channels (3/8" x 1<sup>3</sup>/<sub>32</sub>") provides extra strength reinforcement on heavily loaded shelves. For heaviest use, also add end and center channels. Angles (1" x 1") made of 1/8" thick carbon steel provide optional reinforcement at the ends.


## High visibility panels

Equipto furnishes high visibility white back and end panels on Iron Grip shelving units, regardless of the color of other. Standard color on Iron Grip shelving is office gray with white panels. Optional decorator colors will also be shipped with white panels unless you specify otherwise.

## Iron grip key

Fasten any two shelving units together quickly and easily. Easy-access keys remove just as simply, allowing rearrangement of any unit without disturbing adjacent units  
U.S. patent No. 2,824,775

Use Iron Grip shelving in a variety of configurations: free-standing; side-by-side; back-to-back; or arranged in efficient work centers. Each shelf unit has four uprights.



Part No. 10394

# Iron Grip® Shelving



- Non-reinforced shelf capacities of 700 lbs. static load per 36"W shelf
- Remarkable Iron Grip strength
- Modular system allows quick adjustment of individual shelves as well as units
- Largest, sturdiest upright anywhere
- As the shelves are loaded, the unit strength increases
- Reflective white back and end panels are standard, regardless of shelf color

## Iron Grip Closed Shelving Units – 7' High

Note: Starter unit has 2 closed ends; additional unit has 1 closed end. All units have 4 upright posts.

| Depth | Starting or Additional Unit | 6 Shelves Avg. 16 1/2" c.c. | 10 Shelves Avg. 9" c.c. | Extra Shelf |
|-------|-----------------------------|-----------------------------|-------------------------|-------------|
| 12"   | Starter                     | 70-6KD                      | 70-10KD                 | 6091        |
| 12"   | Add-on                      | 71-6KD                      | 71-10KD                 | 6091        |
| 18"   | Starter                     | 72-6KD                      | 72-10KD                 | 6150        |
| 18"   | Add-on                      | 73-6KD                      | 73-10KD                 | 6150        |
| 24"   | Starter                     | 74-6KD                      | 74-10KD                 | 6185        |
| 24"   | Add-on                      | 75-6KD                      | 75-10KD                 | 6185        |
| 36"   | Starter                     | 76-6KD                      | 76-10KD                 | 6260        |
| 36"   | Add-on                      | 77-6KD                      | 77-10KD                 | 6260        |

To order set-up (extra charge), change "KD" suffix to "SU".

## Iron Grip Open Shelving Units

| Depth | 6 Shelves Avg. 16 1/2" c.c. | 10 Shelves Avg. 9" c.c. | Extra Shelf |
|-------|-----------------------------|-------------------------|-------------|
| 12"   | 60-6KD                      | 60-10KD                 | 6091        |
| 18"   | 62-6KD                      | 62-10KD                 | 6150        |
| 24"   | 64-6KD                      | 64-10KD                 | 6185        |
| 36"   | 66-6KD                      | 66-10KD                 | 6260        |

**Width:** All units in table are 3' wide. To order 4' widths (in any depth except 36"), substitute "W" for "--" in catalog number. Example: 60-6 is 3' wide: 60W6 is 4' wide.

**Height:** All units in table are 7' high. Units available in all additional heights listed in "Uprights" section on Page 27.

To order set-up (extra charge), change "KD" suffix to "SU". When shipped assembled, nuts and bolts are used instead of shelf studs.



Closed back and end



Open shelf



# Iron Grip® Shelving with Drawers

Preconfigured units

- New 200-lb. and 400-lb. drawer slides
- Units are supplied with white back and end panels
- Keep bulk and individual parts in the same unit for better inventory control
- Add lockable swinging doors for extra protection and security
- All drawers extend 100%
- All preassembled units are 36" wide and 84" high
- Combine shelving and drawers in one unit



S4203/S4210



S4204/S4211



S4205/S4212



S4206/S4213



S4207/S4214



S4208D

## Iron Grip Shelving with Drawers – 7' Tall

| Unit Description                                                                                                   | Part Numbers             |             |                          |             |
|--------------------------------------------------------------------------------------------------------------------|--------------------------|-------------|--------------------------|-------------|
|                                                                                                                    | 18" Deep<br>w/o Dividers | w/ Dividers | 24" Deep<br>w/o Dividers | w/ Dividers |
| 12 drawers 3" high, 4 shelf openings 12" high                                                                      | S4203N                   | S4203DN     | S4210N                   | S4210DN     |
| 8 drawers 4 1/2" high, 4 shelf openings 12" high                                                                   | S4204N                   | S4204DN     | S4211N                   | S4211DN     |
| 6 drawers 6" high, 4 shelf openings 12" high                                                                       | S4205N                   | S4205DN     | S4212N                   | S4212DN     |
| 5 drawers 7 1/2" high, 4 shelf openings 12" high                                                                   | S4206N                   | S4206DN     | S4213N                   | S4213DN     |
| 3 drawers 12" high, 4 shelf openings 12" high                                                                      | S4207N                   | S4207DN     | S4214N                   | S4214DN     |
| 2 drawers 3" high, 2 drawers 4 1/2" high,<br>2 drawers 6" high, 1 drawer 7 1/2" high,<br>3 shelf openings 15" high | S4208N                   | S4208DN     | S4215N                   | S4215DN     |

Doors for these units available on pages 14 and 27. Note: Above units feature Quiet-Ride™ 200 pound static load capacity drawers. **To order 400 lb capacity Heavy-Duty drawers, substitute "H" for "N" in Part No., e.g., S4215H instead of S4215N.**

Handles are furnished the same color as the drawer and all units have reflective white back and side panels.

A standard color chart is available on page 160.



## Components



Equipto's commitment to quality control and fast turnaround service assures reliable assistance to our customers in replacing, adapting or expanding Iron Grip shelving systems. Our complete line of dependable parts is your guide to achieving complete flexibility in your space utilization system.

## Sway braces (pair)

| Description                                    | Part No. |
|------------------------------------------------|----------|
| 36" Back, 50 <sup>1</sup> / <sub>8</sub> " CC  | 6499     |
| 48" Back, 67 <sup>3</sup> / <sub>16</sub> " CC | 6431     |
| 12" End, 13 <sup>5</sup> / <sub>32</sub> " CC  | 6480     |
| 18" End, 25 <sup>3</sup> / <sub>16</sub> " CC  | 6481     |
| 24" End, 33 <sup>9</sup> / <sub>16</sub> " CC  | 6482     |
| 36" End, 48 <sup>1</sup> / <sub>8</sub> " CC   | 6483     |

Upright to shelf corner,  
user must drill shelf 6495

## End panels

| Description                                      | Part No. |
|--------------------------------------------------|----------|
| 12" x 43 <sup>1</sup> / <sub>2</sub> " high      | 7982     |
| 12" x 7'1 <sup>1</sup> / <sub>2</sub> " or less  | 7982-2   |
| 12" x 7'3" to 10'1 <sup>1</sup> / <sub>2</sub> " | 7982-3   |
| 18" x 43 <sup>1</sup> / <sub>2</sub> " high      | 7983     |
| 18" x 7'1 <sup>1</sup> / <sub>2</sub> " or less  | 7983-2   |
| 18" x 7'3" to 10'1 <sup>1</sup> / <sub>2</sub> " | 7983-3   |
| 24" x 43 <sup>1</sup> / <sub>2</sub> " high      | 7984     |
| 24" x 7'1 <sup>1</sup> / <sub>2</sub> " or less  | 7984-2   |
| 24" x 7'3" to 10'1 <sup>1</sup> / <sub>2</sub> " | 7984-3   |
| 36" x 43 <sup>1</sup> / <sub>2</sub> " high      | 7991     |
| 36" x 7'1 <sup>1</sup> / <sub>2</sub> " or less  | 7991-2   |
| 36" x 7'3" to 10'1 <sup>1</sup> / <sub>2</sub> " | 7991-3   |

## Bases

| Description                                  | Part No. |
|----------------------------------------------|----------|
| Front, 1 <sup>1</sup> / <sub>2</sub> " x 36" | 6923     |
| Front, 3" x 36"                              | 6924     |
| Front, 3" x 48"                              | 6930     |

## Doors for shelving

| Description                                   | Part No. |
|-----------------------------------------------|----------|
| 36" wide x 7" H                               | 18035    |
| 36" wide x 42" H                              | 18043    |
| 36" wide x 34 <sup>1</sup> / <sub>2</sub> " H | 18036    |

Swinging doors in free height  
attach quickly and securely.

## Drawers

Modular drawers on page 12 available  
for Iron-Grip Shelving. Add "I" before N or H.  
Example: S8603IN.

## Uprights

| Description                                 | Part No. |
|---------------------------------------------|----------|
| 38 <sup>5</sup> / <sub>8</sub> " Left hand  | 5598L    |
| 38 <sup>5</sup> / <sub>8</sub> " Right hand | 5599R    |
| 43 <sup>1</sup> / <sub>2</sub> " Left hand  | 5596L    |
| 43 <sup>1</sup> / <sub>2</sub> " Right hand | 5597R    |
| 5' Left hand                                | 5582L    |
| 5' Right hand                               | 5583R    |
| 6' Left hand                                | 5586L    |
| 6' Right hand                               | 5587R    |
| 7' Left hand                                | 5588L    |
| 7' Right hand                               | 5589R    |
| 8' Left hand                                | 5590L    |
| 8' Right hand                               | 5591R    |
| 10' Left hand                               | 5594L    |
| 10' Right hand                              | 5595R    |
| 15' Left hand                               | 5572L    |
| 15' Right hand                              | 5573R    |
| Splicer 8" long                             | 5580     |

## Shelves (with studs)

| Description | Part No. |
|-------------|----------|
| 12" x 36"   | 6091     |
| 18" x 36"   | 6150     |
| 24" x 36"   | 6185     |
| 36" x 36"   | 6260     |
| 12" x 48"   | 6111     |
| 18" x 48"   | 6165     |
| 24" x 48"   | 6198     |

## Bin fronts &amp; labelholders


| Description                                       | Part No. |
|---------------------------------------------------|----------|
| 35 <sup>3</sup> / <sub>4</sub> " x 1" Bin front   | 10506    |
| 35" x 3 <sup>1</sup> / <sub>4</sub> " Bin front   | 10507    |
| 46" x 3 <sup>1</sup> / <sub>4</sub> " Bin front   | 10508    |
| 34" x 1 <sup>1</sup> / <sub>8</sub> " Labelholder | 6615     |
| 46" x 1 <sup>1</sup> / <sub>8</sub> " Labelholder | 6613     |

## Reinforcing channels &amp; angles


| Description                   | Part No. |
|-------------------------------|----------|
| End angle for 12" deep (2)*   | 9630     |
| End angle for 18" deep (2)*   | 9631     |
| End angle for 24" deep (2)*   | 9632     |
| End angle for 36" deep (2)*   | 9633     |
| 36" Front / rear channel (2)* | 10029    |
| 48" Front / rear angle (2)*   | 9636     |
| 36" Center channel*           | 9629     |
| 48" Center channel*           | 9637     |

\*To reinforce a shelf, you need 5 total pieces: 2 end  
angles, 2 front/rear channels, and 1 center channel.

## Iron Grip® Shelving



Drawers in a variety  
of widths and heights,  
with or without dividers,  
are available.  
(see drawer section.)



Iron Grip components:  
(A) Upright; (B) Shelf Stud;  
(D) Unit Key

## Back panels

| Description                                                                   | Part No. |
|-------------------------------------------------------------------------------|----------|
| 36" x 43 <sup>1</sup> / <sub>2</sub> " high                                   | 7506     |
| 36" x 7'1 <sup>1</sup> / <sub>2</sub> " or less                               | 7506-2   |
| 36" x 7'3" to 10'1 <sup>1</sup> / <sub>2</sub> "                              | 7506-3   |
| 48" x 43 <sup>1</sup> / <sub>2</sub> " high                                   | 7531     |
| 48" x 7'1 <sup>1</sup> / <sub>2</sub> " or less                               | 7531-2   |
| 48" x 7'1 <sup>1</sup> / <sub>2</sub> " to 10'1 <sup>1</sup> / <sub>2</sub> " | 7531-3   |

## Dividers (standard color is smooth office gray)

| Description                                 | Part No. |
|---------------------------------------------|----------|
| 2" x 12" deep                               | 8049     |
| 4 <sup>1</sup> / <sub>2</sub> " x 12" deep  | 8018     |
| 6" x 12" deep                               | 8019     |
| 7 <sup>1</sup> / <sub>2</sub> " x 12" deep  | 8020     |
| 9" x 12" deep                               | 8021     |
| 10 <sup>1</sup> / <sub>2</sub> " x 12" deep | 8022     |
| 12" x 12" deep                              | 8023     |
| 13 <sup>1</sup> / <sub>2</sub> " x 12" deep | 8024     |
| 15" x 12" deep                              | 8025     |
| 16 <sup>1</sup> / <sub>2</sub> " x 12" deep | 8026     |
| 4 <sup>1</sup> / <sub>2</sub> " x 18" deep  | 8090     |
| 6" x 18" deep                               | 8094     |
| 7 <sup>1</sup> / <sub>2</sub> " x 18" deep  | 8095     |
| 9" x 18" deep                               | 8096     |
| 10 <sup>1</sup> / <sub>2</sub> " x 18" deep | 8097     |
| 12" x 18" deep                              | 8098     |
| 13 <sup>1</sup> / <sub>2</sub> " x 18" deep | 8099     |
| 16 <sup>1</sup> / <sub>2</sub> " x 18" deep | 8091     |
| 18" x 18" deep                              | 8092     |
| 6" x 24" deep                               | 8119     |
| 7 <sup>1</sup> / <sub>2</sub> " x 24" deep  | 8120     |
| 18" x 18" deep                              | 8092     |
| 9" x 24" deep                               | 8121     |
| 10 <sup>1</sup> / <sub>2</sub> " x 24" deep | 8122     |
| 12" x 24" deep                              | 8123     |
| 13 <sup>1</sup> / <sub>2</sub> " x 24" deep | 8124     |
| 15" x 24" deep                              | 8125     |
| 16 <sup>1</sup> / <sub>2</sub> " x 24" deep | 8126     |
| 10 <sup>1</sup> / <sub>2</sub> " x 36" deep | 8133     |
| 12" x 36" deep                              | 8134     |

Miscellaneous parts  
and hardware

| Description              | Part No. |
|--------------------------|----------|
| Shelf stud               | 10392    |
| Unit key                 | 10394    |
| Speedy clip              | 10226    |
| Bolt & nut 3/16" x 3/8"  | 13000    |
| Bolt & nut 3/16" x 1/4"  | 13001    |
| Bolt & nut 1/4" x 1/2"   | 13002    |
| Bolt & nut 1/4" x 1"     | 13003    |
| Headed rod 3/16" x 85"   | 9720     |
| Panel clip               | 10332    |
| Corner brace             | 6420     |
| Wide drawer filler strip | 7702     |
| Aisle safety rail 36"    | 10043G   |
| Aisle safety rail 48"    | 10044G   |
| Front seismic anchor     | 190330A  |
| Common back anchor       | 190335A  |
| Connect back to back     | 13163-4  |
|                          | 13060-4  |


# Bar Racks

Equipto Bar Racks are ideal for storing long and bulky parts as well as pipes. Each arm carries 325 lbs. Choose 3', 6' or 8' widths, to support parts as needed.


- Specialty bar racks
- Single or double face
- Two heights, three widths, two depths
- Use individually or in rows
- Shelves optionally available.
- Static load capacity 650 lbs. per level

Bar Racks are the effective answer to organizing steel — or any other items that don't need shelf support. Slotted angle, pipe, tubes, bars — Equipto Bar Racks hold them all. With no wasted space and absolutely simple access.

Note: Be sure to order a rack end to finish each row.†



Shelves (12" x 36") fit between rack arms to hold long and short products in same unit.



Single-faced rack with end can be used free-standing to hold slotted angle, pipe, bars, etc.



Why try to maneuver those special items in and out of shelving, when they don't need to be there in the first place? Solid steel Equipto Bar Racks are specially designed for just those items. Single or double-face bar racks in a range of heights and widths can be used individually or in rows. You can even add a shelf here and there for items too short to reach between rack arms.

## Additional Arms and Shelves

| Description                                                                      | Part No. |
|----------------------------------------------------------------------------------|----------|
| Extra Arm, 12" deep; static load capacity 325 lbs. (order a pair to add a level) | 1070     |
| 12" x 36" Extra shelf for bottom arms only                                       | 6052     |
| 12" x 36" Extra shelf for other arms                                             | 6053     |

**Bar Racks** - a complete rack includes one or more units and a rack end. (†)

| Description           | Height | Width                           | Depth                            | Part No |
|-----------------------|--------|---------------------------------|----------------------------------|---------|
| Double-face unit      | 7'     | 3'                              | 34"                              | 1060    |
| Double-face unit      | 7'     | 6'                              | 34"                              | 1060-72 |
| Double-face unit      | 7'     | 8'                              | 34"                              | 1060-96 |
| †Double-face rack end | 7'     | 2 <sup>3</sup> / <sub>8</sub> " | 34"                              | 1061    |
| Single-face unit      | 7'     | 3'                              | 22 <sup>1</sup> / <sub>8</sub> " | 1062    |
| Single-face unit      | 7'     | 6'                              | 22 <sup>1</sup> / <sub>8</sub> " | 1062-72 |
| Single-face unit      | 7'     | 8'                              | 22 <sup>1</sup> / <sub>8</sub> " | 1062-96 |
| †Single-face rack end | 7'     | 2 <sup>3</sup> / <sub>8</sub> " | 22 <sup>1</sup> / <sub>8</sub> " | 1063    |
| Double-face unit      | 4'     | 3'                              | 34"                              | 1064    |
| Double-face unit      | 4'     | 6'                              | 34"                              | 1064-72 |
| Double-face unit      | 4'     | 8'                              | 34"                              | 1064-96 |
| †Double-face rack end | 4'     | 2 <sup>3</sup> / <sub>8</sub> " | 34"                              | 1065    |
| Single-face unit      | 4'     | 3'                              | 22 <sup>1</sup> / <sub>8</sub> " | 1066    |
| Single-face unit      | 4'     | 6'                              | 22 <sup>1</sup> / <sub>8</sub> " | 1066-72 |
| Single-face unit      | 4'     | 8'                              | 22 <sup>1</sup> / <sub>8</sub> " | 1066-96 |
| †Single-face rack end | 4'     | 2 <sup>3</sup> / <sub>8</sub> " | 22 <sup>1</sup> / <sub>8</sub> " | 1067    |

A standard color chart is available on page 160.



# Heavy-Duty Bar Racks

The innovative, space-saving answer to organization of a wide range of long items.

Choose single or double-faced designs in 18 different sizes for your best application.

Available in three widths, three heights and two arm lengths - all adjustable, and designed for economical, common upright performance.

- Ideal for long, difficult-to-organize items
- Organizes and protects valuable bar stock, pipe, lumber, conduit, steel angle, tool steel and more
- High capacity and high strength
- Adjustable on 2" centers
- 18" arm holds 1,000 lbs, 30" arm holds 500 lbs.




**Single-faced Rack Add-on**

1043-48

**Rack End**

1043



**Double-faced Rack Add-on**

1040-48

**Rack End**

1040

Note: 8' high units have 5 levels; 10' and 12' high units have 6 and 7 levels respectively.

**For additional arms, order:**

Extra 18" arm: 1046-18

Extra 30" arm: 1056-30

**A complete rack includes one or more units and a rack end.**

## Heavy-Duty Bar Racks, Add-ons and Rack Ends

### Single-faced 18" Arms (Unit Depth 36")

| Unit Height | Width of Unit Bays |         |         | Rack End |
|-------------|--------------------|---------|---------|----------|
|             | 48"                | 72"     | 99"     |          |
| 8'-0"       | 1043-48            | 1043-72 | 1043-99 | 1043     |
| 10'-0"      | 1044-48            | 1044-72 | 1044-99 | 1044     |
| 12'-0"      | 1045-48            | 1045-72 | 1045-99 | 1045     |

### Single-faced 30" Arms (Unit Depth 48")

| Unit Height | Width of Unit Bays |         |         | Rack End |
|-------------|--------------------|---------|---------|----------|
|             | 48"                | 72"     | 99"     |          |
| 8'-0"       | 1053-48            | 1053-72 | 1053-99 | 1053     |
| 10'-0"      | 1054-48            | 1054-72 | 1054-99 | 1054     |
| 12'-0"      | 1055-48            | 1055-72 | 1055-99 | 1055     |

### Double-faced 18" Arms (Unit Depth 54")

| Unit Height | Width of Unit Bays |         |         | Rack End |
|-------------|--------------------|---------|---------|----------|
|             | 48"                | 72"     | 99"     |          |
| 8'-0"       | 1040-48            | 1040-72 | 1040-99 | 1040     |
| 10'-0"      | 1041-48            | 1041-72 | 1041-99 | 1041     |
| 12'-0"      | 1042-48            | 1042-72 | 1042-99 | 1042     |

### Double-faced 30" Arms (Unit Depth 78")

| Unit Height | Width of Unit Bays |         |         | Rack End |
|-------------|--------------------|---------|---------|----------|
|             | 48"                | 72"     | 99"     |          |
| 8'-0"       | 1050-48            | 1050-72 | 1050-99 | 1050     |
| 10'-0"      | 1051-48            | 1051-72 | 1051-99 | 1051     |
| 12'-0"      | 1052-48            | 1052-72 | 1052-99 | 1052     |

Note: Be sure to order a rack end to finish each row.

Note: Limit 6 arms per upright. Capacity: 18" arm-1,000 lbs. each; 30" arm-500 lbs. each.



Hand loading and retrieval is fast with easy access from either side of rack.



Power trucks can load heavier items on rack with access from either side.

A standard color chart is available on page 160.




# Reel Racks

Organize reels of cable and supplies, making them easy to retrieve.  
Equipto Reel Racks hold up to 2000 lbs. static load per level.  
(Reel Rods not included.)

**Racks hold small to large reels on both sides — safely.  
And you can move them easily by hand or fork lift truck.**

- High capacity free standing A-frame racks
- 96"-120"-144" heights
- Rack is 26" deep at the base
- 3" x 3" vertical posts with mounting holes
- Adjustable cross beams on 2" centers with automatic safety locks
- Rack end required for each row of units



Each unit supplied with right-hand reel holders (as specified)  
that fasten to next unit or rack end.




1072R04

1076E08  
rack ends

## Reel Racks


| Width                       | 96"     | Height  | 120"    | 144" | No. of<br>Reel Holders |
|-----------------------------|---------|---------|---------|------|------------------------|
| 48"                         | 1072R04 | 1072R14 | 1072R24 |      | Two pair               |
| 72"                         | 1072R06 | 1072R16 | 1072R26 |      | Two pair               |
| 48"                         | 1073R04 | 1073R14 | 1073R24 |      | Three pair             |
| 72"                         | 1073R06 | 1073R16 | 1073R26 |      | Three pair             |
| 48"                         | 1074R04 | 1074R14 | 1074R24 |      | Four pair              |
| 72"                         | 1074R06 | 1074R16 | 1074R26 |      | Four pair              |
| 36"                         | 1075R03 | 1075R13 | 1075R23 |      | Five pair              |
| 48"                         | 1075R04 | 1075R14 | 1075R24 |      | Five pair              |
| 72"                         | 1075R06 | 1075R16 | 1075R26 |      | Five pair              |
| 1076E08 Rack End, 96" high  |         |         |         |      |                        |
| 1076E10 Rack End, 120" high |         |         |         |      |                        |
| 1076E12 Rack End, 144" high |         |         |         |      |                        |




## Extra reel holders

- Pairs only.  
Reel holders accommodate  
axles up to 2<sup>3/8</sup>" O.D.

| Shaft Size                 | Static Load Capacity | Part No. (pr.) |
|----------------------------|----------------------|----------------|
| To 2 <sup>3/8</sup> " O.D. | 2000 lbs.            | 78218RH        |



Pipe not included. Secure standard  
schedule 40 pipe (up to 2" nominal)  
from your local plumbing supply.  
Use 47" pipe length for 48" wide  
rack; 71" pipe for 72" wide rack.  
Reel holders are adjustable on 2"  
increments to hold multiple reels.



Rack with two  
pr. reel holders

Rack with three  
pr. reel holders

Rack with four  
pr. reel holders

Rack with five  
pr. reel holders

# Wire Spool Management Units

Equipto provides storage for all types of parts. Keep grinding wheels, spools, and even auto body parts on these unique, heavy-duty racks.

## Wire spool rack

- 7-shelf reel rack adjustable on 1 1/2" centers
- Organize and retrieve wire, cable, chain, hose, rope or tubing
- Holds reels up to 16" in diameter
- V-shaped shelves with center rod
- Fiberboard on shelves to deaden noise and prevent excessive uncoiling
- Spool rods are included



880-7

## Portable Spool Rack



### Description: Portable Spool Rack

Part No. PSR2408 — Holds 8" spool


Part No. PSR2411 — Holds 11" spool

## Wire Spool Racks

| Description       | Part No. |
|-------------------|----------|
| 8"D x 36"W x 84"H | 880-7    |
| 8"D x 48"W x 84"H | 880-48   |
| 8"D x 60"W x 84"H | 880-60   |

2 Floor Anchors included (#9709)

## Wire Rack Carts



4105-06W



4105-06WL

### Wire Rack Carts


| Part No.  | Description                                                          |
|-----------|----------------------------------------------------------------------|
| 4105-06W  | 15" Wide Wire Cart with 6 Spool Holders                              |
| 4105-06WL | 15" Wide Wire Cart with 6 Spool Holders and Louvered Panel with bins |
| 4110-06W  | 26" Wide Wire Cart with 6 Spool Holders                              |
| 4110-06WL | 26" Wide Wire Cart with 6 Spool Holders and Louvered Panel with bins |
| 4140      | Front Louver Panel 15"                                               |
| 4141      | Front Louver Panel 26"                                               |
| 4142      | Wire Spool Rod, 100lb capacity                                       |
| 050-0200Y | 5" x 4-1/8" x 3" — 8lb capacity bin                                  |
| 050-0220Y | 7-3/8" x 4-1/8" x 3" — 10lb capacity bin                             |
| 050-0230Y | 10-4/8" x 5-1/2" x 5" — 30lb capacity bin                            |


**NEW!**

880-48


**NEW!**

880-60



050-0230Y

050-0220Y

050-0200Y

A standard color chart is available on page 160.

# Wire Shelving







Add-on\*



Starter

**Standard Color - Mirror silver.** For other colors refer to Equipto color chart on page 160. \*Not shown to scale.

#### Wire shelves (D x W)

**Description** 700 lb. static capacity per shelf  
(DxW) Standard color - Mirror Silver

#### Shelf with truss included

|           |      |
|-----------|------|
| 18" x 36" | 6073 |
| 18" x 48" | 6074 |
| 18" x 72" | 6076 |
| 24" x 36" | 6083 |
| 24" x 48" | 6084 |
| 24" x 72" | 6086 |

#### Wire deck shelf panel

|           |      |
|-----------|------|
| 18" x 36" | 6013 |
| 24" x 36" | 6043 |

#### Wire shelf truss

|     |      |
|-----|------|
| 36" | 9473 |
| 48" | 9474 |
| 72" | 9476 |

### V-Grip™ Wire Shelving - 700 lb. static load capacity per shelf

| Depth                     | Width | 36"H with 2 shelves |          | 48"H with 3 shelves |          | 60"H with 4 shelves |          | 72"H with 5 shelves |          | 84"H with 6 shelves |          | 96"H with 7 shelves |          | 120"H with 9 shelves |          |
|---------------------------|-------|---------------------|----------|---------------------|----------|---------------------|----------|---------------------|----------|---------------------|----------|---------------------|----------|----------------------|----------|
|                           |       | Starter             | Add-On   | Starter             | Add-On   | Starter             | Add-On   | Starter             | Add-On   | Starter             | Add-On   | Starter             | Add-On   | Starter              | Add-On   |
| BEST VALUE SHELVING SIZES |       |                     |          |                     |          |                     |          |                     |          |                     |          |                     |          |                      |          |
| 18"                       | 36"   | 4533-02S            | 4533-02A | 4534-03S            | 4534-03A | 4535-04S            | 4535-04A | 4536-05S            | 4536-05A | 4537-06S            | 4537-06A | 4538-07S            | 4538-07A | 4539-08S             | 4539-08A |
| 18"                       | 48"   | 4543-02S            | 4543-02A | 4544-03S            | 4544-03A | 4545-04S            | 4545-04A | 4546-05S            | 4546-05A | 4547-06S            | 4547-06A | 4548-07S            | 4548-07A | 4549-08S             | 4549-08A |
| 18"                       | 72"   | 4563-02S            | 4563-02A | 4564-03S            | 4564-03A | 4565-04S            | 4565-04A | 4566-05S            | 4566-05A | 4567-06S            | 4567-06A | 4568-07S            | 4568-07A | 4569-08S             | 4569-08A |
| 24"                       | 36"   | 4633-02S            | 4633-02A | 4634-03S            | 4634-03A | 4635-04S            | 4635-04A | 4636-05S            | 4636-05A | 4637-06S            | 4637-06A | 4638-07S            | 4638-07A | 4639-08S             | 4639-08A |
| 24"                       | 48"   | 4643-02S            | 4643-02A | 4644-03S            | 4644-03A | 4645-04S            | 4645-04A | 4646-05S            | 4646-05A | 4647-06S            | 4647-06A | 4648-07S            | 4648-07A | 4649-08S             | 4649-08A |
| 24"                       | 72"   | 4663-02S            | 4663-02A | 4664-03S            | 4664-03A | 4665-04S            | 4665-04A | 4666-05S            | 4666-05A | 4667-06S            | 4667-06A | 4668-07S            | 4668-07A | 4669-08S             | 4669-08A |

# V-Grip™ Wire Bulk Rack

V-Grip Wire Bulk Rack is designed to accommodate longer spans and heavier loads than conventional shelving. Bulk Rack beams engage V-Grip upright posts providing a rigid connection. Bulk Rack levels are designed to carry significant loads, depending on beam span length and deck material used.

The units to the right are shown with optional wire decking for the top shelf and corrugated steel decking unit for the bottom shelf.



## Three level wire bulk rack with decking

| Depth                                                                                    | Height | 48" Wide |          | 72" Wide |          | 96" Wide |          |
|------------------------------------------------------------------------------------------|--------|----------|----------|----------|----------|----------|----------|
|                                                                                          |        | Starter  | Add-on   | Starter  | Add-on   | Starter  | Add-on   |
| Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 20) |        |          |          |          |          |          |          |
| 24"                                                                                      | 60"    | 1005W42S | 1005W42A | 1005W62S | 1005W62A | —        | —        |
|                                                                                          | 72"    | 1006W42S | 1006W42A | 1006W62S | 1006W62A | —        | —        |
|                                                                                          | 84"    | 1007W42S | 1007W42A | 1007W62S | 1007W62A | —        | —        |
| 36"                                                                                      | 60"    | 1005W43S | 1005W43A | 1005W63S | 1005W63A | —        | —        |
|                                                                                          | 72"    | 1006W43S | 1006W43A | 1006W63S | 1006W63A | —        | —        |
|                                                                                          | 84"    | 1007W43S | 1007W43A | 1007W63S | 1007W63A | —        | —        |
| 48"                                                                                      | 60"    | 1005W44S | 1005W44A | 1005W64S | 1005W64A | —        | —        |
|                                                                                          | 72"    | 1006W44S | 1006W44A | 1006W64S | 1006W64A | —        | —        |
|                                                                                          | 84"    | 1007W44S | 1007W44A | 1007W64S | 1007W64A | —        | —        |
| Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 20)   |        |          |          |          |          |          |          |
| 24"                                                                                      | 60"    | 1015W42S | 1015W42A | 1015W62S | 1015W62A | 1015W82S | 1015W82A |
|                                                                                          | 72"    | 1016W42S | 1016W42A | 1016W62S | 1016W62A | 1016W82S | 1016W82A |
|                                                                                          | 84"    | 1017W42S | 1017W42A | 1017W62S | 1017W62A | 1017W82S | 1017W82A |
| 36"                                                                                      | 60"    | 1015W43S | 1015W43A | 1015W63S | 1015W63A | 1015W83S | 1015W83A |
|                                                                                          | 72"    | 1016W43S | 1016W43A | 1016W63S | 1016W63A | 1016W83S | 1016W83A |
|                                                                                          | 84"    | 1017W43S | 1017W43A | 1017W63S | 1017W63A | 1017W83S | 1017W83A |
| 48"                                                                                      | 60"    | 1015W44S | 1015W44A | 1015W64S | 1015W64A | 1015W84S | 1015W84A |
|                                                                                          | 72"    | 1016W44S | 1016W44A | 1016W64S | 1016W64A | 1016W84S | 1016W84A |
|                                                                                          | 84"    | 1017W44S | 1017W44A | 1017W64S | 1017W64A | 1017W84S | 1017W84A |
| Heavy duty (over 2000 lbs. For specific capacities see chart on page 20)                 |        |          |          |          |          |          |          |
| 24"                                                                                      | 60"    | 1025W42S | 1025W42A | 1025W62S | 1025W62A | 1025W82S | 1025W82A |
|                                                                                          | 72"    | 1026W42S | 1026W42A | 1026W62S | 1026W62A | 1026W82S | 1026W82A |
|                                                                                          | 84"    | 1027W42S | 1027W42A | 1027W62S | 1027W62A | 1027W82S | 1027W82A |
| 36"                                                                                      | 60"    | 1025W43S | 1025W43A | 1025W63S | 1025W63A | 1025W83S | 1025W83A |
|                                                                                          | 72"    | 1026W43S | 1026W43A | 1026W63S | 1026W63A | 1026W83S | 1026W83A |
|                                                                                          | 84"    | 1027W43S | 1027W43A | 1027W63S | 1027W63A | 1027W83S | 1027W83A |
| 48"                                                                                      | 60"    | 1025W44S | 1025W44A | 1025W64S | 1025W64A | 1025W84S | 1025W84A |
|                                                                                          | 72"    | 1026W44S | 1026W44A | 1026W64S | 1026W64A | 1026W84S | 1026W84A |
|                                                                                          | 84"    | 1027W44S | 1027W44A | 1027W64S | 1027W64A | 1027W84S | 1027W84A |


## Four level bulk rack with wire decking

| Depth                                                                                    | Height | 48" Wide |          | 72" Wide |          | 96" Wide |          |
|------------------------------------------------------------------------------------------|--------|----------|----------|----------|----------|----------|----------|
|                                                                                          |        | Starter  | Add-on   | Starter  | Add-on   | Starter  | Add-on   |
| Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 20) |        |          |          |          |          |          |          |
| 24"                                                                                      | 96"    | 1008W42S | 1008W42A | 1008W62S | 1008W62A | —        | —        |
|                                                                                          | 120"   | 1010W42S | 1010W42A | 1010W62S | 1010W62A | —        | —        |
| 36"                                                                                      | 96"    | 1008W43S | 1008W43A | 1008W63S | 1008W63A | —        | —        |
|                                                                                          | 120"   | 1010W43S | 1010W43A | 1010W63S | 1010W63A | —        | —        |
| 48"                                                                                      | 96"    | 1008W44S | 1008W44A | 1008W64S | 1008W64A | —        | —        |
|                                                                                          | 120"   | 1010W44S | 1010W44A | 1010W64S | 1010W64A | —        | —        |
| Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 20)   |        |          |          |          |          |          |          |
| 24"                                                                                      | 96"    | 1018W42S | 1018W42A | 1018W62S | 1018W62A | 1018W82S | 1018W82A |
|                                                                                          | 120"   | 1020W42S | 1020W42A | 1020W62S | 1020W62A | 1020W82S | 1020W82A |
| 36"                                                                                      | 96"    | 1018W43S | 1018W43A | 1018W63S | 1018W63A | 1018W83S | 1018W83A |
|                                                                                          | 120"   | 1020W43S | 1020W43A | 1020W63S | 1020W63A | 1020W83S | 1020W83A |
| 48"                                                                                      | 96"    | 1018W44S | 1018W44A | 1018W64S | 1018W64A | 1018W84S | 1018W84A |
|                                                                                          | 120"   | 1020W44S | 1020W44A | 1020W64S | 1020W64A | 1020W84S | 1020W84A |
| Heavy duty (over 2000 lbs. For specific capacities see chart on page 20)                 |        |          |          |          |          |          |          |
| 24"                                                                                      | 96"    | 1028W42S | 1028W42A | 1028W62S | 1028W62A | 1028W82S | 1028W82A |
|                                                                                          | 120"   | 1030W42S | 1030W42A | 1030W62S | 1030W62A | 1030W82S | 1030W82A |
| 36"                                                                                      | 96"    | 1028W43S | 1028W43A | 1028W63S | 1028W63A | 1028W83S | 1028W83A |
|                                                                                          | 120"   | 1030W43S | 1030W43A | 1030W63S | 1030W63A | 1030W83S | 1030W83A |
| 48"                                                                                      | 96"    | 1028W44S | 1028W44A | 1028W64S | 1028W64A | 1028W84S | 1028W84A |
|                                                                                          | 120"   | 1030W44S | 1030W44A | 1030W64S | 1030W64A | 1030W84S | 1030W84A |

Wire  
Shelving

## Five level bulk rack with wire decking

| Depth                                                                                    | Height | 48" Wide  |          | 72" wide |          | 96" wide |          |
|------------------------------------------------------------------------------------------|--------|-----------|----------|----------|----------|----------|----------|
|                                                                                          |        | Starter   | Add-on   | Starter  | Add-on   | Starter  | Add-on   |
| Standard duty (from 1100 lbs. to 1500 lbs. For specific capacities see chart on page 20) |        |           |          |          |          |          |          |
| 36"                                                                                      | 180"   | 1012W43S  | 1012W43A | 1012W63S | 1012W63A | —        | —        |
| 48"                                                                                      | 180"   | 1012 W44S | 1012W44A | 1012W64S | 1012W64A | —        | —        |
| Medium duty (from 1500 lbs. to 2000 lbs. For specific capacities see chart on page 20)   |        |           |          |          |          |          |          |
| 36"                                                                                      | 180"   | 1022W43S  | 1022W43A | 1022W63S | 1022W63A | 1022W83S | 1022W83A |
| 48"                                                                                      | 180"   | 1022W44S  | 1022W44A | 1022W64S | 1022W64A | 1022W84S | 1022W84A |



### Drop In Wire decking

Static Load Capacity to 2667 lbs.

- Lets air, light and water pass through
- Offset between beam and wire shelving is .2625+/- or just over 1/4"

A standard color chart is available on page 160.



We have all of your favorite modular drawer cabinet sizes!

# Modular Drawer Cabinets



| Cabinet Height | 22 1/2" Wide        | 30" Wide      | 36" Wide            | 45" Wide            | 60" Wide            |
|----------------|---------------------|---------------|---------------------|---------------------|---------------------|
| 29"            | Preconfigured       | Preconfigured | Customer Configured | Customer Configured | Customer Configured |
| 33 1/2"        | Preconfigured       | Preconfigured | Customer Configured | Customer Configured | Customer Configured |
| 38"            | Customer Configured | Preconfigured | Customer Configured | Preconfigured       | Preconfigured       |
| 44"            | Preconfigured       | Preconfigured | Preconfigured       | Preconfigured       | Preconfigured       |
| 59"            | Preconfigured       | Preconfigured | Preconfigured       | Preconfigured       | Preconfigured       |



## Keyless Lock

### Modular Drawer Cabinet

Leveraging user-friendly technology, this lock system eliminates the need for physical keys. Offers streamlined access and enhanced control over valuable parts and tools. Unlike other options, seamless retrofitting, increased efficiency, and full control and visibility to who has access.



# Modular Drawer Cabinets

|                                                                  |              |
|------------------------------------------------------------------|--------------|
| <b>Modular Drawer Cabinets</b>                                   | <b>38</b>    |
| <b>22<sup>1</sup>/<sub>2</sub>" Wide Modular Drawer Cabinets</b> | <b>39-42</b> |
| <b>30" Wide Modular Drawer Cabinets</b>                          | <b>43-47</b> |
| <b>36<sup>7</sup>/<sub>8</sub>" Wide Modular Drawer Cabinets</b> | <b>48-50</b> |
| <b>45" Wide Modular Drawer Cabinets</b>                          | <b>51-54</b> |
| <b>60" Wide Modular Drawer Cabinets</b>                          | <b>55-58</b> |
| <b>Modular Drawer Cabinet Accessories</b>                        | <b>59</b>    |
| <b>Mobile Unit Kit</b>                                           | <b>60-61</b> |
| <b>Special Shelving Units for Tops</b>                           | <b>62</b>    |
| <b>FOD/Heavy-Duty</b>                                            | <b>63</b>    |
| <b>60" Wide Tool Cabinet</b>                                     | <b>64</b>    |

# Modular Drawer Cabinets

Organize everything from the smallest hardware and jewelry to large motors and sporting equipment. Every heavy-duty Equipto Modular Drawer Cabinet is engineered and manufactured with exacting precision for years of rugged use. The optional lock keeps your items secure. Utilize "more than one drawer accessibility"

**Industrial, Military, Educational, Institutional, Automotive; no matter what your application, Equipto modular drawer cabinets save space, time and money!**

## 22" to 60" wide cabinets

- Organized
- Fast retrieval
- Save time
- High density
- Rugged 12 gauge steel frames
- 200 and 400 lb. drawer static load capacity options
- Protect valuable tools
- Centralized control of equipment
- No assembly
- Custom units
- All cabinets include a lock
- Keyless electronic locks available



## Dividers and Partitions

Each drawer is ribbed and slotted (3/4" centers) over the length and width of the drawer. Convenient numbered spacings simplify installation of partitions, and label holders permit quick identification of drawer contents. When fully extended, 100% of the drawer clears frame to allow unobstructed viewing of entire drawer contents. The interchangeability of drawer partitions and dividers permits changing drawer interiors easily - as you need to, and in unlimited patterns.



An integral fork lift base consisting of two 1 3/4" x 6" lifting channels arc-welded to the frame itself, permits inserting truck forks into wide channels for safe, easy transport of locked cabinets - even when fully loaded!

## Anchor bolt

These bolting options allow you to anchor a modular drawer cabinet to either concrete or wood floors.



MDC-CFAK



MDC-WFAK

| Part No. | Description           |
|----------|-----------------------|
| MDC-CFAK | concrete anchor bolts |
| MDC-WFAK | wood anchor bolts     |

Note: Newly designed 36 7/8" drawers with enhanced 200-lb. and 400-lb. drawer slides no longer include carriages.



# 22 $\frac{1}{2}$ " Wide Modular Drawer Cabinets

- 200 lbs. static load capacity per drawer (for 400 lb. capacity option contact Equipto)
- Smooth, quiet drawer operation
- One piece welded frames
- Fork lift channels on base of cabinet
- Each unit includes 2 lifting base covers (218909F)
- Electrostatic dissipative paint available
- 27 $\frac{3}{4}$ " deep
- Drawer interior useable dimension is 18 $\frac{3}{4}$ " W x 25 $\frac{1}{8}$ " D
- Lock included



Model 4294

Modular Drawer Cabinets

## 22 $\frac{1}{2}$ " Wide Modular Drawer Cabinets Preconfigured Units

22 $\frac{1}{2}$ " W x 27 $\frac{3}{4}$ " D x 29" H**4260H**

Drawer/Dividers included  
(8) 3" h "H" Type  
Order #4260 for unit  
without divider kits.\*

**4261H**

Drawer/Dividers included  
(2) 3" h "H" Type  
(4) 4.5" h "H" Type  
Order #4261 for unit  
without divider kits.\*

**4262H**

Drawer/Dividers included  
(2) 3" h "H" Type  
(1) 6" h "H" Type  
(1) 12" h "H" Type  
Order #4262 for unit  
without divider kits.\*

**4263H**

Drawer/Dividers included  
(1) 4.5" h "H" Type  
(2) 6" h "H" Type  
(1) 7.5" h "H" Type  
Order #4263 for unit  
without divider kits.\*

**4264H**

Drawer/Dividers included  
(4) 4.5" h "H" Type  
(1) 6" h "H" Type  
Order #4264 for unit  
without divider kits.\*

22 $\frac{1}{2}$ " W x 27 $\frac{3}{4}$ " D x 33 $\frac{1}{2}$ " H**4270H**

Drawer/Dividers included  
(8) 3" h "H" Type  
(1) 4.5" h "H" Type  
Order #4270 for unit  
without divider kits.\*

**4271H**

Drawer/Dividers included  
(2) 3" h "H" Type  
(5) 4.5" h "H" Type  
Order #4271 for unit  
without divider kits.\*

**4272H**

Drawer/Dividers included  
(1) 3" h "H" Type  
(1) 6" h "H" Type  
(1) 7.5" h "H" Type  
(1) 12" h "H" Type  
Order #4272 for unit  
without divider kits.\*

**4273H**

Drawer/Dividers included  
(1) 3" h "H" Type  
(3) 4.5" h "H" Type  
(2) 6" h "H" Type  
Order #4273 for unit  
without divider kits.\*

**4274H**

Drawer/Dividers included  
(5) 4.5" h "H" Type  
(1) 6" h "H" Type  
Order #4274 for unit  
without divider kits.\*

### Drawer divider options

\*This 22 $\frac{1}{2}$ " wide pre-engineered modular drawer unit is also available with either all D, G, or H divider kits (see page 42). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4420 becomes 4420D.

A standard color chart is available on page 160.

**221<sup>1</sup>/<sub>2</sub>" W x 27<sup>3</sup>/<sub>4</sub>" D x 44" H**


**4280-01**  
Drawer/Dividers included  
(6) 3" h "E" Type  
(7) 3" h "G" Type  
Order #4280 for unit  
without divider kits.\*



**4281-01**  
Drawer/Dividers included  
(1) 3" h "E" Type  
(3) 4.5" h "E" Type  
(5) 4.5" h "G" Type  
Order #4281 for unit  
without divider kits.\*



**4282-01**  
Drawer/Dividers included  
(1) 3" h "E" Type  
(3) 6" h "G" Type  
(3) 6" h "H" Type  
Order #4282 for unit  
without divider kits.\*



**4283-01**  
Drawer/Dividers included  
(3) 3" h "E" Type  
(5) 4.5" h "G" Type  
(1) 7.5" h "H" Type  
Order #4283 for unit  
without divider kits.\*



**4284-01**  
Drawer/Dividers included  
(3) 3" h "E" Type  
(1) 4.5" h "E" Type  
(1) 6" h "G" Type  
(1) 7.5" h "G" Type  
(1) 12" h "K" Type  
Order #4284 for unit  
without divider kits.\*



**4285-01**  
Drawer/Dividers included  
(1) 7.5" h "E" Type  
(1) 9" h "G" Type  
(1) 10.5" h "G" Type  
(1) 12" h "K" Type  
Order #4285 for unit  
without divider kits.



**4286-01**  
Drawer/Dividers included  
(3) 4.5" h "E" Type  
(3) 6" h "G" Type  
(1) 7.5" h "H" Type  
Order #4286 for unit  
without divider kits.



**4287-01**  
Drawer/Dividers included  
(3) 4.5" h "E" Type  
(3) 4.5" h "G" Type  
(1) 12" h "K" Type  
Order #4287 for unit  
without divider kits.




**4288-01**  
Drawer/Dividers included  
(2) 9" h "G" Type  
(2) 10.5" h "H" Type  
Order #4288 for unit  
without divider kits.

**221<sup>1</sup>/<sub>2</sub>" W x 27<sup>3</sup>/<sub>4</sub>" D x 59" H**


**4290-01**  
Drawer/Dividers included  
(9) 3" h "E" Type  
(9) 3" h "G" Type  
Order #4290 for unit  
without divider kits.\*



**4291-01**  
Drawer/Dividers included  
(4) 4.5" h "E" Type  
(4) 4.5" h "G" Type  
(4) 4.5" h "H" Type  
Order #4291 for unit  
without divider kits.\*



**4292-01**  
Drawer/Dividers included  
(3) 6" h "E" Type  
(6) 6" h "G" Type  
Order #4292 for unit  
without divider kits.\*



**4293-01**  
Drawer/Dividers included  
(5) 3" h "E" Type  
(7) 4.5" h "G" Type  
(1) 7.5" h "G" Type  
Order #4293 for unit  
without divider kits.\*



**4294-01**  
Drawer/Dividers included  
(3) 3" h "E" Type  
(3) 4.5" h "G" Type  
(2) 6" h "G" Type  
(1) 7.5" h "H" Type  
(1) 12" h "K" Type  
Order #4294 for unit  
without divider kits.\*

**Drawer divider options**

\*This 22<sup>1</sup>/<sub>2</sub>" wide pre-engineered modular drawer unit is also available with either all D, G or H divider kits. To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4290-01 becomes 4290D.

**22 1/2" Wide Modular Drawer Cabinets - Preconfigured Units****22 1/2" W x 27 3/4" D x 59" H****4295-01**

Drawer/Dividers included  
 (2) 7.5" h "E" Type  
 (4) 7.5" h "G" Type  
 (1) 9" h "H" Type  
 Order #4295 for unit  
 without divider kits\*

**4296-01**

Drawer/Dividers included  
 (3) 4.5" h "E" Type  
 (3) 6" h "H" Type  
 (3) 7.5" h "H" Type  
 Order #4296 for unit  
 without divider kits\*

**4297-01**

Drawer/Dividers included  
 (5) 6" h "G" Type  
 (2) 7.5" h "H" Type  
 (1) 9" h "H" Type  
 Order #4297 for unit  
 without divider kits\*

**4298-01**

Drawer/Dividers included  
 (1) 4.5" h "E" Type  
 (3) 6" h "G" Type  
 (3) 7.5" h "E" Type  
 (1) 9" h "E" Type  
 Order #4298 for unit  
 without divider kits\*






**Modular Drawer  
Cabinets**
**Customer Configured****22 1/2" Wide Modular Drawer Cabinets - Components**

To customize an Equipto Modular Drawer Cabinet,  
 first select a housing from the following options:

**1 - Select Housing & Locks****200 lbs. Housings (for 400 lbs. add an H to end of part #)**

| Part No. | Height  | Points | Total Drawer<br>Height Value |
|----------|---------|--------|------------------------------|
| 4269     | 29"     | 80     | 24"                          |
| 4279     | 33 1/2" | 95     | 28 1/2"                      |
| 4228     | 38"     | 110    | 33"                          |
| 4289     | 44"     | 130    | 39"                          |
| 4299     | 59"     | 180    | 54"                          |

**All housings are 22 1/2" Wide & 27 3/4" Deep, 200 lb. Static Load Capacity**

**4269****4279****4228****4289****4299\***

\*Anchor kit recommended for 59" high units

**Lock-out feature**

RH Only (Add RH to Base Part Number –  
 Ex: 8623-10 = 8623RH)

**Keyless Locks Available**

Add EL to Base Part Number –  
 Ex: 8623-10 = 8623-10-EL)

A standard color chart is available on page 160.




## 2 - Select the Drawers

(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.)

Interior useable dimensions on all drawers is 18<sup>3</sup>/<sub>4</sub>" W x 25<sup>1</sup>/<sub>8</sub>" D

**Drawers – 200 lbs. Static Load Capacity per drawer** (for 400 lbs. drawers add an H before “–” in part #. Ex. 8623H-10, must be used with 400 lbs. housing)



**Part No.**
**8623-10**
**Height**

Front: 3"

Body: 2<sup>1</sup>/<sub>8</sub>"

Useable: 2<sup>1</sup>/<sub>4</sub>"

Points: 10



**Part No.**
**8624-15**
**Height**

Front: 4<sup>1</sup>/<sub>2</sub>"

Body: 3<sup>1</sup>/<sub>8</sub>"

Useable: 3<sup>3</sup>/<sub>4</sub>"

Points: 15



**Part No.**
**8625-20**
**Height**

Front: 6"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 5<sup>1</sup>/<sub>4</sub>"

Points: 20



**Part No.**
**8626-25**
**Height**

Front: 7<sup>1</sup>/<sub>2</sub>"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 6<sup>3</sup>/<sub>4</sub>"

Points: 25



**Part No.**
**8627-30**
**Height**

Front: 9"

Body: 7<sup>5</sup>/<sub>8</sub>"

Useable: 8<sup>1</sup>/<sub>4</sub>"

Points: 30



**Part No.**
**8628-35**
**Height**

Front: 10<sup>1</sup>/<sub>2</sub>"

Body: 7<sup>5</sup>/<sub>8</sub>"

Useable: 9<sup>3</sup>/<sub>4</sub>"

Points: 35


**Part No.**
**8629-40**
**Height**

Front: 12"

Body: 10<sup>5</sup>/<sub>8</sub>"

Useable: 11<sup>1</sup>/<sub>4</sub>"

Points: 40




## 3 - Select Divider Sets

that will help you maximize your storage space within each drawer.

Divider Sets are optional, and are not required to order a cabinet.

**200 lbs. Divider kits - 22<sup>1</sup>/<sub>2</sub>" wide - all dividers are smooth office gray in color** (for 400 lbs. add an H to end of part #. Only 3"-7<sup>1</sup>/<sub>2</sub>"H available)

| Divider Set | For 3" High Drawer | For 4 <sup>1</sup> / <sub>2</sub> " High Drawer | For 6" and 7 <sup>1</sup> / <sub>2</sub> " High Drawers | For 9" and 10 <sup>1</sup> / <sub>2</sub> " High Drawers | For 12" High Drawer | No. of Compartments |
|-------------|--------------------|-------------------------------------------------|---------------------------------------------------------|----------------------------------------------------------|---------------------|---------------------|
| Type D      | 4163D10            | 4164D15                                         | 4165D20                                                 | 4167D30                                                  | 4169D40             | 17                  |
| Type E      | 4163E10            | 4164E15                                         | 4165E20                                                 | 4167E30                                                  | 4169E40             | 16                  |
| Type G      | 4163G10            | 4164G15                                         | 4165G20                                                 | 4167G30                                                  | 4169G40             | 9                   |
| Type H      | 4163H10            | 4164H15                                         | 4165H20                                                 | 4167H30                                                  | 4169H40             | 6                   |
| Type K      | 4163K10            | 4164K15                                         | 4165K20                                                 | 4167K30                                                  | 4169K40             | 4                   |

**D**

**E**

**G**

**H**

**K**


A standard color chart is available on page 160.

# 30" Wide Modular Drawer Cabinets

- 400 pound static load capacity drawers with lock
- 100% drawer extension
- One piece welded frames
- Fork lift channels on base of cabinet

- Each unit includes 2 lift base covers
- 27<sup>3</sup>/<sub>4</sub>" Deep
- Dividers are smooth office gray
- Drawer interior useable dimension is 25<sup>1</sup>/<sub>8</sub>" W x 25<sup>1</sup>/<sub>8</sub>" D



Model 4431

## 30" Wide Modular Drawer Cabinets Preconfigured Units

### 30" W x 27<sup>3</sup>/<sub>4</sub>" D x 29" H



**4440H**  
Drawer/Dividers included  
(8) 3"h "H" Type  
Order #4440 for unit  
without divider kits.\*



**4441H**  
Drawer/Dividers included  
(2) 3"h "H" Type  
(4) 4.5"h "H" Type  
Order #4441 for unit  
without divider kits.\*



**4442H**  
Drawer/Dividers included  
(2) 3"h "H" Type  
(1) 6"h "H" Type  
(1) 12"h "H" Type  
Order #4442 for unit  
without divider kits.\*



**4443H**  
Drawer/Dividers included  
(1) 4.5"h "H" Type  
(2) 6"h "H" Type  
(1) 7.5"h "H" Type  
Order #4443 for unit  
without divider kits.\*



**4444H**  
Drawer/Dividers included  
(4) 4.5"h "H" Type  
(1) 6"h "H" Type  
Order #4444 for unit  
without divider kits.\*

Modular Drawer  
Cabinets

### 30" W x 27<sup>3</sup>/<sub>4</sub>" D x 33<sup>1</sup>/<sub>2</sub>" H



**4430H**  
Drawer/Dividers included  
(8) 3"h "H" Type  
(1) 4.5"h "H" Type  
Order #4430 for unit  
without divider kits.\*



**4431H**  
Drawer/Dividers included  
(2) 3"h "H" Type  
(5) 4.5"h "H" Type  
Order #4431 for unit  
without divider kits.\*



**4432H**  
Drawer/Dividers included  
(1) 3"h "H" Type  
(1) 6"h "H" Type  
(1) 7.5"h "H" Type  
(1) 12"h "H" Type  
Order #4432 for unit  
without divider kits.\*



**4433H**  
Drawer/Dividers included  
(1) 3"h "H" Type  
(3) 4.5"h "H" Type  
(2) 6"h "H" Type  
Order #4433 for unit  
without divider kits.\*



**4434H**  
Drawer/Dividers included  
(5) 4.5"h "H" Type  
(1) 6"h "H" Type  
Order #4434 for unit  
without divider kits.\*

### 30" W x 27<sup>3</sup>/<sub>4</sub>" D x 38" H



**443038-512-01**  
Drawer/Dividers included  
(5) 3"h "N" Type  
(1) 4.5"h "R" Type  
(1) 6.75"h "R" Type  
(1) 6.75"h "E" Type  
Order #443038-512MT  
for unit without divider kits.




**443038-412-01**  
Drawer/Dividers included  
(4) 3"h "N" Type  
(1) 4.5"h "R" Type  
(1) 7.5"h "E" Type  
(1) 9"h "F" Type  
Order #443038-412MT  
for unit without divider kits.



**443038-042-01**  
Drawer/Dividers included  
(4) 4.5"h "N" Type  
(2) 7.5"h "N" Type  
Order #443038-042MT  
for unit without divider kits.



**443038-005-01**  
Drawer/Dividers included  
(1) 6"h "E" Type  
(4) 6.75"h "E" Type  
Order #443038-005MT  
for unit without divider kits.



**443038-11D-N**  
Drawer/Dividers included  
(2) 4.5"h "N" Type  
(1) 24"h Flush Cabinet Door  
Order #443038-11DMT  
for unit without divider kits.

### Drawer divider options

\*This 30" wide pre-engineered modular drawer unit is also available with either all A, B, C, D, E, F, G, H, K, L, M, N, P, R, or S divider kits (See page 47). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4420-01 becomes 4420D.

A standard color chart is available on page 160.

30" W x 27<sup>3</sup>/<sub>4</sub>" D x 44" H


**4410-01**

Drawer/Dividers included  
(3) 3" h "C" Type  
(6) 3" h "E" Type  
(4) 3" h "P" Type  
Order #4410 for unit  
without divider kits.\*


**4411-01**

Drawer/Dividers included  
(1) 3" h "C" Type  
(3) 4.5" h "E" Type  
(2) 4.5" h "G" Type  
(3) 4.5" h "P" Type  
Order #4411 for unit  
without divider kits.\*


**4412-01**

Drawer/Dividers included  
(1) 3" h "E" Type  
(3) 6" h "R" Type  
(3) 6" h "S" Type  
Order #4412 for unit  
without divider kits.\*


**4413-01**

Drawer/Dividers included  
(1) 3" h "B" Type  
(2) 3" h "E" Type  
(3) 4.5" h "F" Type  
(2) 4.5" h "P" Type  
(1) 7.5" h "G" Type  
Order #4413 for unit  
without divider kits.\*


**4414-01**

Drawer/Dividers included  
(3) 3" h "C" Type  
(1) 4.5" h "E" Type  
(1) 6" h "F" Type  
(1) 7.5" h "S" Type  
(1) 12" h "L" Type  
Order #4414 for unit  
without divider kits.\*


**4415-01**

Drawer/Dividers included  
(1) 7.5" h "F" Type  
(1) 9" h "G" Type  
(1) 10.5" h "G" Type  
(1) 12" h "H" Type  
Order #4415 for unit  
without divider kits.\*


**4416-01**

Drawer/Dividers included  
(3) 4.5" h "P" Type  
(3) 6" h "G" Type  
(1) 7.5" h "S" Type  
Order #4416 for unit  
without divider kits.


**4417-01**

Drawer/Dividers included  
(3) 4.5" h "E" Type  
(3) 4.5" h "F" Type  
(1) 12" h "K" Type  
Order #4417 for unit  
without divider kits.


**4418-01**

Drawer/Dividers included  
(2) 9" h "S" Type  
(2) 10.5" h "H" Type  
Order #4418 for unit  
without divider kits.


30" W x 27<sup>3</sup>/<sub>4</sub>" D x 59" H


**4420-01**


Drawer/Dividers included  
(3) 3" h "C" Type  
(5) 3" h "E" Type  
(5) 3" h "F" Type  
(5) 3" h "N" Type  
Order #4420 for unit  
without divider kits.\*


**4421-01**


Drawer/Dividers included  
(4) 4.5" h "E" Type  
(4) 4.5" h "F" Type  
(4) 4.5" h "G" Type  
Order #4421 for unit  
without divider kits.\*


**4422-01**

Drawer/Dividers included  
(9) 6" h "G" Type  
Order #4422 for unit  
without divider kits.\*


**4423-01**

Drawer/Dividers included  
(2) 3" h "C" Type  
(3) 3" h "N" Type  
(3) 4.5" h "E" Type  
(4) 4.5" h "F" Type  
(1) 7.5" h "G" Type  
Order #4423 for unit  
without divider kits.\*


**4424-01**

Drawer/Dividers included  
(3) 3" h "C" Type  
(3) 4.5" h "E" Type  
(2) 6" h "G" Type  
(1) 7.5" h "S" Type  
(1) 12" h "L" Type  
Order #4424 for unit  
without divider kits.\*

### Drawer divider options

\*This 30" wide pre-engineered modular drawer unit is also available with either all A, B, C, D, E, F, G, H, K, L, M, N, P, R, or S divider kits (See page 47). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4420-01 becomes 4420D.

A standard color chart is available on page 160.



# 30" Wide Modular Drawer Cabinets - Preconfigured Units

30" W x 27 3/4" D x 59" H (400 lb. Static Load Capacity per drawer)



**4425-01**  
 Drawer/Dividers included  
 (4) 7.5"h "F" Type  
 (2) 7.5"h "P" Type  
 (1) 9"h "S" Type  
 Order #4425 for unit  
 without divider kits.



**4426-01**  
 Drawer/Dividers included  
 (1) 4.5"h "E" Type  
 (2) 4.5"h "F" Type  
 (3) 6"h "F" Type  
 (2) 7.5"h "G" Type  
 (1) 7.5"h "H" Type  
 Order #4426 for unit  
 without divider kits.



**4427-01**  
 Drawer/Dividers included  
 (3) 6"h "F" Type  
 (2) 6"h "G" Type  
 (2) 7.5"h "S" Type  
 (1) 9"h "H" Type  
 Order #4427 for unit  
 without divider kits.



**4428-01**  
 Drawer/Dividers included  
 (1) 4.5"h "E" Type  
 (3) 6"h "R" Type  
 (3) 7.5"h "G" Type  
 (1) 9"h "S" Type  
 Order #4428 for unit  
 without divider kits.


Modular Drawer  
 Cabinets

## Customer Configured

### 30" Wide Modular Drawer Cabinets - Components

To customize an Equipto Modular Drawer Cabinet,  
 first select a housing from the following options:

29" High, 33 1/2" High, 38" High, 44" High or 59" High



**Cabinet w/ Flipper Door (like TBU door)**


29"H (1) 010105 & (1) 010088K  
 19-3/4"H (1) 010106 & (1) 010111K

All housings are 30" W & 27 3/4" D

#### Housings

| Part No. | Height  | Points | Total Drawer Height Value |
|----------|---------|--------|---------------------------|
| 4439     | 29"     | 80     | 24"                       |
| 4429     | 33 1/2" | 95     | 28 1/2"                   |
| 4238     | 38"     | 110    | 33"                       |
| 4409     | 44"     | 130    | 39"                       |
| 4419     | 59"     | 180    | 54"                       |

## 1 - Select Housing & Locks



**Double Storage Capacity without Expanding Your Footprint**  
 Make better use of space and add room for parts and tool storage.

(4419PTF has holes punched in top to stack a smaller cabinet. Use stacking hardware 7751-4.)



#### Lock-in Lock-out feature

RH Only (Add RH to Base Part Number –  
 Ex: 8623-10 = 8623RH)



#### Keyless Locks Available

Add EL to Base Part Number –  
 Ex: 8623-10 = 8623-10-EL)

A standard color chart is available on page 160.

## 2 - Select Drawers

(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.)

Drawer interior useable dimension is 25<sup>1</sup>/<sub>8</sub>" W x 25<sup>1</sup>/<sub>8</sub>" D

### Drawers (400 lbs. Static Load Capacity per drawer)

Modular Drawer  
Cabinets



**Part No.**

**8633-10**

**Height**

Front: 3"

Body: 2<sup>1</sup>/<sub>8</sub>"

Useable: 2<sup>1</sup>/<sub>4</sub>"

Points: 10



**Part No.**

**8633T-12.5**


**Height**

Front: 3<sup>3</sup>/<sub>4</sub>"

Body: 2<sup>1</sup>/<sub>8</sub>"

Useable: 3"

Points: 12.5



**Part No.**

**8634-15**

**Height**

Front: 4<sup>1</sup>/<sub>2</sub>"

Body: 3<sup>1</sup>/<sub>8</sub>"

Useable: 3<sup>3</sup>/<sub>4</sub>"

Points: 15



**Part No.**

**8634T-17.5**


**Height**

Front: 5<sup>1</sup>/<sub>4</sub>"

Body: 3<sup>1</sup>/<sub>8</sub>"

Useable: 4<sup>1</sup>/<sub>2</sub>"

Points: 17.5



**Part No.**

**8635-20**


**Height**

Front: 6"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 5<sup>1</sup>/<sub>4</sub>"

Points: 20



**Part No.**

**8635T-22.5**


**Height**

Front: 6<sup>3</sup>/<sub>4</sub>"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 6"

Points: 22.5



**Part No.**

**8636-25**


**Height**

Front: 7<sup>1</sup>/<sub>2</sub>"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 6<sup>3</sup>/<sub>4</sub>"

Points: 25



**Part No.**

**8636T-27.5**


**Height**

Front: 8<sup>1</sup>/<sub>4</sub>"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 7<sup>1</sup>/<sub>2</sub>"

Points: 27.5



**Part No.**

**8637-30**

**Height**

Front: 9"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 8<sup>1</sup>/<sub>4</sub>"

Points: 30



**Part No.**

**8637T-32.5**


**Height**

Front: 9<sup>3</sup>/<sub>4</sub>"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 9"

Points: 32.5



**Part No.**

**8638-35**

**Height**

Front: 10<sup>1</sup>/<sub>2</sub>"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 9<sup>3</sup>/<sub>4</sub>"

Points: 35



**Part No.**

**8638T-37.5**





**Height**

Front: 11<sup>1</sup>/<sub>4</sub>"

Body: 4<sup>5</sup>/<sub>8</sub>"

Useable: 10<sup>1</sup>/<sub>2</sub>"

Points: 37.5



| Part No.                                  | Part No.                                | Part No.                                  | Part No.                                  |
|-------------------------------------------|-----------------------------------------|-------------------------------------------|-------------------------------------------|
| 8639-40*                                  | 8639T-42.5                              | 8640-45                                   | 8640T-47.5*                               |
| Height                                    | Height                                  | Height                                    | Height                                    |
| Front: 12"                                | Front: 12 <sup>3</sup> / <sub>4</sub> " | Front: 13 <sup>1</sup> / <sub>2</sub> "   | Front: 14 <sup>1</sup> / <sub>4</sub> "   |
| Body: 4 <sup>5</sup> / <sub>8</sub> "     | Body: 4 <sup>5</sup> / <sub>8</sub> "   | Body: 4 <sup>5</sup> / <sub>8</sub> "     | Body: 4 <sup>5</sup> / <sub>8</sub> "     |
| Useable: 11 <sup>1</sup> / <sub>4</sub> " | Useable: 12"                            | Useable: 12 <sup>3</sup> / <sub>4</sub> " | Useable: 13 <sup>1</sup> / <sub>2</sub> " |
| Points: 40                                | Points: 42.5                            | Points: 45                                | Points: 47.5                              |

\*Replace "-" with "HF" to get hanging file brackets

Modular Drawer  
Cabinets

### 3 - Select Divider Sets


that will help you maximize your storage space within each drawer.

Divider Sets are optional, and are not required to order a cabinet.

Dividers are smooth office gray in color.

#### Divider kits - 30" wide

| Divider Set | For 3" High Drawer | For 4 <sup>1</sup> / <sub>2</sub> " High Drawer | For 6" High and Up Drawer |
|-------------|--------------------|-------------------------------------------------|---------------------------|
| Type A      | 4133A10            | 4134A15                                         | 4135A20                   |
| Type B      | 4133B10            | 4134B15                                         | 4135B20                   |
| Type C      | 4133C10            | 4134C15                                         | 4135C20                   |
| Type D      | 4133D10            | 4134D15                                         | 4135D20                   |
| Type E      | 4133E10            | 4134E15                                         | 4135E20                   |
| Type F      | 4133F10            | 4134F15                                         | 4135F20                   |
| Type G      | 4133G10            | 4134G15                                         | 4135G20                   |
| Type H      | 4133H10            | 4134H15                                         | 4135H20                   |
| Type K      | 4133K10            | 4134K15                                         | 4135K20                   |
| Type L      | 4133L10            | 4134L15                                         | 4135L20                   |
| Type M      | 4133M10            | 4134M15                                         | 4135M20                   |
| Type N      | 4133N10            | 4134N15                                         | 4135N20                   |
| Type P      | 4133P10            | 4134P15                                         | 4135P20                   |
| Type R      | 4133R10            | 4134R15                                         | 4135R20                   |
| Type S      | 4133S10            | 4134S15                                         | 4135S20                   |



A standard color chart is available on page 160.



# 36<sup>7</sup>/<sub>8</sub>" Wide Modular Drawer Cabinets

- Use these modular drawer cabinets to organize more of your items in less floor space.
- High quality welded steel construction
- Precision engineered
- Each unit comes with one lift base front cover (#6839)
- 100% drawer extension
- Lock included
- Choose from 200 or 400 lb. Drawers
- Drawer interior dimensions:  
19" – 31<sup>7</sup>/<sub>16</sub>"W x 16<sup>3</sup>/<sub>8</sub>"D  
25" – 31<sup>7</sup>/<sub>16</sub>"W x 22"D



For back lift base cover order (1) 6849 & (3) 13126

To order Heavy Duty 400 pound static load capacity drawers, replace "N" with "H" in catalog number.

## 36<sup>7</sup>/<sub>8</sub>" Wide Modular Drawer Cabinets Preconfigured Units

36<sup>7</sup>/<sub>8</sub>" W x 19 or 25" D x 44" H



**S4330D18N (19"D)**  
**S4330D24N (25"D)**  
Drawer/Dividers included  
(13) 3"h "D" Type  
Order #S4330-24N or  
S4330-18N for unit  
without divider kits\*



**S4331D18N (19"D)**  
**S4331D24N (25"D)**  
Drawer/Dividers included  
(1) 3"h "D" Type  
(8) 4.5"h "D" Type  
Order #S4331-24N or  
S4331-18N for unit  
without divider kits\*



**S4332D18N (19"D)**  
**S4332D24N (25"D)**  
Drawer/Dividers included  
(1) 3"h "D" Type  
(6) 6"h "D" Type  
Order #S4332-24N or  
S4332-18N for unit  
without divider kits\*




**S4333D18N (19"D)**  
**S4333D24N (25"D)**  
Drawer/Dividers included  
(3) 3"h "D" Type  
(5) 4.5"h "D" Type  
(1) 7.5"h "D" Type  
Order #S4333-24N or  
S4333-18N for unit  
without divider kits\*




**S4334D18N (19"D)**  
**S4334D24N (25"D)**  
Drawer/Dividers included  
(3) 3"h "D" Type  
(1) 4.5"h "D" Type  
(1) 6"h "D" Type  
(1) 7.5"h "D" Type  
(1) 12"h "D" Type  
Order #S4334-24N or  
S4334-18N for unit  
without divider kits\*


36<sup>7</sup>/<sub>8</sub>" W x 19 or 25" D x 59" H



**S4340D18N (19"D)**  
**S4340D24N (25"D)**  
Drawer/Dividers included  
(18) 3"h "D" Type  
Order #S4340-24N or  
S4340-18N for unit  
without divider kits\*



**S4341D18N (19"D)**  
**S4341D24N (25"D)**  
Drawer/Dividers included  
(12) 4.5"h "D" Type  
Order #S4341-24N or  
S4341-18N for unit  
without divider kits\*



**S4342D18N (19"D)**  
**S4342D24N (25"D)**  
Drawer/Dividers included  
(9) 6"h "D" Type  
Order #S4342-24N or  
S4342-18N for unit  
without divider kits\*



**S4343D18N (19"D)**  
**S4343D24N (25"D)**  
Drawer/Dividers included  
(5) 3"h "D" Type  
(7) 4.5"h "D" Type  
(1) 7.5"h "D" Type  
Order #S4343-24N or  
S4343-18N for unit  
without divider kits\*



**S4344D18N (19"D)**  
**S4344D24N (25"D)**  
Drawer/Dividers included  
(3) 3"h "D" Type  
(3) 4.5"h "D" Type  
(2) 6"h "D" Type  
(1) 7.5"h "D" Type  
(1) 12"h "D" Type  
Order #S4344-24N or  
S4344-18N for unit  
without divider kits\*

### Drawer divider options

\*36<sup>7</sup>/<sub>8</sub>" wide pre-engineered modular drawer units are also available with either all D, E, F or H divider kits.

To order, change "D" in part number to desired divider kit letter. **\*\*Above units feature Quiet Ride™ 200 pound static load capacity drawers.**

To order Heavy Duty 400 pound capacity drawers, replace "N" with "H" in catalog number.

A standard color chart is available on page 160.

## Customer Configured

### 36<sup>7</sup>/<sub>8</sub>" W x 19" or 25" D Modular Drawer Cabinets - Components



4381-18

#### Jumbo Drawer Units

**4381-18:** 19Dx44H w/ 5 levels – (3) 8568 shelf drawers each level  
**4382-18:** 19Dx59H w/ 7 levels – (3) 8568 shelf drawers each level  
**4362-18:** 19Dx59H w/ 12 levels – (3) 8566 shelf drawers each level  
**4366-12:** 12Dx59H w/ 12 levels – (6) 8550 shelf drawers each level  
 \*Each drawer comes with 2 dividers

#### Housings 19" Deep

| Part No. | Height                           | Points | Total Drawer Height Value        |
|----------|----------------------------------|--------|----------------------------------|
| 4309-18  | 29"                              | 80     | 24"                              |
| 4319-18  | 33 <sup>1</sup> / <sub>2</sub> " | 95     | 28 <sup>1</sup> / <sub>2</sub> " |
| 4359-18  | 38"                              | 110    | 33"                              |
| 4329-18  | 44"                              | 130    | 39"                              |
| 4339-18  | 59"                              | 180    | 54"                              |

Useable drawer space is 31<sup>7</sup>/<sub>16</sub>" W x 16<sup>3</sup>/<sub>8</sub>" D


#### Housings 25" Deep

| Part No. | Height                           | Points | Total Drawer Height Value        |
|----------|----------------------------------|--------|----------------------------------|
| 4309-24  | 29"                              | 80     | 24"                              |
| 4319-24  | 33 <sup>1</sup> / <sub>2</sub> " | 95     | 28 <sup>1</sup> / <sub>2</sub> " |
| 4359-24  | 38"                              | 110    | 33"                              |
| 4329-24  | 44"                              | 130    | 39"                              |
| 4339-24  | 59"                              | 180    | 54"                              |


Useable drawer space is 31<sup>7</sup>/<sub>16</sub>" W x 22" D

All housings are 36<sup>7</sup>/<sub>8</sub>" Wide & 19 or 25" Deep


## 1 - Select Housing & Locks




4309-18/4309-24




4319-18/4319-24



4359-18/4359-24



4329-18/4329-24



4339-18/4339-24



**Lock-in Lock-out feature – call Equipto Customer Service**



#### Keyless Locks Available




Add EL to Base Part Number –  
 Ex: 8623-10 = 8623-10 -EL)

## 2 - Select Drawers

(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.)

### Drawers (400 lbs. Static Load Capacity per drawer)

To order 200 pound capacity drawers, replace "H" with an "N" in catalog number.



#### File Cabinets

**S4325-18F:** 19Dx29H w/ 2-12"H folder drawers




**S4339-18F:** 19Dx41H w/ 3-12"H folder drawers

**S4335-18F:** 19Dx44H w/ 3-12"H folder drawers & 1-3"H drawer



**S4345-18F:** 19Dx59H w/ 4-12"H folder drawers & 1-6"H drawer

| Part No. 19"D                            | Part No. 25"D                            | Part No. 19"D                            | Part No. 25"D                            | Part No. 19"D                            | Part No. 25"D                            |
|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| S8603CH                                  | S8610CH                                  | S8604CH                                  | S8611CH                                  | S8605CH                                  | S8612CH                                  |
| Height                                   | Height                                   | Height                                   | Height                                   | Height                                   | Height                                   |
| Front: 3"                                | Front: 3"                                | Front: 4 <sup>1</sup> / <sub>2</sub> "   | Front: 4 <sup>1</sup> / <sub>2</sub> "   | Front: 6"                                | Front: 6"                                |
| Body: 2 <sup>1</sup> / <sub>8</sub> "    | Body: 2 <sup>1</sup> / <sub>8</sub> "    | Body: 3 <sup>1</sup> / <sub>8</sub> "    | Body: 3 <sup>1</sup> / <sub>8</sub> "    | Body: 4 <sup>5</sup> / <sub>8</sub> "    | Body: 4 <sup>5</sup> / <sub>8</sub> "    |
| Useable: 2 <sup>1</sup> / <sub>4</sub> " | Useable: 2 <sup>1</sup> / <sub>4</sub> " | Useable: 3 <sup>3</sup> / <sub>4</sub> " | Useable: 3 <sup>3</sup> / <sub>4</sub> " | Useable: 5 <sup>1</sup> / <sub>4</sub> " | Useable: 5 <sup>1</sup> / <sub>4</sub> " |
| Points: 10                               | Points: 10                               | Points: 15                               | Points: 15                               | Points: 20                               | Points: 20                               |

A standard color chart is available on page 160.



| Part No. 19"D   | Part No. 25"D   | Part No. 19"D   | Part No. 25"D   | Part No. 19"D   | Part No. 25"D   |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| S8606CH         | S8613CH         | S8601CH         | S8615CH         | S8602CH         | S8616CH         |
| Height          | Height          | Height          | Height          | Height          | Height          |
| Front: 7 1/2"   | Front: 7 1/2"   | Front: 9"       | Front: 9"       | Front: 10 1/2"  | Front: 10 1/2"  |
| Body: 4 5/8"    | Body: 4 5/8"    | Body: 7 5/8"    | Body: 7 5/8"    | Body: 7 5/8"    | Body: 7 5/8"    |
| Useable: 6 3/4" | Useable: 6 3/4" | Useable: 8 1/4" | Useable: 8 1/4" | Useable: 9 3/4" | Useable: 9 3/4" |
| Points: 25      | Points: 25      | Points: 30      | Points: 30      | Points: 35      | Points: 35      |



| Part No. 19"D    | Part No. 25"D    | Part No. 19"D    | Part No. 25"D    |
|------------------|------------------|------------------|------------------|
| S8607CH*         | S8614CH          | S8608CH          | S8617CH          |
| Height           | Height           | Height           | Height           |
| Front: 12"       | Front: 12"       | Front: 13 1/2"   | Front: 13 1/2"   |
| Body: 10 5/8"    | Body: 10 5/8"    | Body: 10 5/8"    | Body: 10 5/8"    |
| Useable: 11 1/4" | Useable: 11 1/4" | Useable: 12 3/4" | Useable: 12 3/4" |
| Points: 40       | Points: 40       | Points: 45       | Points: 45       |

\*Order S8607FC for drawer including 8860 file hanger

### 3 - Select Divider Sets

that will help you maximize your storage space within each drawer.

Divider Sets are optional, and are not required to order a cabinet.

All dividers are smooth office gray in color.


#### Divider kits - 19" deep, 36" wide

| Divider Set | For 3" High Drawer | For 4 1/2" High Drawer | For 6" High and Up Drawer |
|-------------|--------------------|------------------------|---------------------------|
| Type D      | 4173D10            | 4174D15                | 4175D20                   |
| Type F      | 4173F10            | 4174F15                | 4175F20                   |
| Type H      | 4173H10            | 4174H15                | 4175H20                   |

#### Divider kits - 25" deep, 36" wide

| Divider Set | For 3" High Drawer | For 4 1/2" High Drawer | For 6" High and Up Drawer |
|-------------|--------------------|------------------------|---------------------------|
| Type D      | 4183D10            | 4184D15                | 4185D20                   |
| Type F      | 4183F10            | 4184F15                | 4185F20                   |
| Type H      | 4183H10            | 4184H15                | 4185H20                   |


D



F




D




F



H



H



A standard color chart is available on page 160.




# 45" Wide Modular Drawer Cabinets

- Use these modular drawer cabinets to organize more of your items in less floor space.
- High quality welded steel construction
- Precision engineered
- Each unit includes one lifting base cover (#6841)
- 400 pound static load capacity per drawer
- 100% drawer extension
- Saves time
- Useable interior drawer space is 40<sup>1</sup>/<sub>8</sub>" W x 25<sup>1</sup>/<sub>8</sub>" D
- Lock included




## Preconfigured Units



Model 4484

Modular Drawer Cabinets

45" W x 27<sup>3</sup>/<sub>4</sub>" D x 38" H



### 444538-512-01

Drawer/Dividers included  
(5) 3" h "C" Type  
(1) 4.5" h "C" Type  
(1) 6.75" h "C" Type  
(1) 6.75" h "E" Type  
Order #444538-512MT  
for unit without divider kits.



### 444538-113-01

Drawer/Dividers included  
(1) 3" h "C" Type  
(1) 4.5" h "C" Type  
(1) 6" h "E" Type  
(1) 9" h "E" Type  
(1) 10.5" h "F" Type  
Order #444538-113MT  
for unit without divider kits.




### 444538-999-01

Drawer/Dividers included  
(1) 3" h "C" Type  
(1) 4.5" h "C" Type  
(1) 6" h "C" Type  
(1) 6.75" h "E" Type  
(1) 12.75" h "F" Type  
Order #444538-999MT  
for unit without divider kits.



### 444538-004-01

Drawer/Dividers included  
(2) 8.25" h "E" Type  
(1) 8.25" h "C" Type  
(1) 8.25" h "H" Type  
Order #444538-004MT  
for unit without divider kits.



### 444538-11D-E

Drawer/Dividers included  
(1) 3" h "E" Type  
(1) 4.5" h "E" Type  
(1) 24" h Flush Cabinet Door  
has a 5 point security channel  
Order #444538-11DMT  
for unit without divider kits.

45" W x 27<sup>3</sup>/<sub>4</sub>" D x 44" H



### 4470H\*

Drawer/Dividers included  
(13) 3" h "H" Type  
Order #4470 for unit  
without divider kits.



### 4471H\*

Drawer/Dividers included  
(1) 3" h "H" Type  
(8) 4.5" h "H" Type  
Order #4471 for unit  
without divider kits.



### 4472H\*

Drawer/Dividers included  
(1) 3" h "H" Type  
(6) 6" h "H" Type  
Order #4472 for unit  
without divider kits.



### 4473H\*

Drawer/Dividers included  
(3) 3" h "H" Type  
(5) 4.5" h "H" Type  
(1) 7.5" h "H" Type  
Order #4473 for unit  
without divider kits.



### 4474H\*

Drawer/Dividers included  
(3) 3" h "H" Type  
(1) 4.5" h "H" Type  
(1) 6" h "H" Type  
(1) 7.5" h "H" Type  
(1) 12" h "H" Type  
Order #4474 for unit  
without divider kits.

## Drawer divider options

\*This 45" wide pre-engineered modular drawer unit is also available with either all D or H divider kits (See page 54). To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering. Drop any following digits. Ex: 4480 becomes 4480D.

A standard color chart is available on page 160.

45" W x 27<sup>3</sup>/<sub>4</sub>" D x 59" H

Modular Drawer Cabinets



**4480H\***  
Drawer/Dividers included  
(18) 3"h "H" Type  
Order #4480 for unit  
without divider kits.



**4481H\***  
Drawer/Dividers included  
(12) 4.5"h "H" Type  
Order #4481 for unit  
without divider kits.



**4482H\***  
Drawer/Dividers included  
(9) 6"h "H" Type  
Order #4482 for unit  
without divider kits.



**4483H\***  
Drawer/Dividers included  
(5) 3"h "H" Type  
(7) 4.5"h "H" Type  
(1) 7.5"h "H" Type  
Order #4483 for unit  
without divider kits.



**4484H\***  
Drawer/Dividers included  
(3) 3"h "H" Type  
(3) 4.5"h "H" Type  
(2) 6"h "H" Type  
(1) 7.5"h "H" Type  
(1) 12"h "H" Type  
Order #4484 for unit  
without divider kits.

### Drawer divider options

\*This 45" wide pre-engineered modular drawer unit is also available with either or all D or H divider kits (See page 54).

To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering.

Drop any following digits. Ex: 4480 becomes 4480D.

## Customer Configured

45" W x 27<sup>3</sup>/<sub>4</sub>" D Modular Drawer Cabinets - Components

To customize an Equipto Modular Drawer Cabinet, first select a housing from the following options:


29" High, 33<sup>1</sup>/<sub>2</sub>" High, 38" High, 44" High or 59" High

### 1 - Select Housing & Locks

#### Housings

| Part No. | Height                           | Points | Total Drawer Height Value        |
|----------|----------------------------------|--------|----------------------------------|
| 44369-18 | 29"                              | 80     | 24"                              |
| 44369    | 33 <sup>1</sup> / <sub>2</sub> " | 95     | 28 <sup>1</sup> / <sub>2</sub> " |
| 4248     | 38"                              | 110    | 33"                              |
| 4469     | 44"                              | 130    | 39"                              |
| 4479     | 59"                              | 180    | 54"                              |

All housings are 45" Wide & 27<sup>3</sup>/<sub>4</sub>" Deep



\*Add PTF to end of either 4469 or 4479 to get holes punched in the top for stacking units. Order stacking hardware 7751-4.



#### Lock-in Lock-out feature

RH & LH is available (Add RH to Base Part Number – 8643-10 to 8643-10RH)



#### Keyless Locks Available

Add EL to Base Part Number –  
Ex: 8643-10 = 8643-10-EL)

A standard color chart is available on page 160.





## 2 - Select Drawers

(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.)





Useable interior drawer space is 40 1/8" W x 25 1/8" D

### Drawers (400 lbs. Static Load Capacity per drawer)





Modular Drawer  
Cabinets



| Part No.        | Part No.      | Part No.        | Part No.        |
|-----------------|---------------|-----------------|-----------------|
| 8643-10         | 8643T-12.5    | 8644-15         | 8644T-17.5      |
| Height          | Height        | Height          | Height          |
| Front: 3"       | Front: 3 3/4" | Front: 4 1/2"   | Front: 5 1/4"   |
| Body: 2 1/8"    | Body: 2 1/8"  | Body: 3 1/8"    | Body: 3 1/8"    |
| Useable: 2 1/4" | Useable: 3"   | Useable: 3 3/4" | Useable: 4 1/2" |
| Points: 10      | Points: 12.5  | Points: 15      | Points: 17.5    |







| Part No.        | Part No.      | Part No.        | Part No.        |
|-----------------|---------------|-----------------|-----------------|
| 8645-20         | 8645T-22.5    | 8646-25         | 8646T-27.5      |
| Height          | Height        | Height          | Height          |
| Front: 6"       | Front: 6 3/4" | Front: 7 1/2"   | Front: 8 1/4"   |
| Body: 4 5/8"    | Body: 4 5/8"  | Body: 4 5/8"    | Body: 4 5/8"    |
| Useable: 5 1/4" | Useable: 6"   | Useable: 6 3/4" | Useable: 7 1/2" |
| Points: 20      | Points: 22.5  | Points: 25      | Points: 27.5    |



| Part No.        | Part No.      | Part No.        | Part No.         |
|-----------------|---------------|-----------------|------------------|
| 8647-30         | 8647T-32.5    | 8648-35         | 8648T-37.5       |
| Height          | Height        | Height          | Height           |
| Front: 9"       | Front: 9 3/4" | Front: 10 1/2"  | Front: 11 1/4"   |
| Body: 4 5/8"    | Body: 4 5/8"  | Body: 4 5/8"    | Body: 4 5/8"     |
| Useable: 8 1/4" | Useable: 9"   | Useable: 9 3/4" | Useable: 10 1/2" |
| Points: 30      | Points: 32.5  | Points: 35      | Points: 37.5     |

A standard color chart is available on page 160.





| Part No.                                  | Part No.                                | Part No.                                  | Part No.                                  |
|-------------------------------------------|-----------------------------------------|-------------------------------------------|-------------------------------------------|
| 8649-40                                   | 8649T-42.5                              | 8650-45                                   | 8650T-47.5                                |
| Height                                    | Height                                  | Height                                    | Height                                    |
| Front: 12"                                | Front: 12 <sup>3</sup> / <sub>4</sub> " | Front: 13 <sup>1</sup> / <sub>2</sub> "   | Front: 14 <sup>1</sup> / <sub>4</sub> "   |
| Body: 4 <sup>5</sup> / <sub>8</sub> "     | Body: 4 <sup>5</sup> / <sub>8</sub> "   | Body: 4 <sup>5</sup> / <sub>8</sub> "     | Body: 4 <sup>5</sup> / <sub>8</sub> "     |
| Useable: 11 <sup>1</sup> / <sub>4</sub> " | Useable: 12"                            | Useable: 12 <sup>3</sup> / <sub>4</sub> " | Useable: 13 <sup>1</sup> / <sub>2</sub> " |
| Points: 40                                | Points: 42.5                            | Points: 45                                | Points: 47.5                              |

3 - Select Divider Sets


that will help you maximize your storage space within each drawer.  
Divider Sets are optional, and are not required to order a cabinet.  
All dividers are smooth office gray in color.




Divider kits - 45" wide

| Divider Set | For 3" High Drawer | For 4 <sup>1</sup> / <sub>2</sub> " High Drawer | For 6" High and Up Drawer |
|-------------|--------------------|-------------------------------------------------|---------------------------|
| Type C      | 4143C10            | 4144C15                                         | 4145C20                   |
| Type D      | 4143D10            | 4144D15                                         | 4145D20                   |
| Type E      | 4143E10            | 4144E15                                         | 4145E20                   |
| Type F      | 4143F10            | 4144F15                                         | 4145F20                   |
| Type H      | 4143H10            | 4144H15                                         | 4145H20                   |


C




D




E



F



H



A standard color chart is available on page 160.

# 60" Wide Modular Drawer Cabinets

- Use these modular drawer cabinets to organize more of your items in less floor space.
- High quality welded steel construction
- Precision engineered
- Saves time
- 400 pound static load capacity per drawer
- 100% drawer extension
- Each unit includes lifting base cover (#6835)
- Lock included



Model 4461

Modular Drawer Cabinets

## Preconfigured Units

60" W x 27<sup>3</sup>/<sub>4</sub>" D x 38" H




### 446038-222-01

Drawer/Dividers included  
(2) 3" h "C" Type  
(2) 4.5" h "C" Type  
(1) 7.5" h "C" Type  
(1) 10.5" h "F" Type  
Order #446038-222MT  
for unit without divider kits.



### 446038-004-E

Drawer/Dividers included  
(4) 8.25" h "E" Type  
Order #446038-004MT  
for unit without divider kits.



### 446038-11D-E

Drawer/Dividers included  
(1) 3" h "E" Type  
(1) 4.5" h "E" Type  
(1) 24" h Flush Cabinet Door  
has a 5 point security channel.  
Order #446038-11DMT  
for unit without divider kits.

60" W x 27<sup>3</sup>/<sub>4</sub>" D x 44" H



### 4450H

Drawer/Dividers included  
(13) 3" h "H" Type  
Order #4450 for unit  
without divider kits.\*



### 4451H

Drawer/Dividers included  
(1) 3" h "H" Type  
(8) 4.5" h "H" Type  
Order #4451 for unit  
without divider kits.\*



### 4452H

Drawer/Dividers included  
(1) 3" h "H" Type  
(6) 6" h "H" Type  
Order #4452 for unit  
without divider kits.\*



### 4453H

Drawer/Dividers included  
(3) 3" h "H" Type  
(5) 4.5" h "H" Type  
(1) 7.5" h "H" Type  
Order #4453 for unit  
without divider kits.\*



### 4454H

Drawer/Dividers included  
(3) 3" h "H" Type  
(1) 4.5" h "H" Type  
(1) 6" h "H" Type  
(1) 7.5" h "H" Type  
(1) 12" h "H" Type  
Order #4454 for unit  
without divider kits.\*

## Drawer divider options

\*This 60" wide pre-engineered modular drawer unit is also available with all C, D, E, F or H divider kits (See page 58).

To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering.

Drop any following digits. Ex: 4480 becomes 4480D.

60" W x 27<sup>3</sup>/<sub>4</sub>" D x 59" H

Modular Drawer Cabinets



**4460H**  
Drawer/Dividers included  
(18) 3"h "H" Type  
Order #4460 for unit  
without divider kits.\*



**4461H**  
Drawer/Dividers included  
(12) 4.5"h "H" Type  
Order #4461 for unit  
without divider kits.\*



**4462H**  
Drawer/Dividers included  
(9) 6"h "H" Type  
Order #4462 for unit  
without divider kits.\*



**4463H**  
Drawer/Dividers included  
(5) 3"h "H" Type  
(7) 4.5"h "H" Type  
(1) 7.5"h "H" Type  
Order #4463 for unit  
without divider kits.\*



**4464H**  
Drawer/Dividers included  
(3) 3"h "H" Type  
(3) 4.5"h "H" Type  
(2) 6"h "H" Type  
(1) 7.5"h "H" Type  
(1) 12"h "H" Type  
Order #4464 for unit  
without divider kits.\*

### Drawer divider options

\*This 60" wide pre-engineered modular drawer unit is also available with either all D, E, F or H divider kits (See page 58).

To specify, simply add the letter suffix after the first four digits of cabinet model number when ordering.

Drop any following digits. Ex: 4480 becomes 4480D.



### Lock-in Lock-out feature

RH & LH is available (Add RH to Base Part Number –  
Ex: 8643-10 to 8643-10RH. LH is available; use part  
number without "-suffix" at end instead – Ex. 8653LH)



### Keyless Locks Available

Add EL to Base Part Number –  
Ex: 8643-10 = 8643-10-EL)

## Customer Configured

60" W x 27<sup>3</sup>/<sub>4</sub>" D Modular Drawer Cabinets - Components

To customize an Equipto Modular Drawer Cabinet,  
first select a housing from the following options:


29" High, 33<sup>1</sup>/<sub>2</sub>" High, 38" High, 44" High or 59" High

## 1 - Select Housing & Locks


### Housings

| Part No. | Height                           | Points | Total Drawer Height Value        |
|----------|----------------------------------|--------|----------------------------------|
| 4458     | 29"                              | 80     | 24"                              |
| 4468     | 33 <sup>1</sup> / <sub>2</sub> " | 95     | 28 <sup>1</sup> / <sub>2</sub> " |
| 4258     | 38"                              | 110    | 33"                              |
| 4449     | 44"                              | 130    | 39"                              |
| 4459     | 59"                              | 180    | 54"                              |


All housings are 60" Wide & 27<sup>3</sup>/<sub>4</sub>" Deep




4458




4468



4258



4449



4459

\*Add PTF to end of either 4459 to get holes punched in the top for  
stacking another cabinet on top. Order stacking hardware 7751-4.

A standard color chart is available on page 160.







## 2 - Select Drawers





(Keeping in mind the simple point system, in which the summation of the individual drawer points must equal the total points for the cabinet housing.)

Useable interior drawer space is 55<sup>1</sup>/<sub>8</sub>" W x 25<sup>1</sup>/<sub>8</sub>" D





### Drawers (400 lbs. Static Load Capacity per drawer)



| Part No.                                 | Part No.                               | Part No.                                 | Part No.                                 |
|------------------------------------------|----------------------------------------|------------------------------------------|------------------------------------------|
| 8653-10                                  | 8653T-12.5                             | 8654-15                                  | 8654T-17.5                               |
| Height                                   | Height                                 | Height                                   | Height                                   |
| Front: 3"                                | Front: 3 <sup>3</sup> / <sub>4</sub> " | Front: 4 <sup>1</sup> / <sub>2</sub> "   | Front: 5 <sup>1</sup> / <sub>4</sub> "   |
| Body: 2 <sup>1</sup> / <sub>8</sub> "    | Body: 2 <sup>1</sup> / <sub>8</sub> "  | Body: 3 <sup>1</sup> / <sub>8</sub> "    | Body: 3 <sup>1</sup> / <sub>8</sub> "    |
| Useable: 2 <sup>1</sup> / <sub>4</sub> " | Useable: 3"                            | Useable: 3 <sup>3</sup> / <sub>4</sub> " | Useable: 4 <sup>1</sup> / <sub>2</sub> " |
| Points: 10                               | Points: 12.5                           | Points: 15                               | Points: 17.5                             |







| Part No.                                 | Part No.                               | Part No.                                 | Part No.                                 |
|------------------------------------------|----------------------------------------|------------------------------------------|------------------------------------------|
| 8655-20                                  | 8655T-22.5                             | 8656-25                                  | 8656T-27.5                               |
| Height                                   | Height                                 | Height                                   | Height                                   |
| Front: 6"                                | Front: 6 <sup>3</sup> / <sub>4</sub> " | Front: 7 <sup>1</sup> / <sub>2</sub> "   | Front: 8 <sup>1</sup> / <sub>4</sub> "   |
| Body: 4 <sup>5</sup> / <sub>8</sub> "    | Body: 4 <sup>5</sup> / <sub>8</sub> "  | Body: 4 <sup>5</sup> / <sub>8</sub> "    | Body: 4 <sup>5</sup> / <sub>8</sub> "    |
| Useable: 5 <sup>1</sup> / <sub>4</sub> " | Useable: 6"                            | Useable: 6 <sup>3</sup> / <sub>4</sub> " | Useable: 7 <sup>1</sup> / <sub>2</sub> " |
| Points: 20                               | Points: 22.5                           | Points: 25                               | Points: 27.5                             |



| Part No.                                 | Part No.                               | Part No.                                 | Part No.                                  |
|------------------------------------------|----------------------------------------|------------------------------------------|-------------------------------------------|
| 8657-30                                  | 8657T-32.5                             | 8658-35                                  | 8658T-37.5                                |
| Height                                   | Height                                 | Height                                   | Height                                    |
| Front: 9"                                | Front: 9 <sup>3</sup> / <sub>4</sub> " | Front: 10 <sup>1</sup> / <sub>2</sub> "  | Front: 11 <sup>1</sup> / <sub>4</sub> "   |
| Body: 4 <sup>5</sup> / <sub>8</sub> "    | Body: 4 <sup>5</sup> / <sub>8</sub> "  | Body: 4 <sup>5</sup> / <sub>8</sub> "    | Body: 4 <sup>5</sup> / <sub>8</sub> "     |
| Useable: 8 <sup>1</sup> / <sub>4</sub> " | Useable: 9"                            | Useable: 9 <sup>3</sup> / <sub>4</sub> " | Useable: 10 <sup>1</sup> / <sub>2</sub> " |
| Points: 30                               | Points: 32.5                           | Points: 35                               | Points: 37.5                              |

A standard color chart is available on page 160.



| Part No.                                  | Part No.                                | Part No.                                  | Part No.                                  |
|-------------------------------------------|-----------------------------------------|-------------------------------------------|-------------------------------------------|
| 8659-40                                   | 8659T-42.5                              | 8660-45                                   | 8660T-47.5                                |
| Height                                    | Height                                  | Height                                    | Height                                    |
| Front: 12"                                | Front: 12 <sup>3</sup> / <sub>4</sub> " | Front: 13 <sup>1</sup> / <sub>2</sub> "   | Front: 14 <sup>1</sup> / <sub>4</sub> "   |
| Body: 4 <sup>5</sup> / <sub>8</sub> "     | Body: 4 <sup>5</sup> / <sub>8</sub> "   | Body: 4 <sup>5</sup> / <sub>8</sub> "     | Body: 4 <sup>5</sup> / <sub>8</sub> "     |
| Useable: 11 <sup>1</sup> / <sub>4</sub> " | Useable: 12"                            | Useable: 12 <sup>3</sup> / <sub>4</sub> " | Useable: 13 <sup>1</sup> / <sub>2</sub> " |
| Points: 40                                | Points: 42.5                            | Points: 45                                | Points: 47.5                              |

3 - Select Divider Sets


that will help you maximize your storage space within each drawer.  
Divider Sets are optional, and are not required to order a cabinet.  
All dividers are smooth office gray in color.

Divider kits - 60" wide


| Divider Set | For 3" High Drawer | For 4 <sup>1</sup> / <sub>2</sub> " High Drawer | For 6" High and Up Drawer |
|-------------|--------------------|-------------------------------------------------|---------------------------|
| Type C      | 4153C10            | 4154C15                                         | 4155C20                   |
| Type D      | 4153D10            | 4154D15                                         | 4155D20                   |
| Type E      | 4153E10            | 4154E15                                         | 4155E20                   |
| Type F      | 4153F10            | 4154F15                                         | 4155F20                   |
| Type H      | 4153H10            | 4154H15                                         | 4155H20                   |



C




D




E



F



H



A standard color chart is available on page 160.

# Modular Drawer Cabinet Accessories

Accessorize your Equipto Modular Drawer Cabinets. Add dividers, quarter trays, locks, shelves, doors, work surfaces and more to maximize your Equipto System.

## Shelves

Stationary or roll-out shelf to be used in conjunction with doors or hinged steel cover that fits flush over modular drawer. Available with optional lock for added drawer security.



|   | Part No.   | Description                                             | Use with:           |
|---|------------|---------------------------------------------------------|---------------------|
| A | 8633RS     | Steel cover – can't use with divider kits               | 8633 drawer         |
|   | 8634RS     | Steel cover – can't use with divider kits               | 8634 drawer         |
|   | 8635RS     | Steel cover – can't use with divider kits               | 8635 drawer         |
| B | 13106      | Tumbler lock                                            | Steel cover         |
|   | 4403RO     | 30"W Roll-out concealed shelf                           | Flush door          |
|   | 4403RO-45  | 45"W Roll-out concealed shelf                           | Flush door          |
| C | 4403RO-60  | 60"W Roll-out concealed shelf                           | Flush door          |
|   | 4403C      | 30"W Adjustable concealed shelf                         | Flush door          |
|   | 4403C-45   | 45"W Adjustable concealed shelf                         | Flush door          |
|   | 4403C-60   | 60"W Adjustable concealed shelf                         | Flush door          |
|   | 4405       | 30" W Stationary shelf (5 pts.)                         | External Mount Door |
|   | 4403RO-22H | 22 1/2"W 400 lbs. cab. only, Roll-out concealed shelf   |                     |
|   | 4403C-22H  | 22 1/2"W 400 lbs. cab. only, Adjustable concealed shelf |                     |
|   | 821122     | 22 1/2"W 200 lbs. cab. only, Adjustable concealed shelf |                     |
|   | 4403C-3618 | 36"W x 18"D Adjustable concealed shelf                  |                     |
|   | 4403C-3624 | 36"W x 24"D Adjustable concealed shelf                  |                     |
|   | 7751-4     | Hardware for stacking Modular Drawer Cabinets           |                     |
|   | MDCH-CAB   | Hardware for connecting side-by-side cabinets           | (drilling required) |

## Door assemblies

Use flush mount doors in conjunction with concealed shelves or use swinging door assemblies over entire cabinet front. Must purchase at least one concealed shelf on bottom.

## Swinging doors (External mount)

| Part No. | For Cabinet   |
|----------|---------------|
| 4401     | 44" H x 30" W |
| 4402     | 59" H x 30" W |
| 4402-36  | 59" H x 36" W |

## Cabinet Tops

Create an excellent work surface or counter top by adding a solid hardwood laminated, stainless steel, wood, or combination top to any modular drawer cabinet.

| Part No.   | Description                                                        |
|------------|--------------------------------------------------------------------|
| 441-3W     | 30" x 30" Solid hardwood laminate                                  |
| 441-5W     | 30" x 60" Solid hardwood laminate                                  |
| 441-6W     | 30" x 72" Solid hardwood laminate                                  |
| 445-30SSW4 | Stainless - 30" W x 27 3/4" D                                      |
| 441-3B     | Bonded Wood - 30" W x 30" D                                        |
| 445-30SSW4 | stainless steel w/ wood core – 27 3/4"D x 30"W x 3/4" thick        |
| 445-45SSW4 | stainless steel w/ wood core – 27 3/4"D x 45"W x 3/4" thick        |
| 445-90SSW4 | stainless steel w/ wood core – 27 3/4"D x 90"W x 3/4" thick        |
| MDCC-222S  | stainless steel "skin" cover for (1) 22 1/2" 200 lb. wide cabinets |
| MDCC-224S  | stainless steel "skin" cover for (1) 22 1/2" 400 lb. wide cabinets |
| MDCC-30S   | stainless steel "skin" cover for (1) 30" wide cabinet              |
| MDCC-230S  | stainless steel "skin" cover for (2) 30" wide cabinets             |
| MDCC-330S  | stainless steel "skin" cover for (3) 30" wide cabinets             |
| MDCC-430S  | stainless steel "skin" cover for (4) 30" wide cabinets             |
| MDCC-45S   | stainless steel "skin" cover for (1) 45" wide cabinet              |
| MDCC-245S  | stainless steel "skin" cover for (2) 45" wide cabinets             |
| MDCC-60S   | stainless steel "skin" cover for (1) 60" wide cabinet              |
| MDCC-260S  | stainless steel "skin" cover for (2) 60" wide cabinets             |

\*Stainless skin covers are a cost-effective alternative when stainless steel is preferred, but the wood core is not required.



Modular Drawer Cabinets

## Swinging doors – Flush mount (22 1/2"W available on page 43)

| For Cabinet    | Part No.    | Width                                             | Height            | Points |
|----------------|-------------|---------------------------------------------------|-------------------|--------|
| <b>1 Door</b>  |             |                                                   |                   |        |
|                | 4197-19     | 30"                                               | 19 1/2"           | 65     |
|                | 4197-22     | 30"                                               | 22 1/2"           | 75     |
|                | 4197-24     | 30"                                               | 24"               | 80     |
|                | 4197-28     | 30"                                               | 28 1/2"           | 95     |
|                | 4197-33     | 30"                                               | 33"               | 110    |
|                | 4197-39     | 30"                                               | 39"               | 130    |
|                | 4197-54     | 30"                                               | 54"               | 180    |
|                | 4309SWD     | 36"                                               | 24"               | 80     |
| <b>2 Doors</b> |             |                                                   |                   |        |
|                | 44369-18SWD | 45"                                               | 24"               | 80     |
|                | 44369SWD    | 45"                                               | 28 1/2"           | 95     |
|                | 4248SWD     | 45"                                               | 33"               | 110    |
|                | 4469SWD     | 45"                                               | 39"               | 130    |
|                | 4479SWD     | 45"                                               | 54"               | 180    |
|                | 4045        | 45"                                               | Security Channel* | 5      |
|                | 4458SWD     | 60"                                               | 24"               | 80     |
|                | 4468SWD     | 60"                                               | 28 1/2"           | 95     |
|                | 4258SWD     | 60"                                               | 33"               | 110    |
|                | 4449SWD     | 60"                                               | 39"               | 130    |
|                | 4459SWD     | 60"                                               | 54"               | 180    |
|                | 4060        | 60"                                               | Security Channel* | 5      |
|                | 4101SLD     | Swinging Door Padlock Option (for 45" & 60" only) |                   |        |

\*A security channel is required when a double door is mounted beneath.



A standard color chart is available on page 160.



## Equipto's distinct line of Modular Drawer Cabinets represents a true system-within-a-system.

Convert any 22", 30" or 36" wide by 29" or 33 1/2" high modular cabinet to an easy-to-maneuver mobile unit. Kit includes four 6" diameter wheels (2 swivel, 2 rigid), chrome-plated handle and hardware. Lock-in/Lock-out feature, cabinet lock, or both are recommended. Caster kits raise cabinet up 7 1/2". If painted handle desired, part #531002.

### Mobile base kits for multiple cabinets (handle not included)

|                     |                                               |
|---------------------|-----------------------------------------------|
| Part No. 4404       | 22" or 30" wide cabinet, 1200 lb. capacity    |
| Part No. 4404-24    | 36" wide cabinet, 24" deep, 1200 lb. capacity |
| Part No. 531000-60  | For (2) 30"W cabinets                         |
| Part No. 531000-245 | For (2) 45"W cabinets                         |
| Part No. 531000-330 | For (3) 30"W cabinets                         |
| Part No. MDCH-CAB   | Side-by-side cabinet hardware                 |
| Part No. 849103     | Leg extension kit – add 6" in height          |

### Sloping supervisor desk top

Top is 30" W x 29" D x 6 7/8" H

Part No 294



### File Drawers

| Part No. | Description                                                                                                                           |
|----------|---------------------------------------------------------------------------------------------------------------------------------------|
| 8639HF40 | 27" deep, 12" high drawer includes hanging file frames (Part No. 10268), letter size, set of two. Holds contents of two file drawers. |
| 10430    | Fits 30" wide frames. File drawer holds pendaflex files.                                                                              |
| 8607FA   | File drawer holds pendaflex folders. 12"H for 18" D by 36" W shelving or cabinets.                                                    |
| 8667HFA  | File drawer for 12" H x 18" D x 48" W shelving or cabinets.                                                                           |

Lock-In Lock-Out feature not available.

**EQUIPTO File Cabinets must be floor anchored to prevent tipping over if multiple drawers are opened!**

### Drawer inserts

| Description  | For Cabinet Width | Part No.    |
|--------------|-------------------|-------------|
| 3/8" Plywood | 30"               | 10116       |
| Rubber Mat   | 30"               | 10146       |
| Rubber Mat   | 22 1/2"           | 10146-22    |
| Rubber Mat   | 36" (19" Deep)    | 10146-36-18 |
| Rubber Mat   | 36" (25" Deep)    | 10146-36-24 |
| Rubber Mat   | 45"               | 10146-45    |
| Rubber Mat   | 48" (18" Deep)    | 10146-48-18 |
| Rubber Mat   | 48" (24" Deep)    | 10146-48-24 |
| Rubber Mat   | 60"               | 10146-60    |

### Plastic Bins & Trays

| Description                                                 | Part No. |
|-------------------------------------------------------------|----------|
| Plastic bins; 2"H x 2"W x 3"L; 30" fill drawer. 96 bins     | 10122    |
| Plastic bins; 2"H x 3"W x 4"L; 30" fill drawer. 48 bins     | 10123    |
| Plastic bins; 2 3/4"H x 2"W x 3"L; 30" fill drawer. 96 bins | 10124    |
| Plastic bins; 2 3/4"H x 3"W x 4"L; 30" fill drawer. 48 bins | 10125    |
| Quarter trays (20 compartments); 1 1/4" x 12 1/2" x 12 1/2" | 10120    |
| Quarter trays (35 compartments); 1 1/4" x 12 1/2" x 12 1/2" | 10121    |



### Cabinet locks

| Cabinet Width             | Part No.                |
|---------------------------|-------------------------|
| <b>27 3/4" Depth</b>      |                         |
| 22 1/2", 30", 45" and 60" | 4101                    |
| 22 1/2", 30", 45" and 60" | 4101KA (Keyed alike)    |
| <b>18" Depth</b>          |                         |
| 18" x 36"                 | 4101-18                 |
| 18" x 36"                 | 4101KA-18 (Keyed alike) |
| <b>24" Depth</b>          |                         |
| 24" x 36"                 | 4101-24                 |
| 24" x 36"                 | 4101KA-24 (Keyed alike) |

Two keys included per lock.

### Keyless locks

Keyless Electronic Lock 10430-EL

### Keys

Master Key 10429M

Key 10429\*

\*Specify lock number when ordering



### Hinged locking bars (cannot be used on 200 lb. 22 1/2" cabinets)



| Cabinet Height | Part No. | Actual Lock Bar Length |
|----------------|----------|------------------------|
| 29"            | 4103-29  | 23 1/2"                |
| 33 1/2"        | 4103-33  | 28"                    |
| 38"            | 4103-38  | 32 1/2"                |
| 44"            | 4103-44  | 38 1/2"                |
| 59"            | 4103-59  | 53 1/2"                |

Pad lock or locking device not included.

### Plastic bins

Sturdy, plastic bins fit neatly into modular drawers to make counting, sorting and dispensing operations easier, more efficient.

Note: For conductive plastic bins and quarter trays, add C to part number.



### Quarter trays


Quarter trays of molded plastic have 20 or 35 compartments to fit inside modular drawers to hold small parts and supplies.

See sizes and Part No. 10120 and 10121 in the chart to the left.

Trays are actually black, but shown in color for depth.

## Modular Drawer Cabinet Accessories Continued

| Description                                                             | Part No. |
|-------------------------------------------------------------------------|----------|
| Mylar cover strip 18 <sup>11/16</sup> "L                                | 951102H  |
| Mylar cover strip 21 <sup>3/4</sup> "L (for old style, obsolete handle) | 10106    |
| Paper label 18 <sup>11/16</sup> "L                                      | 951101H  |
| Paper label 21 <sup>1/2</sup> "L (for old style, obsolete handle)       | 10107    |
| Modular drawer handle - specify color - (painted same as cabinet)       | 218907H  |
| Clear Plastic end cap for left side handle                              | 993102L  |
| Clear Plastic end cap for right side handle                             | 993102R  |
| Black Plastic end cap for left side handle                              | 993102LB |
| Black Plastic end cap for right side handle                             | 993102RB |
| Brushed Aluminum Handle with black caps                                 | 218908HK |
| Black Plastic end cap for Brushed Aluminum left side handle             | 993102LB |
| Black Plastic end cap for Brushed Aluminum right side handle            | 993102RB |
| Side-by-side connecting hardware                                        | MDCH-CAB |



### Individual dividers

To further expand the possibilities in creating your own drawer design, we offer a variety of individual dividers. Use them with front-to-back partitions to make compartments of all sizes.

#### Spaces across drawers:

22<sup>1/2</sup>" W — 24 spaces, 200 lbs. cab. (400 lbs. — 23 sp.)

30" W — 32 spaces,

36" W — 40 spaces,

45" W — 48 spaces,\*

60" W — 68 spaces\*

\*Requires one extra partition per drawer

All partitions and dividers are smooth office gray in color

### Dividers

| Width                             | For 3" High Drawers | For 4 <sup>1/2</sup> " High Drawers | For 6" High and Larger Drawers |
|-----------------------------------|---------------------|-------------------------------------|--------------------------------|
| Divider Height                    | 2"                  | 3"                                  | 4 <sup>1/2</sup> "             |
| 3 <sup>3/32</sup> " (4 spaces)    | 8834                | 8844                                | 8854                           |
| 4 <sup>11/16</sup> " (6 spaces)   | 8835                | 8845                                | 8855                           |
| 6 <sup>9/32</sup> " (8 spaces)    | 8836                | 8846                                | 8856                           |
| 7 <sup>7/8</sup> " (10 spaces)    | 8837                | 8847                                | 8857                           |
| 9 <sup>7/16</sup> " (12 spaces)   | 8838                | 8848                                | 8858                           |
| 12 <sup>11/16</sup> " (16 spaces) | 8839                | 8849                                | 8859                           |




### Electrical power center

Compact, with 4 outlets, On-Off switch, 15 Amp breaker, 15ft. cord with ground.

**Easy to install where you need it.**

**Power Center #229-4**



### Leveler Kit

**Part No. 10067 - 2 per lift channel required**

Equipto announces a leveling feature for modular cabinets. Developed for applications where floors are uneven, the leveling device provides 5/8" of vertical adjustment with a 15-degree swivel foot offering optimum stability. Rated at 1,500 lbs. of static loading, each leveler can accommodate the most stringent loading requirements.

### Partitions


Ribbed and slotted partitions fit neatly into drawers, running full depth of drawer from front-to-back or full width from side to side. Adjustable in 3/4" increments, they may be used alone, or with dividers. Metal screws supplied for fastening to drawer bottoms. Since 30"-wide drawers are symmetrical, partitions may also be used from side-to-side.

#### Full depth partitions (front to back)

| Partition Height   | To Fit Drawer Height | To Fit 18" Deep Drawers | To Fit 24" Deep Drawers | To Fit 27 <sup>3/4</sup> " Deep Drawers |
|--------------------|----------------------|-------------------------|-------------------------|-----------------------------------------|
| 2"                 | 3"                   | 8780N                   | 8790N                   | 8726                                    |
| 3"                 | 4 <sup>1/2</sup> "   | 8781N                   | 8791N                   | 8727                                    |
| 4 <sup>1/2</sup> " | 6" and up            | 8782N                   | 8792N                   | 8728                                    |

#### Full width partitions (left to right)

| Partition Height | To fit Drawer height | To fit Cabinet width | Part. No. |
|------------------|----------------------|----------------------|-----------|
| 2"               | 3"                   | 36"                  | 8770      |
| 3"               | 4 1/2"               | 36"                  | 8771      |
| 4 1/2"           | 6" & up              | 36"                  | 8772      |
| 2"               | 3"                   | 45"                  | 8743      |
| 3"               | 4 1/2"               | 45"                  | 8744      |
| 4 1/2"           | 6" & up              | 45"                  | 8745      |
| 2"               | 3"                   | 60"                  | 8736      |
| 3"               | 4 1/2"               | 60"                  | 8737      |
| 4 1/2"           | 6" & up              | 60"                  | 8738      |



Label Holder for individual dividers Part No. 6609

### Anchor bolt

These bolting options allow you to anchor a modular drawer cabinet to either concrete or wood floors.

| Part No. | Description           |
|----------|-----------------------|
| MDC-CFAK | concrete anchor bolts |
| MDC-WFAK | wood anchor bolts     |



MDC-CFAK



MDC-WFAK



## Shelving cabinets

| Description                                 | Part No. |
|---------------------------------------------|----------|
| <b>45"W x 27 3/4"D</b>                      |          |
| 38" H cabinet with one adjustable shelf     | 849143   |
| 38" H sliding door only                     | 849155   |
| 45" W extra shelf                           | 16300-45 |
| <b>36"W x 27 3/4"D</b>                      |          |
| 38" H cabinet with one adjustable shelf     | 849181   |
| 36" W extra shelf                           | 849179   |
| <b>60"W x 27 3/4"D</b>                      |          |
| 33 1/2" H cabinet with one adjustable shelf | 4492     |
| 38" H cabinet with one adjustable shelf     | 46078    |
| 44" H cabinet with one adjustable shelf     | 4493     |
| 59" H cabinet with two adjustable shelves   | 4495     |
| Extra shelf                                 | 16300    |
| <b>Sliding doors w/lock</b>                 |          |
| 33 1/2" H for #4492                         | 4490-33  |
| 44" H for #4493                             | 4490-44  |
| 59" H for #4495                             | 4490-59  |
| <b>Hardwood top</b>                         |          |
| 30" D x 60" W                               | 441-5W   |
| Ships knocked down                          |          |





## Special Shelving Units for Tops of Modular Cabinets



Order modular cabinets to compliment shelving. Here are typical arrangements. Many more are possible.

- Heavy steel counter units engineered for simple assembly in continuous rows, or easy combination with modular drawer cabinets.
- Ideal for factory issue areas, warehouse or workshop.
- Provides continuous counter space with shelving
- Cabinets come with middle shelf 57" long
- Shelf has static load capacity of 1000 pounds and adjusts on 1 1/2" centers
- Optional counter tops available
- Use with modular drawer cabinets to have parts readily available
- See pg 62 for hardware for securing side-by-side cabinets
- Stacking kit 7751-4

Depths and widths are engineered to match up perfectly with modular drawer cabinets. Choose shelving units 33 1/2", 44" or 59" high, with adjustable shelves (1 1/2" centers) of removable, ribbed decking. Each shelf offers over 1,000 lbs. static load capacity for heavy, bulk loads.



A standard color chart is available on page 160.



# FOD/Heavy Duty Mobile Tool Control Cabinets

Mobile Tool Control Cabinets consist of a single, double or triple modular unit with forklift tubes and a caster base. Can be towed or moved with a forklift. Select from four available tops. Drawers are furnished in eight standard heights and have a 400 lb. static load capacity. Thumb latches are equipped for safety during transportation. Includes frame, base, casters, top and handle only. Order drawers on pg. 48 and 49. Available drawer height value is 28<sup>1</sup>/<sub>2</sub>"; 95 points.



- Flush doors available in four heights
- Single, double and triple shadow boxes offered
- Lexan panels provide visibility to shadow boxes
- Sliding door frame has roller bearings and lock
- Stainless steel pull handle
- Heavy duty polyurethane tread casters with sealed roller bearings
- Use for foreign object damage (F.O.D.) applications

## Shadow box units


| Part No. | Description                                         |
|----------|-----------------------------------------------------|
| 4195     | Type "1" Single Vertical Display 15"D x 30"W x 30"H |
| 4196     | Type "2" Double Vertical Display 15"D x 60"W x 30"H |

Box is 24<sup>3</sup>/<sub>8</sub>"D at Base.

## Foam Inserts

| Part No. | Description         |
|----------|---------------------|
| 010099-1 | for 30" wide drawer |
| 010099-2 | for 45" wide drawer |
| 010099-3 | for 60" wide drawer |

Customize your foam inserts to highlight removed tools and help improve tool accountability.



**Foam Inserts in Drawers**

## Foreign object damage cabinets

### F.O.D. Workstation 30"D overall

Includes frame, base, casters, top and handle only. Order drawers on pg. 48 and 49. Available drawer height value is 28<sup>1</sup>/<sub>2</sub>"; 95 points.

| Description:                                      | Part No. |
|---------------------------------------------------|----------|
| <b>A. Single workstation (not pictured) 30" W</b> |          |
| Plastic laminate top                              | 4191P    |
| Painted steel top                                 | 4191PS   |
| Stainless steel top                               | 4191SS   |
| Hardwood top                                      | 4191W    |

|                                    |        |
|------------------------------------|--------|
| <b>B. Double workstation 60" W</b> |        |
| Plastic laminate                   | 4192P  |
| Painted steel                      | 4192PS |
| Stainless steel                    | 4192SS |
| Hardwood top                       | 4192W  |

|                                    |        |
|------------------------------------|--------|
| <b>C. Triple workstation 90" W</b> |        |
| Plastic laminate                   | 4193P  |
| Painted steel                      | 4193PS |
| Stainless steel                    | 4193SS |
| Hardwood top                       | 4193W  |

For 45" or 60" cabinet sections please contact Equipto Inside Sales.

## Shadow Box Top



## Swinging doors (Flush mount)

| Part No. | Description                           | Points |
|----------|---------------------------------------|--------|
| 4197-19  | 19 <sup>1</sup> / <sub>2</sub> " high | 65     |
| 4197-22  | 22 <sup>1</sup> / <sub>2</sub> " high | 75     |
| 4197-24  | 24" high                              | 80     |
| 4197-28  | 28 <sup>1</sup> / <sub>2</sub> " high | 95     |

| Part No. | Description               | Use with      |
|----------|---------------------------|---------------|
| 4403C    | Stationary shelf*         | Swinging door |
| 4403RO   | Roll-out concealed shelf  | Swinging door |
| 4199     | Tow bar                   | Cabinet       |
| 4194     | Oversize forklift channel | Cabinet       |

\*One shelf required for cabinet bottom with door.

A standard color chart is available on page 160.

# 60" Wide Tool Cabinets

Modular Tool Cabinets offer the ability for different storage uses within the same cabinet. With the options including drawers, a door, and a shelf, the uses for a tool cabinet are limitless. Featuring 400 lb drawer capacities, multiple hard top surfaces to choose from, and the ability to add casters for mobility, a tool cabinet is the perfect choice for any application.

- Standard brushed aluminum handles with black end caps
- Single lock system for all drawers
- Doors are keyed differently

## Tool Cabinet configurations

Add "M" at end of Part No. to make the unit mobile. Mobile units includes lock-in/lock-out feature, casters and push handle. Cabinet locks are included.

### 33" H x 60" W x 27 3/4" D

| Description  |                                                    |                                                    |
|--------------|----------------------------------------------------|----------------------------------------------------|
| Part No.     | Left Cabinet Drawers                               | Right Cabinet Drawers                              |
| MDCDB330104  | (1) - 3", (2) - 5 1/4", (1) - 9"                   | (3) - 3", (2) - 3 3/4", (1) - 6"                   |
| MDCDB330203  | (2) - 3", (1) - 4 1/2", (1) - 12"                  | (2) - 3", (1) - 3 3/4", (1) - 5 1/4", (1) - 7 1/2" |
| MDCDB330303  | (2) - 3", (1) - 3 3/4", (1) - 5 1/4", (1) - 7 1/2" | (2) - 3", (1) - 3 3/4", (1) - 5 1/4", (1) - 7 1/2" |
| MDCDB330404  | (3) - 3", (2) - 3 3/4", (1) - 6"                   | (3) - 3", (2) - 3 3/4", (1) - 6"                   |
| MDCDB3302SD0 | (2) - 3", (1) - 4 1/2", (1) - 12"                  | Door, with no shelves                              |
| MDCDB3303SD0 | (2) - 3", (1) - 3 3/4", (1) - 5 1/4", (1) - 7 1/2" | Door, with no shelves                              |
| MDCDB3304SD0 | (3) - 3", (2) - 3 3/4", (1) - 6"                   | Door, with no shelves                              |

### 38" H x 60" W x 27 3/4" D

| Description  |                                                |                                                |
|--------------|------------------------------------------------|------------------------------------------------|
| Part No.     | Left Cabinet Drawers                           | Right Cabinet Drawers                          |
| MDCDB381111  | (2) - 4 1/2", (1) - 6", (1) - 12"              | (2) - 4 1/2", (1) - 6", (1) - 12"              |
| MDCDB381212  | (1) - 4 1/2", (1) - 6", (1) - 7 1/2", (1) - 9" | (1) - 4 1/2", (1) - 6", (1) - 7 1/2", (1) - 9" |
| MDCDB381311  | (1) - 3", (2) - 4 1/2", (1) - 6", (1) - 9"     | (2) - 4 1/2", (1) - 6", (1) - 12"              |
| MDCDB381413  | (3) - 3", (1) - 4 1/2", (1) - 6", (1) - 7 1/2" | (1) - 3", (2) - 4 1/2", (1) - 6", (1) - 9"     |
| MDCDB381514  | (4) - 3", (2) - 4 1/2", (1) - 6"               | (3) - 3", (1) - 4 1/2", (1) - 6", (1) - 7 1/2" |
| MDCDB3814SD1 | (3) - 3", (1) - 4 1/2", (1) - 6", (1) - 7 1/2" | (1) - 3" drawer, 2 Shelves, 1 Door             |
| MDCDB3815SD2 | (4) - 3", (2) - 4 1/2", (1) - 6"               | 2 Shelves, 1 Door                              |

### 44" H x 60" W x 27 3/4" D

| Description  |                                                |                                                |
|--------------|------------------------------------------------|------------------------------------------------|
| Part No.     | Left Cabinet Drawers                           | Right Cabinet Drawers                          |
| MDCDB442325  | (1) - 4 1/2", (2) - 6", (1) - 7 1/2", (1) - 9" | (3) - 3", (1) - 4 1/2", (2) - 6", (1) - 7 1/2" |
| MDCDB442424  | (1) - 3", (2) - 4 1/2", (2) - 6", (1) - 9"     | (1) - 3", (2) - 4 1/2", (2) - 6", (1) - 9"     |
| MDCDB442523  | (3) - 3", (1) - 4 1/2", (2) - 6", (1) - 7 1/2" | (1) - 4 1/2", (2) - 6", (1) - 7 1/2", (1) - 9" |
| MDCDB442622  | (4) - 3", (2) - 4 1/2", (2) - 6"               | (2) - 4 1/2", (2) - 6", (1) - 12"              |
| MDCDB4427SD4 | (4) - 3", (2) - 4 1/2", (2) - 6"               | 2 Shelves, 1 Door, 1 Lock                      |
| MDCDB4425SD3 | (3) - 3", (1) - 4 1/2", (2) - 6", (1) - 7 1/2" | (2) - 3" drawers, 2 Shelves, 1 Door            |
| MDCDB4426SD4 | (4) - 3", (2) - 4 1/2", (2) - 6"               | 2 Shelves, 1 Door                              |
| MDCDB4425SD4 | (3) - 3", (1) - 4 1/2", (2) - 6", (1) - 7 1/2" | 2 Shelves, 1 Door                              |

### 59" H x 60" W x 27 3/4" D

| Description  |                                                                     |                                                                     |
|--------------|---------------------------------------------------------------------|---------------------------------------------------------------------|
| Part No.     | Left Cabinet Drawers                                                | Right Cabinet Drawers                                               |
| MDCDB593236  | (1) - 3", (1) - 4 1/2", (2) - 6", (1) - 7 1/2", (1) - 9", (1) - 12" | (4) - 3", (2) - 4 1/2", (1) - 6", (1) - 7 1/2", (1) - 13 1/2"       |
| MDCDB593335  | (1) - 4 1/2", (2) - 6", (3) - 7 1/2", (1) - 9"                      | (3) - 3", (1) - 4 1/2", (2) - 6", (1) - 9", (1) - 13 1/2"           |
| MDCDB593434  | (1) - 3", (2) - 4 1/2", (2) - 6", (2) - 7 1/2", (1) - 9"            | (1) - 3", (2) - 4 1/2", (2) - 6", (2) - 7 1/2", (1) - 9"            |
| MDCDB593533  | (3) - 3", (1) - 4 1/2", (2) - 6", (1) - 9", (1) - 13 1/2"           | (1) - 4 1/2", (2) - 6", (3) - 7 1/2", (1) - 9"                      |
| MDCDB593632  | (4) - 3", (2) - 4 1/2", (1) - 6", (1) - 7 1/2", (1) - 13 1/2"       | (1) - 3", (1) - 4 1/2", (2) - 6", (1) - 7 1/2", (1) - 9", (1) - 12" |
| MDCDB5935SD5 | (3) - 3", (1) - 4 1/2", (2) - 6", (1) - 9", (1) - 13 1/2"           | (1) - 3" drawer, 2 Shelves, 1 Door                                  |
| MDCDB5936SD6 | (4) - 3", (2) - 4 1/2", (1) - 6", (1) - 7 1/2", (1) - 13 1/2"       | (2) - 3" drawer, 2 Shelves, 1 Door                                  |
| MDCDB5934SD7 | (1) - 3", (2) - 4 1/2", (2) - 6", (2) - 7 1/2", (1) - 9"            | 2 Shelves, 1 Door                                                   |



Special configuration shown, highlighting an optional lock-in/lock-out drawer feature.

**Contact Equipto Inside Sales for custom configuration options.**

## Accessories

|                          |          |
|--------------------------|----------|
| Stainless Steel Top      | MDCC-60S |
| Double Bank Cabinet Lock | 4101DB   |





# Small Parts Storage



## Metal Small Parts Drawers

| Drawer Height | 4 1/4" Wide | 5 5/8" Wide | 8 3/8" Wide | 11 1/4" Wide |
|---------------|-------------|-------------|-------------|--------------|
| 2"            | X           | —           | —           | —            |
| 3 1/8"        | —           | X           | X           | X            |
| 4 5/8"        | —           | X           | X           | X            |





2” High Shelf Drawers

Equipto’s rugged 2” drawers slide smoothly and evenly with just fingertip effort. With the added convenience of dividers, the 2” Equipto drawer provides an unbeatable value.

Whether purchased singularly, in multiples for shelving inserts, or in convenient cabinets, Equipto 2” drawers with rigid, quilted sides bring convenience, efficiency and long-term durability.

\*All dividers are smooth office gray finish

Small Parts Storage



32/33



8532

2” High Shelf Drawers

| Width | Depth | Height | Height of Stop | Number of Drawers to Make Row Across 3' Wide Shelf | For Shelves Spaced on Centers | Straight Drawer No. | Divider to Fit* |
|-------|-------|--------|----------------|----------------------------------------------------|-------------------------------|---------------------|-----------------|
| 41/4" | 11"   | 2"     | 2 1/2"         | 8                                                  |                               | 8532                | 8732            |
| 41/4" | 17"   | 2"     | 2 1/2"         | 8                                                  | Use Frame                     | 8533                | 8732            |

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

34 1/8”W x 10 5/8”H Preconfigured Cabinets


| Drawer Height | Drawer Width | No. of Drawers | No. of Compartments | Part No. 12” Deep | Part No. 18” Deep |
|---------------|--------------|----------------|---------------------|-------------------|-------------------|
| 2"            | 4 1/4"       | 32             | 96                  | 32                | 33                |

All units shipped with 2 dividers per drawer.  
Note: The above cabinets fit all makes of 36” wide shelving.

Empty Frames for 2”H Drawer Cabinets — Create your own drawer configuration

| Width   | Depth | Height  | Levels | Points per Level | Frame # |
|---------|-------|---------|--------|------------------|---------|
| 34 1/8" | 12"   | 10 5/8" | 4      | 60               | 10368   |
| 34 1/8" | 18"   | 10 5/8" | 4      | 60               | 10369   |

A standard color chart is available on page 160.



## 31/8" High Shelf Drawers

One-piece construction with curved handle, reinforced fronts; label holders (full-width on fronts) on both drawers and dividers; embossed bottoms for easy sliding; front and rear drawer stops for pull out, tilt down part retrieval. Insert individual drawers and small cabinets in shelving; stack cabinets high and wide — along walls — back-to-back for partitions — or in rows.

Hundreds of combinations are available for inserting drawers and drawer cabinets into existing shelving (individual drawers shown here.) For example, arranging #8539, #8563 and #8566 drawers in 8-across, 4-across and 3-across patterns converts 36" wide shelf to clean, safe drawer units. Create in-shelf drawers wherever you need them, without replacing existing shelving.



### 31/8"H Individual Drawers

| Width  | Depth of Stop | Height | Height to Make Row Across | Number of Drawers Spaced on Centers | For Shelves to Fit | Drawer No. | Straight Divider 3' Wide Shelf |
|--------|---------------|--------|---------------------------|-------------------------------------|--------------------|------------|--------------------------------|
| 41/4"  | 11"           | 31/8"  | 37/8"                     | 8                                   | 41/2"              | 8504       | 8709                           |
| 41/4"  | 17"           | 31/8"  | 37/8"                     | 8                                   | 41/2"              | 8539       | 8709                           |
| 83/8"  | 11"           | 31/8"  | 37/8"                     | 4                                   | 41/2"              | 8553       | 8753                           |
| 83/8"  | 17"           | 31/8"  | 37/8"                     | 4                                   | 41/2"              | 8563       | 8753                           |
| 111/4" | 11"           | 31/8"  | 37/8"                     | 3                                   | 41/2"              | 8556       | 8756                           |
| 111/4" | 17"           | 31/8"  | 37/8"                     | 3                                   | 41/2"              | 8566       | 8756                           |

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

### Empty Frames for 31/8"H Drawer Cabinets — Create your own drawer configuration

| Width  | Depth | Height | Levels | Points per Level | Frame # |
|--------|-------|--------|--------|------------------|---------|
| 23"    | 12"   | 93/8"  | 2      | 40               | 10372   |
| 341/8" | 12"   | 135/8" | 3      | 60               | 10373   |
| 341/8" | 18"   | 135/8" | 3      | 60               | 10374   |



3411 Also available in 3 and 4 across

Drawers on this page will fit any shelving on 41/2" centers and all makes of 36" wide shelving.

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

### 341/8"W x 135/8"H Preconfigured Cabinets

| Cabinet Depth | Drawer Width | Drawer Depth | No. of Drawers | No. of Compartments | Part No. |
|---------------|--------------|--------------|----------------|---------------------|----------|
| 12"           | 41/4"        | 11"          | 24 (8 per row) | 72                  | 3411     |
| 18"           | 41/4"        | 17"          | 24 (8 per row) | 72                  | 3417     |
| 12"           | 83/8"        | 11"          | 12 (4 per row) | 36                  | 3426     |
| 18"           | 83/8"        | 17"          | 12 (4 per row) | 36                  | 3486     |
| 12"           | 111/4"       | 11"          | 9 (3 per row)  | 27                  | 3420     |
| 18"           | 111/4"       | 17"          | 9 (3 per row)  | 27                  | 3480     |

Note: All units in table supplied with 2 dividers per drawer.

- Easy-to-read labelholder on each slanted top divider
- Straight divider design adjusts easily on 1" center; keeps parts from creeping within drawer
- Drawer front has label holder for easy identification
- Full-width, curved handle for quick, fingertip access in bright plated finish

### 36"W x 431/8"H Iron Grip Shelving with Drawers (Counter High)

| Cabinet Width | Cabinet Depth | No. of Drawers | No. of Compartments | Drawer type | Part No. |
|---------------|---------------|----------------|---------------------|-------------|----------|
| 36"           | 12"           | 54             | 162                 | 8505        | 1164AD   |


Units supplied with 2 dividers per drawer.



## 45/8" High Shelf Drawers

Equipto construction is strong enough for smaller units to be hung or stacked anywhere.

Larger units form convenient countertop work surfaces or efficient wall systems.



Consider these quality Equipto features; sturdy, one-piece construction with top 2" double thickness steel; built-in, curved handle with full-width label holder; drawer stops both front and rear; adjustable, lock-in dividers with label holders.

Then consider versatility: Insert single drawers and smaller, welded-frame cabinets (34 1/8" width) directly into shelving. Stack or hang shorter cabinets anywhere. Use taller units, as free-standing structures.

Insert drawers into your existing shelving in various combinations, #8561 (6-across), #8564 (4-across) and #8567 (3-across) illustrated here. Drawers and small cabinets fit easily between uprights and sit securely on shelving.



3629/3689



3626/3686



3620/3680

### 45/8" H Individual Drawers

| Width   | Depth | Height of Stop | Height | Number of Drawers to Make Row Across 3' Wide Shelf | For Shelves Spaced on Centers | Drawer No. | Straight Divider to Fit |
|---------|-------|----------------|--------|----------------------------------------------------|-------------------------------|------------|-------------------------|
| 55/8"   | 11"   | 45/8"          | 53/8"  | 6                                                  | 6"                            | 8551       | 8751                    |
| 55/8"   | 17"   | 45/8"          | 53/8"  | 6                                                  | 6"                            | 8561       | 8751                    |
| 83/8"   | 11"   | 45/8"          | 53/8"  | 4                                                  | 6"                            | 8554       | 8754                    |
| 83/8"   | 17"   | 45/8"          | 53/8"  | 4                                                  | 6"                            | 8564       | 8754                    |
| 11 1/4" | 11"   | 45/8"          | 53/8"  | 3                                                  | 6"                            | 8557       | 8757                    |
| 11 1/4" | 17"   | 45/8"          | 53/8"  | 3                                                  | 6"                            | 8567       | 8757                    |

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired.

### Empty Frames for 45/8" H Drawer Cabinets — Create your own drawer configuration

| Width   | Depth | Height  | Levels | Points per Level | Frame # |
|---------|-------|---------|--------|------------------|---------|
| 34 1/8" | 12"   | 19 3/4" | 3      | 60               | 10379   |
| 34 1/8" | 18"   | 19 3/4" | 3      | 60               | 10380   |

### 34 1/8" W x 19 3/4" H Preconfigured Cabinets

| Cabinet Depth | Drawer Width | Drawer Depth | No. of Drawers | No. of Compartments | Part No. |
|---------------|--------------|--------------|----------------|---------------------|----------|
| 12"           | 55/8"        | 11"          | 18             | 54                  | 3629     |
| 18"           | 55/8"        | 17"          | 18             | 54                  | 3689     |
| 12"           | 83/8"        | 11"          | 12             | 36                  | 3626     |
| 18"           | 83/8"        | 17"          | 12             | 36                  | 3686     |
| 12"           | 11 1/4"      | 11"          | 9              | 27                  | 3620     |
| 18"           | 11 1/4"      | 17"          | 9              | 27                  | 3680     |

Note: All units have 2 dividers per drawer

Drawers on this page will fit any shelving on 6" centers and all makes of 36" wide shelving.

**Note:** Cabinet units are shipped with 2 dividers per drawer.

Individual drawers are supplied without dividers; order separately as desired.



Equipto 3<sup>1</sup>/<sub>8</sub>" drawers offer the widest variety of capacities and combinations ever built into drawer systems.



8505



Drawers on this page will fit any shelving on 4<sup>1</sup>/<sub>2</sub>" centers and all makes of 36" wide shelving.

3<sup>1</sup>/<sub>8</sub>" H Shelf Drawers

| Width                           | Depth | Height                          | Number of Drawers to Make Row Across 3' Wide Shelf | For Shelves Spaced on Centers   | Drawer No. | Straight Divider to fit |
|---------------------------------|-------|---------------------------------|----------------------------------------------------|---------------------------------|------------|-------------------------|
| 5 <sup>5</sup> / <sub>8</sub> " | 11"   | 3 <sup>1</sup> / <sub>8</sub> " | 6                                                  | 4 <sup>1</sup> / <sub>2</sub> " | 8505       | 8720                    |
| 5 <sup>5</sup> / <sub>8</sub> " | 17"   | 3 <sup>1</sup> / <sub>8</sub> " | 6                                                  | 4 <sup>1</sup> / <sub>2</sub> " | 8540       | 8720                    |

Note: Drawers ordered individually are not supplied with dividers. Order dividers as desired. Drawers have bright plated finish on handles.

23"W x 9<sup>3</sup>/<sub>8</sub>" H Cabinets

| Cabinet Width | Cabinet Height                  | No. of Depth | No. of Drawers | Drawer Compartments | Catalog Type | Part No. |
|---------------|---------------------------------|--------------|----------------|---------------------|--------------|----------|
| 23"           | 9 <sup>3</sup> / <sub>8</sub> " | 12"          | 8              | 24                  | 8505         | 8        |

Unit is shipped with 2 dividers per drawer. Drawers have bright plated finish on handles.

34<sup>1</sup>/<sub>8</sub>" W x 13<sup>5</sup>/<sub>8</sub>" H Cabinets

| Cabinet Depth | No. of Drawers | No. of Compartments | Drawer Type | Cabinet (drawers included) Part No. |
|---------------|----------------|---------------------|-------------|-------------------------------------|
| 12"           | 18             | 54                  | 8505        | 11                                  |
| 18"           | 18             | 54                  | 8540        | 22                                  |

Units supplied with 2 dividers per drawer. Note: The above cabinets fit all makes of 36" wide shelving. Drawers have a bright plated finish on handle (not shown)


Small Parts Storage



## Pick Racks

- One bin fits drawer units and open Pick Rack.
- Go from stock to sales area just by exchanging bins.
- Rearrange displays in moments.
- Contents are completely visible.

NOTE — Pick Rack bins are less dividers.  
Order dividers, if required, from drawer pages 66-70. All drawers are 11" deep.




Small Parts  
Storage



30536

Put your parts and products where the action is: near the assembly line, at the point of purchase, wherever quick access is needed for sales or production. Parts and products can be put in a bin as received, stocked in cabinets, brought to the point of use, and leftovers returned to stock - all without ever leaving the original bin



To remove bins,  
lift front up.







### Mobile base kit

Steel panel base 30" x 36<sup>5</sup>/<sub>8</sub>" has 4 swivel casters on corners and 2 rigid casters in center to hold two pick racks placed back to back for easy movement and pivot around tight corners. Order Pick Racks with bins at right.

**Part No. 1186**



**EQUIPTO**  
ON WHEELS



| Bin Description | Unit Height — Part No.           |                                  |     |     |     |
|-----------------|----------------------------------|----------------------------------|-----|-----|-----|
|                 | 38 <sup>5</sup> / <sub>8</sub> " | 43 <sup>1</sup> / <sub>8</sub> " | 60" | 72" | 84" |

|                                                   |                             |                             |                             |                              |                               |
|---------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|-------------------------------|
| #8532<br>4 <sup>1</sup> / <sub>4</sub> " W x 2" H | 30328<br>6 Rows<br>48 Dwrs. | 30428<br>6 Rows<br>48 Dwrs. | 30528<br>9 Rows<br>72 Dwrs. | 30628<br>11 Rows<br>88 Dwrs. | 30728<br>13 Rows<br>104 Dwrs. |
|---------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|-------------------------------|

|                                                                                |                             |                             |                             |                             |                              |
|--------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|
| #8505<br>5 <sup>5</sup> / <sub>8</sub> " W x 3 <sup>1</sup> / <sub>8</sub> " H | 30336<br>4 Rows<br>24 Dwrs. | 30436<br>5 Rows<br>30 Dwrs. | 30536<br>7 Rows<br>42 Dwrs. | 30636<br>8 Rows<br>48 Dwrs. | 30736<br>10 Rows<br>60 Dwrs. |
|--------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|

|                                                                                |                             |                             |                             |                             |                              |
|--------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|
| #8553<br>8 <sup>3</sup> / <sub>8</sub> " W x 3 <sup>1</sup> / <sub>8</sub> " H | 30334<br>4 Rows<br>16 Dwrs. | 30434<br>5 Rows<br>20 Dwrs. | 30534<br>7 Rows<br>28 Dwrs. | 30634<br>8 Rows<br>32 Dwrs. | 30734<br>10 Rows<br>40 Dwrs. |
|--------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|

|                                                                                 |                             |                             |                             |                             |                              |
|---------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|
| #8556<br>11 <sup>1</sup> / <sub>4</sub> " W x 3 <sup>1</sup> / <sub>8</sub> " H | 30333<br>4 Rows<br>12 Dwrs. | 30433<br>5 Rows<br>15 Dwrs. | 30533<br>7 Rows<br>21 Dwrs. | 30633<br>8 Rows<br>24 Dwrs. | 30733<br>10 Rows<br>30 Dwrs. |
|---------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|

|                                                                                |                             |                             |                             |                             |                             |
|--------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| #8551<br>5 <sup>5</sup> / <sub>8</sub> " W x 4 <sup>5</sup> / <sub>8</sub> " H | 30346<br>3 Rows<br>18 Dwrs. | 30446<br>4 Rows<br>24 Dwrs. | 30546<br>6 Rows<br>36 Dwrs. | 30646<br>7 Rows<br>42 Dwrs. | 30746<br>8 Rows<br>48 Dwrs. |
|--------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|

|                                                                                |                             |                             |                             |                             |                             |
|--------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| #8554<br>8 <sup>1</sup> / <sub>8</sub> " W x 4 <sup>5</sup> / <sub>8</sub> " H | 30344<br>3 Rows<br>12 Dwrs. | 30444<br>4 Rows<br>16 Dwrs. | 30544<br>6 Rows<br>24 Dwrs. | 30644<br>7 Rows<br>28 Dwrs. | 30744<br>8 Rows<br>32 Dwrs. |
|--------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|

|                                                                                 |                            |                             |                             |                             |                             |
|---------------------------------------------------------------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| #8557<br>11 <sup>1</sup> / <sub>4</sub> " W x 4 <sup>5</sup> / <sub>8</sub> " H | 30343<br>3 Rows<br>9 Dwrs. | 30443<br>4 Rows<br>12 Dwrs. | 30543<br>6 Rows<br>18 Dwrs. | 30643<br>7 Rows<br>21 Dwrs. | 30743<br>8 Rows<br>24 Dwrs. |
|---------------------------------------------------------------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|

\* Order dividers for these bins separately





## Conveyor Crossovers & Work Platforms





# Conveyor Crossovers and Platforms

## Designed to Meet Your Unique Needs

Equipto's most expansive line of Conveyor Crossovers are IBC and OSHA compliant. These crossovers range from standard sizes to extended heights and lengths allowing for crossing over multiple conveyors and configurations. Equipto's crossovers can be used permanently or temporarily. Each system has the parts to be transformed into one of four standard configurations, depending on what changes are needed in your environment. Our crossovers are designed to handle higher worker traffic and have enhanced safety features built into the crossover for a safe and reliable experience.

## Enhanced Safety Elements

Modern warehouses require conveyor crossovers that can handle higher worker traffic. We've designed ours to hold 125 pounds per square foot, allowing more workers to access at same time. We've also widened and reinforced pathways to provide a safe experience for workers, and included enhancements like a safety flush top stair, four different decking options, and non-skid steps with high-visibility fronts.

## Unparalleled Flexibility


Warehouses are anything but static, and our crossovers are ready to move when your needs change. Constructed with high-quality hot-dipped galvanized and powder-coated steel, our customizable and configurable systems can be taken apart and put back together easily in a different location if needed — and they're also designed, out of the box, to build a U-shaped, Z-shaped, L-shaped, and I-shaped crossover based on your footprint — without extra parts or cost.

## Ultimate Compliance

A crossover may seem like a simple egress — but if that egress doesn't comply with building code requirements, things can quickly become complicated. Purchasing the right system at the beginning of your construction project can save you from unintended headaches — and Equipto's solution is compliant with state and local building codes, ADD, OSHA, and IBC requirements, and designed for safety and compliance in high seismic zones.

## Cost Effective

Because of our added safety and configurability measures, we may cost a bit more than the crossovers you can buy out of a catalog. We've fielded countless emergency calls from systems integrators, project managers, and commercial architects to know that spending a bit of money up front is worth confident compliance and passing your inspections with flying colors.





# EQUIPTO Crossovers at a Glance

Even with over hundreds possible configurations — these customizations and featured safety options remain consistent:ffic and have enhanced safety features built into the crossover for a safe and reliable experience.


## Gate & Handrails

Optional self-closing safety gate at the top of the stairs. Contoured handrail and post design for extra protection.



## Decking Options

Four decking options for all platforms available. Black bar grating (shown below, left), grey skid resistant decking - ResinDek™ (shown below, right), perforated steel grating, and solid steel grating.



## Wire Grids

Optional wire (2" x 2") grids for stairways and platforms to prevent small items from falling through. Available on certain OSHA/IBC approved railing systems.



## Stair Design

Flush top stair to minimize slips and trips. Non-skid steps reduce potential falls. Stair options for all stairs available in galvanized with yellow front edge.

## Adjustable Posts

Adjustable platform height post footers.




# Single Conveyor Crossovers

IBC Compliant



Conveyor Crossovers  
& Work Platforms





| Part No.                                         | Category  | Description                                                                 | Decking            | TOD       | Clear Height Below Beam | Adjustability | Stairs QTY Model | Size       |
|--------------------------------------------------|-----------|-----------------------------------------------------------------------------|--------------------|-----------|-------------------------|---------------|------------------|------------|
| <b>Single Conveyor Crossover Standard Height</b> |           |                                                                             |                    |           |                         |               |                  |            |
| ECC01R                                           | Crossover | Single Wide Conv. Crossover w/ Resindek 168W x 48D x 80 1/8H                | Resindek           | 6' 9 1/8" | 5' 6 1/8"               | 3"            | 2 - IBC11        | 14'L x 4'D |
| ECC01BG                                          | Crossover | Single Wide Conv. Crossover w/ Bar Grating 168W x 48D x 80 1/8H             | Bar Grating        | 6' 9 1/8" | 5' 6 1/8"               | 3"            | 2 - IBC11        | 14'L x 4'D |
| ECC01PG                                          | Crossover | Single Wide Conv. Crossover w/ Perforated Grating 168W x 48D x 80 1/8H      | Perforated Grating | 6' 9 1/8" | 5' 6 1/8"               | 3"            | 2 - IBC11        | 14'L x 4'D |
| ECC01SG                                          | Crossover | Single Wide Conv. Crossover w/ Solid Grating 168W x 48D x 80 1/8H           | Solid Grating      | 6' 9 1/8" | 5' 6 1/8"               | 3"            | 2 - IBC11        | 14'L x 4'D |
| <b>Single Conveyor Crossover Extended Height</b> |           |                                                                             |                    |           |                         |               |                  |            |
| ECC01-TR                                         | Crossover | Single Wide Conv. Crossover Tall w/ Resindek 168W x 48D x 93 1/8H           | Resindek           | 7' 9 1/8" | 6' 6 1/8"               | 4"            | 2 - IBC13        | 14'L x 4'D |
| ECC01-TBG                                        | Crossover | Single Wide Conv. Crossover Tall w/ Bar Grating 168W x 48D x 93 1/8H        | Bar Grating        | 7' 9 1/8" | 6' 6 1/8"               | 4"            | 2 - IBC13        | 14'L x 4'D |
| ECC01-TPG                                        | Crossover | Single Wide Conv. Crossover Tall w/ Perforated Grating 168W x 48D x 93 1/8H | Perforated Grating | 7' 9 1/8" | 6' 6 1/8"               | 4"            | 2 - IBC13        | 14'L x 4'D |
| ECC01-TSG                                        | Crossover | Single Wide Conv. Crossover Tall w/ Solid Grating 168W x 48D x 93 1/8H      | Solid Grating      | 7' 9 1/8" | 6' 6 1/8"               | 4"            | 2 - IBC13        | 14'L x 4'D |

Conveyor Crossovers & Work Platforms


## Features

Equipto's Conveyor Crossovers are designed to handle higher worker traffic and have enhanced safety features built into the crossover for a safe and reliable experience.

See page 73 for all the differentiators and features of this product.


Post Locations: 4 Corners

## Decking Options




Rendered images are for visual purposes only. Final product will vary slightly.

## Sample Configurations



# Double Conveyor Crossovers

IBC Compliant



## Features

Equipto's Conveyor Crossovers are designed to handle higher worker traffic and have enhanced safety features built into the crossover for a safe and reliable experience..

**See page 73 for all the differentiators and features of this product.**


Post Locations:

Standard & Extended Height: 4 Corners


Extended Height & Length: 8 Posts Centered Middle Posts

## Decking Options


Resindek -  
Anti-Skid Decking




Bar  
Grating



Perforated Steel  
Grating




Solid Steel  
Grating



Rendered images are for visual purposes only. Final product will vary slightly.

## Sample Configurations




| Part No.                                                          | Category  | Description                                                                       | Decking            | TOD       | Clear Height Below Beam | Adjustability | Stairs QTY Model | Size       |
|-------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|--------------------|-----------|-------------------------|---------------|------------------|------------|
| <b>Double Conveyor Crossover Standard Height</b>                  |           |                                                                                   |                    |           |                         |               |                  |            |
| ECC02R                                                            | Crossover | Double Wide Conv.<br>Crossover w/ Resindek<br>216W x 48D x 80 1/8H                | Resindek           | 6' 9 1/8" | 5' 4 1/8"               | 3"            | 2 - IBC11        | 18'L x 4'D |
| ECC02BG                                                           | Crossover | Double Wide Conv.<br>Crossover w/ Bar Grating<br>216W x 48D x 80 1/8H             | Bar Grating        | 6' 9 1/8" | 5' 4 1/8"               | 3"            | 2 - IBC11        | 18'L x 4'D |
| ECC02PG                                                           | Crossover | Double Wide Conv.<br>Crossover w/ Perforated Grating<br>216W x 48D x 80 1/8H      | Perforated Grating | 6' 9 1/8" | 5' 4 1/8"               | 3"            | 2 - IBC11        | 18'L x 4'D |
| ECC02SG                                                           | Crossover | Double Wide Conv.<br>Crossover w/ Solid Grating<br>216W x 48D x 80 1/8H           | Solid Grating      | 6' 9 1/8" | 5' 4 1/8"               | 3"            | 2 - IBC11        | 18'L x 4'D |
| <b>Double Conveyor Crossover Extended Height</b>                  |           |                                                                                   |                    |           |                         |               |                  |            |
| ECC02-TR                                                          | Crossover | Double Wide Conv.<br>Crossover Tall w/ Resindek<br>216W x 48D x 93 1/8H           | Resindek           | 7' 9 1/8" | 6' 4 1/8"               | 4"            | 2 - IBC13        | 18'L x 4'D |
| ECC02-TBG                                                         | Crossover | Double Wide Conv<br>Crossover Tall w/ Bar Grating<br>216W x 48D x 93 1/8H         | Bar Grating        | 7' 9 1/8" | 6' 4 1/8"               | 4"            | 2 - IBC13        | 18'L x 4'D |
| ECC02-TPG                                                         | Crossover | Double Wide Conv.<br>Crossover Tall w/ Perforated Grating<br>216W x 48D x 93 1/8H | Perforated Grating | 7' 9 1/8" | 6' 4 1/8"               | 4"            | 2 - IBC13        | 18'L x 4'D |
| ECC02-TSG                                                         | Crossover | Double Wide Conv.<br>Crossover Tall w/ Solid Grating<br>216W x 48D x 93 1/8H      | Solid Grating      | 7' 9 1/8" | 6' 4 1/8"               | 4"            | 2 - IBC13        | 18'L x 4'D |
| <b>Double Conveyor Crossover Extended Length</b>                  |           |                                                                                   |                    |           |                         |               |                  |            |
| ECC02-XLR                                                         | Crossover | Double Wide Conv.<br>Crossover XL w/ ECC02R<br>292W x 48D x 80 1/8H               | Resindek           | 6' 9 1/8" | 5' 8 1/8"               | 3"            | 2 - IBC11        | 24'L x 4'D |
| ECC02-XLBG                                                        | Crossover | Double Wide Conv.<br>Crossover XL w/ ECC02BG<br>292W x 48D x 80 1/8H              | Bar Grating        | 6' 9 1/8" | 5' 8 1/8"               | 3"            | 2 - IBC11        | 24'L x 4'D |
| ECC02-XLPG                                                        | Crossover | Double Wide Conv.<br>Crossover XL w/ ECC02PG<br>292W x 48D x 80 1/8H              | Perforated Grating | 6' 9 1/8" | 5' 8 1/8"               | 3"            | 2 - IBC11        | 24'L x 4'D |
| ECC02-XLSG                                                        | Crossover | Double Wide Conv.<br>Crossover XL w/ ECC02SG<br>292W x 48D x 80 1/8H              | Solid Grating      | 6' 9 1/8" | 5' 8 1/8"               | 3"            | 2 - IBC11        | 24'L x 4'D |
| <b>Double Conveyor Crossover Extended Height, Extended Length</b> |           |                                                                                   |                    |           |                         |               |                  |            |
| ECC02-XLTR                                                        | Crossover | Double Wide Conv.<br>Crossover XL Tall w/ ECC02R<br>292W x 48D x 80 1/8H          | Resindek           | 7' 9 1/8" | 6' 9 1/8"               | 4"            | 2 - IBC13        | 24'L x 4'D |
| ECC02-XLTBG                                                       | Crossover | Double Wide Conv<br>Crossover XL Tall w/ ECC02BG<br>292W x 48D x 80 1/8H          | Bar Grating        | 7' 9 1/8" | 6' 9 1/8"               | 4"            | 2 - IBC13        | 24'L x 4'D |
| ECC02-XLTPG                                                       | Crossover | Double Wide Conv.<br>Crossover XL Tall w/ ECC02PG<br>292W x 48D x 80 1/8H         | Perforated Grating | 7' 9 1/8" | 6' 9 1/8"               | 4"            | 2 - IBC13        | 24'L x 4'D |
| ECC02-XLTSG                                                       | Crossover | Double Wide Conv.<br>Crossover XL Tall w/ ECC02SG<br>292W x 48D x 80 1/8H         | Solid Grating      | 7' 9 1/8" | 6' 9 1/8"               | 4"            | 2 - IBC13        | 24'L x 4'D |



# Conveyor Crossover with Triple Stairs — 2 or 3 Conveyors

IBC Compliant




## Features

Equipto's Conveyor Crossovers are designed to handle higher worker traffic and have enhanced safety features built into the crossover for a safe and reliable experience.


See page 73 for all the differentiators and features of this product.

## Decking Options


Resindek -  
Anti-Skid Decking




Bar  
Grating



Perforated Steel  
Grating



Solid Steel  
Grating




Rendered images are for visual purposes only. Final product will vary slightly.

## Sample Configurations

Stairs

Crossover

Conveyor Position




| Part No.                                                                      | Category  | Description                                                                          | Decking            | TOD       | Clear Height Below Beam | Adjustability | Stairs QTY Model | Size       |
|-------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------|--------------------|-----------|-------------------------|---------------|------------------|------------|
| <b>Conveyor Crossover with Triple Stairs Standard Height</b>                  |           |                                                                                      |                    |           |                         |               |                  |            |
| ECC03R                                                                        | Crossover | Triple Wide Conv.<br>Crossover w/ Resindek<br>312W x 48D x 80 1/8H                   | Resindek           | 6' 9 1/8" | 5' 6 1/8"               | 3"            | 3 - IBC11        | 26'L x 4'D |
| ECC03BG                                                                       | Crossover | Triple Wide Conv.<br>Crossover w/ Bar Grating<br>312W x 48D x 80 1/8H                | Bar Grating        | 6' 9 1/8" | 5' 6 1/8"               | 3"            | 3 - IBC11        | 26'L x 4'D |
| ECC03PG                                                                       | Crossover | Triple Wide Conv.<br>Crossover w/ Perforated Grating<br>312W x 48D x 80 1/8H         | Perforated Grating | 6' 9 1/8" | 5' 6 1/8"               | 3"            | 3 - IBC11        | 26'L x 4'D |
| ECC03SG                                                                       | Crossover | Triple Wide Conv.<br>Crossover w/ Solid Grating<br>312W x 48D x 80 1/8H              | Solid Grating      | 6' 9 1/8" | 5' 6 1/8"               | 3"            | 3 - IBC11        | 26'L x 4'D |
| <b>Conveyor Crossover with Triple Stairs Extended Height</b>                  |           |                                                                                      |                    |           |                         |               |                  |            |
| ECC03-TR                                                                      | Crossover | Triple Wide Conv.<br>Crossover Tall w/ Resindek<br>312W x 48D x 93 1/8H              | Resindek           | 7' 9 1/8" | 6' 6 1/8"               | 4"            | 3 - IBC13        | 26'L x 4'D |
| ECC03-TBG                                                                     | Crossover | Triple Wide Conv.<br>Crossover Tall w/ Bar Grating<br>312W x 48D x 93 1/8H           | Bar Grating        | 7' 9 1/8" | 6' 6 1/8"               | 4"            | 3 - IBC13        | 26'L x 4'D |
| ECC03-TPG                                                                     | Crossover | Triple Wide Conv.<br>Crossover Tall w/ Perforated Grating<br>312W x 48D x 93 1/8H    | Perforated Grating | 7' 9 1/8" | 6' 6 1/8"               | 4"            | 3 - IBC13        | 26'L x 4'D |
| ECC03-TSG                                                                     | Crossover | Triple Wide Conv.<br>Crossover Tall w/ Solid Grating<br>312W x 48D x 93 1/8H         | Solid Grating      | 7' 9 1/8" | 6' 6 1/8"               | 4"            | 3 - IBC13        | 26'L x 4'D |
| <b>Conveyor Crossover with Triple Stairs Standard Height, Extended Length</b> |           |                                                                                      |                    |           |                         |               |                  |            |
| ECC03-XLR                                                                     | Crossover | Triple Wide Conv.<br>Crossover XL w/ Resindek<br>484W x 48D x 80 1/8H                | Resindek           | 6' 9 1/8" | 5' 4 1/8"               | 3"            | 3 - IBC11        | 40'L x 4'D |
| ECC03-XLBG                                                                    | Crossover | Triple Wide Conv.<br>Crossover XL w/ Bar Grating<br>484W x 48D x 80 1/8H             | Bar Grating        | 6' 9 1/8" | 5' 4 1/8"               | 3"            | 3 - IBC11        | 40'L x 4'D |
| ECC03-XLPG                                                                    | Crossover | Triple Wide Conv.<br>Crossover XL w/ Perforated Grating<br>484W x 48D x 80 1/8H      | Perforated Grating | 6' 9 1/8" | 5' 4 1/8"               | 3"            | 3 - IBC11        | 40'L x 4'D |
| ECC03-XLSG                                                                    | Crossover | Triple Wide Conv.<br>Crossover XL w/ Solid Grating<br>484W x 48D x 80 1/8H           | Solid Grating      | 6' 9 1/8" | 5' 4 1/8"               | 3"            | 3 - IBC11        | 40'L x 4'D |
| <b>Conveyor Crossover with Triple Stairs Extended Height, Extended Length</b> |           |                                                                                      |                    |           |                         |               |                  |            |
| ECC03-XLTR                                                                    | Crossover | Triple Wide Conv.<br>Crossover XL Tall w/ Resindek<br>484W x 48D x 93 1/8H           | Resindek           | 7' 9 1/8" | 6' 4 1/8"               | 4"            | 3 - IBC13        | 40'L x 4'D |
| ECC03-XLTBG                                                                   | Crossover | Triple Wide Conv.<br>Crossover XL Tall w/ Bar Grating<br>484W x 48D x 93 1/8H        | Bar Grating        | 7' 9 1/8" | 6' 4 1/8"               | 4"            | 3 - IBC13        | 40'L x 4'D |
| ECC03-XLTPG                                                                   | Crossover | Triple Wide Conv.<br>Crossover XL Tall w/ Perforated Grating<br>484W x 48D x 93 1/8H | Perforated Grating | 7' 9 1/8" | 6' 4 1/8"               | 4"            | 3 - IBC13        | 40'L x 4'D |
| ECC03-XLTSG                                                                   | Crossover | Triple Wide Conv.<br>Crossover XL Tall w/ Solid Grating<br>484W x 48D x 93 1/8H      | Solid Grating      | 7' 9 1/8" | 6' 4 1/8"               | 4"            | 3 - IBC13        | 40'L x 4'D |

# Conveyor Crossover with Four Stairs — 2, 3 or 4 Conveyors

IBC Compliant

Conveyor Crossovers  
& Work Platforms




## Features

Equipto's Conveyor Crossovers are designed to handle higher worker traffic and have enhanced safety features built into the crossover for a safe and reliable experience.


See page 73 for all the differentiators and features of this product.

## Decking Options


Resindek -  
Anti-Skid Decking




Bar  
Grating



Perforated Steel  
Grating



Solid Steel  
Grating




Rendered images are for visual purposes only. Final product will vary slightly.

## Sample Configurations

Stairs

Crossover

Conveyor Position




With over 55 different configurations — the Double Conveyor Crossover with Four Stairs offers a wide variety of options to ensure your team members have a safe and convenient way to access the conveyors.



| Part No.                                                                    | Category  | Description                                                                        | Decking            | TOD       | Clear Height<br>Below Beam | Adjustability | Stairs QTY<br>Model | Size       |
|-----------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------|--------------------|-----------|----------------------------|---------------|---------------------|------------|
| <b>Conveyor Crossover with Quad Stairs Standard Height</b>                  |           |                                                                                    |                    |           |                            |               |                     |            |
| ECC04R                                                                      | Crossover | Four Wide Conv.<br>Crossover w/ Resindek<br>312W x 48D x 80 1/8H                   | Resindek           | 6' 9 1/8" | 6' 6 1/8"                  | 3"            | 4 - IBC11           | 26'L x 4'D |
| ECC04BG                                                                     | Crossover | Four Wide Conv.<br>Crossover w/ Bar Grating<br>312W x 48D x 80 1/8H                | Bar Grating        | 6' 9 1/8" | 6' 6 1/8"                  | 3"            | 4 - IBC11           | 26'L x 4'D |
| ECC04PG                                                                     | Crossover | Four Wide Conv.<br>Crossover w/ Perforated Grating<br>312W x 48D x 80 1/8H         | Perforated Grating | 6' 9 1/8" | 6' 6 1/8"                  | 3"            | 4 - IBC11           | 26'L x 4'D |
| ECC04SG                                                                     | Crossover | Four Wide Conv.<br>Crossover w/ Solid Grating<br>312W x 48D x 80 1/8H              | Solid Grating      | 6' 9 1/8" | 6' 6 1/8"                  | 3"            | 4 - IBC11           | 26'L x 4'D |
| <b>Conveyor Crossover with Quad Stairs Extended Height</b>                  |           |                                                                                    |                    |           |                            |               |                     |            |
| ECC04-TR                                                                    | Crossover | Four Wide Conv.<br>Crossover Tall w/ Resindek<br>312W x 48D x 93 1/8H              | Resindek           | 7' 9 1/8" | 5' 6 1/8"                  | 4"            | 4 - IBC13           | 26'L x 4'D |
| ECC04-TBG                                                                   | Crossover | Four Wide Conv.<br>Crossover Tall w/ Bar Grating<br>312W x 48D x 93 1/8H           | Bar Grating        | 7' 9 1/8" | 5' 6 1/8"                  | 4"            | 4 - IBC13           | 26'L x 4'D |
| ECC04-TPG                                                                   | Crossover | Four Wide Conv.<br>Crossover Tall w/ Perforated Grating<br>312W x 48D x 93 1/8H    | Perforated Grating | 7' 9 1/8" | 5' 6 1/8"                  | 4"            | 4 - IBC13           | 26'L x 4'D |
| ECC04-TSG                                                                   | Crossover | Four Wide Conv.<br>Crossover Tall w/ Solid Grating<br>312W x 48D x 93 1/8H         | Solid Grating      | 7' 9 1/8" | 5' 6 1/8"                  | 4"            | 4 - IBC13           | 26'L x 4'D |
| <b>Conveyor Crossover with Quad Stairs Standard Height, Extended Length</b> |           |                                                                                    |                    |           |                            |               |                     |            |
| ECC04-XLR                                                                   | Crossover | Four Wide Conv.<br>Crossover XL w/ Resindek<br>484W x 48D x 80 1/8H                | Resindek           | 6' 9 1/8" | 5' 4 1/8"                  | 3"            | 4 - IBC11           | 40'L x 4'D |
| ECC04-XLBG                                                                  | Crossover | Four Wide Conv.<br>Crossover XL w/ Bar Grating<br>484W x 48D x 80 1/8H             | Bar Grating        | 6' 9 1/8" | 5' 4 1/8"                  | 3"            | 4 - IBC11           | 40'L x 4'D |
| ECC04-XLPG                                                                  | Crossover | Four Wide Conv.<br>Crossover XL w/ Perforated Grating<br>484W x 48D x 80 1/8H      | Perforated Grating | 6' 9 1/8" | 5' 4 1/8"                  | 3"            | 4 - IBC11           | 40'L x 4'D |
| ECC04-XLSG                                                                  | Crossover | Four Wide Conv.<br>Crossover XL w/ Solid Grating<br>484W x 48D x 80 1/8H           | Solid Grating      | 6' 9 1/8" | 5' 4 1/8"                  | 3"            | 4 - IBC11           | 40'L x 4'D |
| <b>Conveyor Crossover with Quad Stairs Extended Height, Extended Length</b> |           |                                                                                    |                    |           |                            |               |                     |            |
| ECC04-XLTR                                                                  | Crossover | Four Wide Conv.<br>Crossover XL Tall w/ Resindek<br>484W x 48D x 93 1/8H           | Resindek           | 7' 9 1/8" | 6' 4 1/8"                  | 4"            | 4 - IBC13           | 40'L x 4'D |
| ECC04-XLTBG                                                                 | Crossover | Four Wide Conv.<br>Crossover XL Tall w/ Bar Grating<br>484W x 48D x 93 1/8H        | Bar Grating        | 7' 9 1/8" | 6' 4 1/8"                  | 4"            | 4 - IBC13           | 40'L x 4'D |
| ECC04-XLTPG                                                                 | Crossover | Four Wide Conv.<br>Crossover XL Tall w/ Perforated Grating<br>484W x 48D x 93 1/8H | Perforated Grating | 7' 9 1/8" | 6' 4 1/8"                  | 4"            | 4 - IBC13           | 40'L x 4'D |
| ECC04-XLTSG                                                                 | Crossover | Four Wide Conv.<br>Crossover XL Tall w/ Solid Grating<br>484W x 48D x 93 1/8H      | Solid Grating      | 7' 9 1/8" | 6' 4 1/8"                  | 4"            | 4 - IBC13           | 40'L x 4'D |

# Induct Single Conveyor Crossover

OSHA Compliant



Conveyor Crossovers  
& Work Platforms


| Part No.      | Category  | Description                                   | Decking                         | TOD     | Clear Height Below Beam | Adjustability | Stairs QTY Model | Size       |
|---------------|-----------|-----------------------------------------------|---------------------------------|---------|-------------------------|---------------|------------------|------------|
| INDUCT-126-76 | Crossover | Two Stair Conv. Crossover<br>162W x 42D x 79H | Any of the four decking options | 6' – 7' | 5' – 6'                 | 12"           | 2 - ECC-OSTWY8   | 13'L x 3'D |

## Features

Equipto's Conveyor Crossovers are designed to handle higher worker traffic and have enhanced safety features built into the crossover for a safe and reliable experience.

See page 73 for all the differentiators and features of this product.


## Decking Options



Post Locations: 8 Posts Offset Middle Posts 10' and 3.5'

Rendered images are for visual purposes only. Final product will vary slightly.

## Sample Configurations



# Platforms at a Glance




## Stair & Ladder Design

Flush top stair to minimize slips and trips. Non-skid steps reduce potential falls. Stair options for all stairs available in galvanized with yellow front edge or 100% galvanized steel.



**Low-Height Platform**



**Ship's Stairway Tread**



**Stair Tread**



## Low-Rise Rails

Optional platform railings for in a low rise (21") wire grid format to fit under conveyors offer fall and small parts protection. Available for the Maintenance Access Platform and Elevated Platform only.

Conveyor Crossovers  
& Work Platforms



**Maintenance Access Platform**

## Wire Grids

Wire (2" x 2") grids for stairways and platforms to prevent small items from falling through. Available on certain OSHA/IBC approved railing systems.



**Elevated Platform**



## Adjustable Posts

Adjustable platform height post footers. Available for the Maintenance Access Platform and Elevated Platform only.



## Gate & Handrails

Self closing safety gate at the top of the stairs. Contoured handrail and post design for extra protection.

## Decking Optionss

Four decking options for all platforms available. Black bar grating, grey skid resistant decking - ResinDek™, perforated steel grating, and solid steel grating. Shown on product pages.



# Elevated Platform

Conveyor Crossovers  
& Work Platforms



## Details

Two Elevated Platform Configurations consisting of with or without wire in lieu of netting guarding on safety rails and stairs

All platforms include a safety gate.

| Part No.        | Category | Description                                                                                                                                                                                     | TOD  | Clear Height Below Beam | Adjustability | Stairs QTY Model | Size       |
|-----------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------|---------------|------------------|------------|
| IEHSDCS-240-100 | Platform | Elevated Straight Platform 240"L x 54"D x 100"H below 132" TOR with Wire in Lieu of Netting Guarding on Safety Rails and Stairs - All Platforms Include Safety Gate                             | 100" | 84"                     | 12"           | 1 - ECC1BC15     | 20'L x 4'D |
| IEHSDLS-240-100 | Platform | Elevated L-Shaped Platform - Stairs 90° to Platform 240"L x 54"D x 100"H below 132" TOR without Wire in Lieu of Netting Guarding on Safety Rails and Stairs - All Platforms Include Safety Gate | 100" | 84"                     | 12"           | 1 - ECC1BC15     | 20'L x 4'D |


## Features

Equipto's Elevated Work Platforms are designed to handle higher worker traffic and have enhanced safety features built into the platform for a safe and reliable experience.

See page 83 for all the differentiators and features of this product.


Post Locations: 4 Corners

## Decking Options



Rendered images are for visual purposes only. Final product will vary slightly.

# Maintenance Access Platform



## Details

Three Maintenance Access Platform Configurations: Single-Sided Platform (shown above), Dual-Sided with access at either side, and Single-Sided over finger exiting HSD

Equipto's Maintenance Access Platforms are designed to work with Equipto's Ship's Stairway. Model: ECC0509

Conveyor Crossovers  
& Work Platforms

| Part No.    | Category | Description                                                                                 | Decking                 | TOD | Ship's Stairway Options | Adjustability | Stairs QTY Model               | Size       |
|-------------|----------|---------------------------------------------------------------------------------------------|-------------------------|-----|-------------------------|---------------|--------------------------------|------------|
| MAP2-96-96  | Platform | Maintenance <b>Single-Sided Platform</b> with Safety Gate<br>96L x 42D x 96H                | Resindek or Bar Grating | 8'  | OSHA<br>IBC             | 5.5"<br>6.5"  | 1 - ECC0509<br>1 - ECCIBCS11-2 | 8'L x 42"D |
| MAPL1-96-96 | Platform | Maintenance <b>Dual-Sided Platform</b> with Safety Gate<br>96L x 54D x 96H                  | Resindek or Bar Grating | 8'  | OSHA<br>IBC             | 5.5"<br>6.5"  | 2 - ECC0509<br>2 - ECCIBCS11-2 | 8'L x 54"D |
| MAP3-72-96  | Platform | Maintenance <b>Single-Sided Over Finger Exiting HSD</b> with Safety Gate<br>72L x 42D x 96H | Resindek or Bar Grating | 8'  | OSHA<br>IBC             | 5.5"<br>6.5"  | 1 - ECC0509<br>1 - ECCIBCS11-2 | 6'L x 42"D |


## Features

Equipto's Maintenance Access Platforms are designed to handle higher worker traffic and have enhanced safety features built into the platform for a safe and reliable experience.


See page 83 for all the differentiators and features of this product.

## Decking Options

Resindek -  
Anti-Skid Decking





Bar  
Grating



Rendered images are for visual purposes only. Final product will vary slightly.



# Low-Height Platform



## Details

Low-Height Platforms are available with one stairway or a stairway at each end of the platform. Available in a version with casters in addition to standard stationary.

**There is no adjustability in the post height.**



## Features


Equipto's Low-Height Platforms are designed to handle higher worker traffic and have enhanced safety features built into the platform for a safe and reliable experience.

**See page 83 for all the differentiators and features of this product.**

Post Locations: 4 Corners

## Decking

**Resindex -  
Anti-Skid Decking**






# Low-Height Platform

| Part No.                                                              | Category | Description                                                                | Decking                    | TOD   | Clear Height Below Beam | Size       |
|-----------------------------------------------------------------------|----------|----------------------------------------------------------------------------|----------------------------|-------|-------------------------|------------|
| <b>Low-Height Platforms (for Conveyor Access) – 4' Width Platform</b> |          |                                                                            |                            |       |                         |            |
| 1648120-ECCLD2                                                        | Platform | Low-Height Platform<br>120L x 48D x 16H                                    | Resindek or<br>Bar Grating | 1' 4" | 6 3/8"                  | 10'L x 4'D |
| 1648096-ECCLD2                                                        | Platform | Low-Height Platform<br>96L x 48D x 16H                                     | Resindek or<br>Bar Grating | 1' 4" | 6 3/8"                  | 8'L x 4'D  |
| 1648072-ECCLD2                                                        | Platform | Low-Height Platform<br>72L x 48D x 16H                                     | Resindek or<br>Bar Grating | 1' 4" | 6 3/8"                  | 6'L x 4'D  |
| <b>Low-Height Platforms (for Conveyor Access) – 3' Width Platform</b> |          |                                                                            |                            |       |                         |            |
| 1636120-ECCLD2                                                        | Platform | Low-Height Platform<br>120L x 36D x 16H                                    | Resindek or<br>Bar Grating | 1' 4" | 6 3/8"                  | 10'L x 3'D |
| 1636096-ECCLD2                                                        | Platform | Low-Height Platform<br>96L x 36D x 16H                                     | Resindek or<br>Bar Grating | 1' 4" | 6 3/8"                  | 8'L x 3'D  |
| 1636072-ECCLD2                                                        | Platform | Low-Height Platform<br>72L x 36D x 16H                                     | Resindek or<br>Bar Grating | 1' 4" | 6 3/8"                  | 6'L x 3'D  |
| 1636048-ECCLD2                                                        | Platform | Low-Height Platform<br>48L x 36D x 16H                                     | Resindek or<br>Bar Grating | 1' 4" | 6 3/8"                  | 4'L x 3'D  |
| <b>Low-Height Platforms (for Conveyor Access) – Stairways</b>         |          |                                                                            |                            |       |                         |            |
| 1930-ECC2                                                             | Stairway | Low-Height Platform Stairway<br>30W x 16H - 2 Treads                       |                            |       |                         | 2'L x 1'H  |
| 1930-ECC2LH                                                           | Stairway | Low-Height Platform Stairwaywith Left Handrailing<br>30W x 16H - 2 Treads  |                            |       |                         | 2'L x 1'H  |
| 1930-ECC2RH                                                           | Stairway | Low-Height Platform Stairwaywith Right Handrailing<br>30W x 16H - 2 Treads |                            |       |                         | 2'L x 1'H  |
| 1936-ECC2                                                             | Stairway | Low-Height Platform Stairway<br>36W x 16H - 2 Treads                       |                            |       |                         | 2'L x 1'H  |

Conveyor Crossovers  
& Work Platforms

## Sample Configurations





## Platforms & Mezzanines





# Platforms & Mezzanines

**Pre-configured Platforms**

**90**

**Catwalks & Walkways**

**91**

**Stair Landing Platforms**

**92**

**Custom Configured Platforms**

**93-95**




# Pre-configured Platforms

## Need more space, but don't want to move or add on?


Double or triple your floor space with Equipto pre-fabricated platforms! These rugged elevated floors, walkways and stairways add valuable area where you need it, at a fraction of the cost of acquiring new buildings. Because of their modular design, Equipto platforms are economical, quickly installed and can even be re-configured on your premises as your requirements change.

- Double floor capacity
- Modular design lets you add units as needed
- Less expensive than leasing or Construction
- Relocation to other facilities is easy
- Prefabricated for immediate use
- 36" wide stairway to 4' x 4' landing with OSHA stairs  
36" wide stairway to 5'W x 4'D landing with IBC stairs


### Decking options include:




Anti-Skid  
Resindek



Bar  
Grating



Perforated  
Steel Grating



Solid  
Steel Grating

Rendered image is for visual purposes only. Final product will vary slightly.

They are designed to integrate with other Equipto products to provide one-source space savings that are custom tailored for your individual application. Every place from aircraft hangars to warehouses to factories will benefit from the space saving solutions provided with Equipto platforms!



Photo is a rendered image, the actual product may vary.

| Height      | Type of Decking          | PLATFORM DIMENSIONS<br>(not including stair landing) |                   |                   |
|-------------|--------------------------|------------------------------------------------------|-------------------|-------------------|
|             |                          | 10'x10'                                              | 10'x 20'          | 8'x12'            |
| OSHA Stairs |                          |                                                      |                   |                   |
| 8'          | Bar Grating              | 1010-8GMEZ-BG-17                                     | 1020-8GMEZ-BG-17  | 1208-8GMEZ-BG-17  |
| 8'          | Perforated Steel Grating | 1010-8GMEZ-PG-17                                     | 1020-8GMEZ-PG-17  | 1208-8GMEZ-PG-17  |
| 8'          | Anti-skid Resindek       | 1010-8GMEZ-RT-17                                     | 1020-8GMEZ-RT-17  | 1208-8GMEZ-RT-17  |
| 8'          | Solid Steel Grating      | 1010-8GMEZ-SG-17                                     | 1020-8GMEZ-SG-17  | 1208-8GMEZ-SG-17  |
| 12'         | Bar Grating              | 1010-12GMEZ-BG-17                                    | 1020-12GMEZ-BG-17 | 1208-12GMEZ-BG-17 |
| 12'         | Perforated Steel Grating | 1010-12GMEZ-PG-17                                    | 1020-12GMEZ-PG-17 | 1208-12GMEZ-PG-17 |
| 12'         | Anti-skid Resindek       | 1010-12GMEZ-RT-17                                    | 1020-12GMEZ-RT-17 | 1208-12GMEZ-RT-17 |
| 12'         | Solid Steel Grating      | 1010-12GMEZ-SG-17                                    | 1020-12GMEZ-SG-17 | 1208-12GMEZ-SG-17 |

|                   |                          |                    |                    |                    |
|-------------------|--------------------------|--------------------|--------------------|--------------------|
| <b>IBC Stairs</b> |                          |                    |                    |                    |
| 8'                | Bar Grating              | 1010-8GMEZ-BG-IBC  | 1020-8GMEZ-BG-IBC  | 1208-8GMEZ-BG-IBC  |
| 8'                | Perforated Steel Grating | 1010-8GMEZ-PG-IBC  | 1020-8GMEZ-PG-IBC  | 1208-8GMEZ-PG-IBC  |
| 8'                | Anti-skid Resindek       | 1010-8GMEZ-RT-IBC  | 1020-8GMEZ-RT-IBC  | 1208-8GMEZ-RT-IBC  |
| 8'                | Solid Steel Grating      | 1010-8GMEZ-SG-IBC  | 1020-8GMEZ-SG-IBC  | 1208-8GMEZ-SG-IBC  |
| 12'               | Bar Grating              | 1010-12GMEZ-BG-IBC | 1020-12GMEZ-BG-IBC | 1208-12GMEZ-BG-IBC |
| 12'               | Perforated Steel Grating | 1010-12GMEZ-PG-IBC | 1020-12GMEZ-PG-IBC | 1208-12GMEZ-PG-IBC |
| 12'               | Anti-skid Resindek       | 1010-12GMEZ-RT-IBC | 1020-12GMEZ-RT-IBC | 1208-12GMEZ-RT-IBC |
| 12'               | Solid Steel Grating      | 1010-12GMEZ-SG-IBC | 1020-12GMEZ-SG-IBC | 1208-12GMEZ-SG-IBC |

**Contact your local Equipto Sales Rep to design a custom platform!**

# Catwalks and Walkways



Ideal for machinery repair, inspection or observation, Equipto Bridge Catwalks can be combined with stairways and ship's ladders to create structures. Versatile, pre-fabricated for easy assembly and engineered for maximum safety and performance.

- Catwalks feature rugged platform frames, 42" high safety railings and 4" high kickplates
- Choose ship's ladders or stairways for access
- 3 pre-configured heights, multiple lengths with add-on units available

**Note:** Stairways and ship's ladders should be ordered equal to or narrower than catwalk width.

## NEW!

### OSHA Stairways

| Unit Height | Tread Width | Overall Width | Horizontal Stair Run | Stairway Part No. |
|-------------|-------------|---------------|----------------------|-------------------|
| 6'          | 36"         | 48 1/2"       | 6'11"                | 1836S08           |
| 8'          | 36"         | 48 1/2"       | 9'6"                 | 1836S11           |
| 10'         | 36"         | 48 1/2"       | 12'0"                | 1836S14           |

### Ship's Ladders

| Unit Height | Tread Width | Overall Width | Horizontal Stair Run | Ladder Part No. |
|-------------|-------------|---------------|----------------------|-----------------|
| 6'          | 30"         | 35"           | 29"                  | 1530L06         |
| 8'          | 30"         | 35"           | 35"                  | 1530L08         |
| 10'         | 30"         | 35"           | 41"                  | 1530L10         |

| Floor Height         | Vertical Clear | Walkway Length | Walkway Width | Catwalk Part No. |
|----------------------|----------------|----------------|---------------|------------------|
| <b>6' high unit</b>  |                |                |               |                  |
| 73 5/8"              | 63 1/2"        | 2'             | 48"           | 976S02           |
| 73 5/8"              | 63 1/2"        | 4'             | 48"           | 976S04           |
| 73 5/8"              | 63 1/2"        | 6'             | 48"           | 976S06           |
| 73 5/8"              | 63 1/2"        | 8'             | 48"           | 976S08           |
| 73 5/8"              | 63 1/2"        | 10'            | 48"           | 976S10           |
| 73 5/8"              | 60 3/4"        | 12'            | 48"           | 976S12           |
| 73 5/8"              | 58"            | 16'            | 48"           | 976S16           |
| 73 5/8"              | 56"            | 20'            | 48"           | 976S20           |
| <b>8' high unit</b>  |                |                |               |                  |
| 97 5/8"              | 87 1/2"        | 2'             | 48"           | 977S02           |
| 97 5/8"              | 87 1/2"        | 4'             | 48"           | 977S04           |
| 97 5/8"              | 87 1/2"        | 6'             | 48"           | 977S06           |
| 97 5/8"              | 87 1/2"        | 8'             | 48"           | 977S08           |
| 97 5/8"              | 87 1/2"        | 10'            | 48"           | 977S10           |
| 97 5/8"              | 84 3/4"        | 12'            | 48"           | 977S12           |
| 97 5/8"              | 82"            | 16'            | 48"           | 977S16           |
| 97 5/8"              | 80"            | 20'            | 48"           | 977S20           |
| <b>10' high unit</b> |                |                |               |                  |
| 121 5/8"             | 111 1/2"       | 2'             | 48"           | 978S02           |
| 121 5/8"             | 111 1/2"       | 4'             | 48"           | 978S04           |
| 121 5/8"             | 111 1/2"       | 6'             | 48"           | 978S06           |
| 121 5/8"             | 111 1/2"       | 8'             | 48"           | 978S08           |
| 121 5/8"             | 111 1/2"       | 10'            | 48"           | 978S10           |
| 121 5/8"             | 108 3/4"       | 12'            | 48"           | 978S12           |
| 121 5/8"             | 106"           | 16'            | 48"           | 978S16           |
| 121 5/8"             | 104"           | 20'            | 48"           | 978S20           |



# Stair Landing Platforms

## “Stack-of-Stairs”

Equipto can build a “stack-of-stairs” and platform landings to almost any height.  
**Contact Equipto Inside Sales for a quote!**

|    | Description                                                   | Platform Width | Platform Depth | Floor Height | Part No. |
|----|---------------------------------------------------------------|----------------|----------------|--------------|----------|
| A. | Platform for Straight Through Use<br>Order 36" Wide Stairs    | 48"            | 48"            | 6'           | 970-06   |
|    |                                                               |                |                | 8'           | 970-08   |
|    |                                                               |                |                | 10'          | 970-10   |
|    |                                                               |                |                | 12'          | 970-12   |
| B. | Platform for 90° Turn, Left or Right<br>Order 36" Wide Stairs | 48"            | 48"            | 6'           | 970-06   |
|    |                                                               |                |                | 8'           | 970-08   |
|    |                                                               |                |                | 10'          | 970-10   |
|    |                                                               |                |                | 12'          | 970-12   |
| C. | Platform for 180° Turn<br>Order 36" Wide Stairs               | 96"            | 48"            | 6'           | 971-06   |
|    |                                                               |                |                | 8'           | 971-08   |
|    |                                                               |                |                | 10'          | 971-10   |

- Maximize space
- Double or triple capacity without sacrificing valuable floor space
- Building up is more economical and efficient than building out
- Solidly supported by welded uprights
- Precision engineered
- Significantly increased productivity and profits
- Prefabricated platforms designed according to OSHA and IBC guidelines.

Platforms & Mezzanines



Platform landing is used for straight through passage with stairway proceeding upward.



For a 90° angle, this platform landing configuration assembles either to right or left.



The 180° turn platform is used in tight areas to conserve space.

A standard color chart is available on page 160.




# Custom Configured Platforms

## Need more space, but don't want to move or add on?

Double or triple your floor space with Equipto pre-fabricated Platforms! These rugged elevated floors, walkways and stairways add valuable area where you need it, at a fraction of the cost of acquiring new buildings. Because of their modular design, Equipto platforms are economical, quickly installed and can even be re-configured on your premises as your requirements change. They are designed to integrate with other Equipto products to provide one-source space savings that are custom tailored for your individual application. Every place from aircraft hangars to warehouses to factories will benefit from the space saving solutions provided with Equipto platforms!

- Double floor capacity
- Modular design lets you add units as needed
- Cost-effective
- Customized solution to the problem of limited space
- Less expensive than leasing or Construction
- Move them within your facility
- Relocation to other facilities is easy
- Prefabricated for immediate use



Platforms &  
Mezzanines



# Custom Configured Platforms

## 1st - Design your Platform

### Select your Platform module

1. Select Platform Module and Flooring.
2. Select Stairways and Platforms.
3. Select Railings, Drop Gates and Accessories.

**Sketch and define specifications, then contact Equipto.**

Please contact Equipto Inside Sales with a sketch and details of what you need, and we will customize

a Platform to fit your needs. Parts list and examples are for reference purposes only.

**Seismic code conformity available upon request.**

## 2nd - Choose Flooring

### 5 types to choose from:

Choose Platform Module:

BG - Bar Grating

RD - Resindek

PG - Perforated Steel Grating

SG - Solid Steel Grating

LD2 - No Deck, beams on 2' centers\*


LD4 - No Deck, beams on 4' centers\*

**Platform Module Part Number + Suffix = Part No. Ex: 490812LD2**


Bar Grating (BG)




Anti-Skid Resindek (RD)



Perforated Steel Grating (PG)



Solid Steel Grating (SG)



### \*Platform floor options

With LD2 Modules: No Deck, Beams on 2' centers  
Part No. Description

10217 Resindek 4' x 8' x 1 1/8"

With LD4 Modules: No Deck, Beams on 4' centers


10218 Resindek 4' x 8' x 3/4" Use with RFD

10248PLY Plywood 4' x 8' x 3/4" Use with RFD

RFD 1sq. ft. roofdeck (for 3/4" Resindek or Plywood)

BRG 1sq. ft. bar grating (no subfloor required)

## 3rd - Add Railings and Drop Gates



### Generation IV Railing and Kick Plate

Rail posts are side-mounted to the platform beams and are available in 2-rail and 3-rail sections of 2', 4', 5', 6' & 8'.

### Generation II Railing and Kick Plate

Rail posts (3" x 3") mount to the platform decking surface. Individual rail channels and kick plates are available in lengths of 30", 42", 45", 57", 69", 72", 90" & 93".

(these measurements do not include the posts).



### Drop Gates

Pivots upward - no floor space needed to operate gate.

| Height | Gate Width | Gen IV Part No. | Gen II Part No. |
|--------|------------|-----------------|-----------------|
| 42"    | 44"        | 78134G          | 78134           |
| 42"    | 68"        | 78136G          | 78136           |
| 42"    | 88"        | 78138G          | 78138           |

Note: Gate 78138G is made up of two 44" frames.

One opens to each side.

**Drop gate requires clearance on one or both sides equal to the gates width.**

## Accessories

### Extension Posts and Stacking Brackets



### Optional extension posts

Optional Extension Posts (Part No. 9510) permit adjustment of platforms in 2" increments up to 2 feet higher than standard to accommodate tall machines, additional Equipto products, or a sloping floor.

Order with original Platform to ensure that proper posts without footplates are provided. Four required for each Platform module.



### Platform Stacking Bracket

Brackets (4 required) fasten upper and lower posts to permit double-decking of same-size platforms.

**Part No. 7720 - 4" x 4" x 3"H**

## Galvanized Steel Floor Grating


Assures non-skid safety for high load capacities, with minimum deflection.

An exceptionally high strength-to-weight ratio makes it suitable for the most demanding jobs with unlimited versatility. Strong, fast to install, and available in sizes appropriate for everything from trench coverings to floors for entire Platform structures.

### Part Numbers and stock sizes for Perforated Steel Grating

| Width and Flange                      | Lengths of Panels (Actual Length 1/4" Less Than Shown) |        |        |        |        |        |        |        |
|---------------------------------------|--------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|
|                                       | 24"                                                    | 30"    | 36"    | 48"    | 72"    | 96"    | 120"   | 144"   |
| 7 1/4" x 1 1/2"<br>for 7 1/2" centers | 16362                                                  | 16361  | 16363  | 16364  | 16366  | 16368  | 16370  | 16372  |
| 8 3/4" x 1 1/2"<br>for 9" centers     | 16162                                                  | 16161  | 16163  | 16164  | 16166  | 16168  | 16170  | 16172* |
| 11 7/8" x 1 1/2"<br>for 12" centers   | 16142*                                                 | 16141* | 16143* | 16144* | 16146* | 16148* | 16150* | 16152* |

\* For solid grating in these sizes only, add SG to Catalog No.



### Grating Anchor (close-up shown on right)


Dish-shaped Anchors permit recessed bolt attachment of hanging lights, etc., to decking.

**Part No. 10315**

**Bolt and Nut are required for each grating anchor**

**Part No. 13194 (5/16" x 2" bolt)**

- Recommended for platforms, catwalks, and multi-level areas
- High strength one-piece channel construction
- Cutting marks are provided on 6" centers to simplify on-the-job measurements and cutting
- Perforated oval hole grating provides raised nubs for 360° traction and safe walking




Platforms &  
Mezzanines

## Stair Treads

For interior or exterior use, Equipto perforated grating stair treads provide sure traction and maximum rigidity. Exclusive, non-skid treads with 1 1/2" flange are self-cleaning and virtually maintenance free. Galvanized construction provides lasting, corrosion-resistant wear.

| Width   | Length | Height | Part No. |
|---------|--------|--------|----------|
| 7 1/4"  | 24"    | 1 1/2" | 16362WS  |
| 7 1/4"  | 30"    | 1 1/2" | 16361WS  |
| 7 1/4"  | 36"    | 1 1/2" | 16363WS  |
| 7 1/4"  | 48"    | 1 1/2" | 16364WS  |
| 9 1/2"  | 24"    | 1 1/2" | 17162WS  |
| 9 1/2"  | 30"    | 1 1/2" | 17161WS  |
| 9 1/2"  | 36"    | 1 1/2" | 17163WS  |
| 9 1/2"  | 48"    | 1 1/2" | 17164WS  |
| 11 7/8" | 24"    | 1 1/2" | 16142WS  |
| 11 7/8" | 30"    | 1 1/2" | 16141WS  |
| 11 7/8" | 36"    | 1 1/2" | 16143WS  |
| 11 7/8" | 48"    | 1 1/2" | 16144WS  |

### Stair Treads



16362WS

17162WS



Angle Cutter - 10213

### Equipto Angle Cutter

One stroke makes a clean cut. Strong enough to make thousands of cuts through both Heavy and Super Duty angle. Top Blade Part No. 2711, Lower Blade Part No. 2710.






## Stairways & Crosswalks



|                                |               |
|--------------------------------|---------------|
| <b>Stairways</b>               | <b>98-100</b> |
| <b>Ship's Stairways</b>        | <b>101</b>    |
| <b>Ship's Ladders</b>          | <b>102</b>    |
| <b>Crossover Bridges</b>       | <b>102</b>    |
| <b>Preconfigured Platforms</b> | <b>103</b>    |
| <b>Catwalks &amp; Walkways</b> | <b>104</b>    |


# Stairways & Crosswalks






# Stairways & Crosswalks

**New OSHA & IBC Compliant Ship's Stairways**



## NEW California CBC Compliant IBS Stairways and Two OSHA Compliant Stairway Designs!

- **Over 200 sizes designed to meet or exceed OSHA or IBC standards**
- Galvanized steel stairway systems for safe, convenient access to all levels
- Savings to you in time and money
- Completely prefabricated for quick assembly
- One-third the cost of building your own unit from structural steel
- Adaptable to all types of installations
- Prefabricated for indoor use, permanent or temporary
- Heights from 3' to 12' 3" with four tread widths available
- Non-skid, perforated, galvanized grating
- Stairways are hot dipped galvanized except for railings which come in safety yellow.
- Landing Anchor Bracket supplied – pre-drilled 3" to 4 1/2" for mounting stairways to landings
- Base Anchor Bracket supplied – pre-drilled 3" bracket for mounting stairways at base
- NEW California Building Code ("CBC") IBC stairways available





# Stairways

## IBC Stairways (International Building Code) including New California Compliant version

| Rise<br>Min/Max | Run<br>Min/Max | 36" Tread<br>Width<br>Part No. | 48" Tread<br>Width<br>Part No. |
|-----------------|----------------|--------------------------------|--------------------------------|
| 3'0"/3'6"       | 4'8"/4'11"     | 1536IBC5                       | 1548IBC5                       |
| 3'7"/4'0"       | 5'7"/5'11"     | 1536IBC6                       | 1548IBC6                       |
| 4'1"/4'7"       | 6'6"/6'10"     | 1536IBC7                       | 1548IBC7                       |
| 4'8"/5'1"       | 7'5"/7'10"     | 1536IBC8                       | 1548IBC8                       |
| 5'2"/5'10"      | 8'4"/8'10"     | 1536IBC9                       | 1548IBC9                       |
| 6'0"/7'0"       | 10'1"/10'9"    | 1536IBC11                      | 1548IBC11                      |
| 7'1"/8'2"       | 12'0"/12'9"    | 1536IBC13                      | 1548IBC13                      |
| 8'3"/9'4"       | 13'10"/14'6"   | 1536IBC15                      | 1548IBC15                      |
| 9'5"/10'6"      | 15'8"/16'4"    | 1536IBC17                      | 1548IBC17                      |
| 10'7"/12'3"     | 18'5"/19'4"    | 1536IBC20                      | 1548IBC20                      |

For IBC/California Building Code compliant stairways add "-CBC" to part number.



### Stair tread solid panels:


(to close vertical rise)  
Riser covers for IBC stairways are included in the above preconfigured units.

**YELLOW "NOSE" TREAD OPTIONAL!**

(Order one per stair tread)


36" 1536URC-M

48" 1548URC-M



### Landing Anchor Bracket (Supplied)

Pre-drilled, 3" to 4 1/2", for mounting stairways to landings.




### Base Anchor Bracket (Supplied)

Pre-drilled, 3" bracket for mounting stairways at base.

## 2017 OSHA Series Stairways with External Handrails

| Rise<br>Min/Max | Run<br>Min/Max | 24" Tread<br>Width<br>Part No. | 30" Tread<br>Width<br>Part No. | 36" Tread<br>Width<br>Part No. | 48" Tread<br>Width<br>Part No. |
|-----------------|----------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| 3'2"/3'8"       | 3'3"/3'7"      | 1724S04                        | 1730S04                        | 1736S04                        | 1748S04                        |
| 3'11"/4'5"      | 4'0"/4'5"      | 1724S05                        | 1730S05                        | 1736S05                        | 1748S05                        |
| 4'6"/5'1"       | 5'0"/5'4"      | 1724S06                        | 1730S06                        | 1736S06                        | 1748S06                        |
| 5'2"/5'9"       | 5'9"/6'3"      | 1724S07                        | 1730S07                        | 1736S07                        | 1748S07                        |
| 5'10"/6'6"      | 6'7"/7'1"      | 1724S08                        | 1730S08                        | 1736S08                        | 1748S08                        |
| 6'7"/7'2"       | 7'6"/7'11"     | 1724S09                        | 1730S09                        | 1736S09                        | 1748S09                        |
| 7'3"/7'11"      | 8'3"/8'9"      | 1724S10                        | 1730S10                        | 1736S10                        | 1748S10                        |
| 8'0"/8'8"       | 9'1"/9'7"      | 1724S11                        | 1730S11                        | 1736S11                        | 1748S11                        |
| 8'9"/9'5"       | 9'11"/10'5"    | 1724S12                        | 1730S12                        | 1736S12                        | 1748S12                        |
| 9'6"/10'10"     | 11'7"/12'6"    | 1724S14                        | 1730S14                        | 1736S14                        | 1748S14                        |
| 10'11"/12'2"    | 13'0"/14'3"    | 1724S16                        | 1730S16                        | 1736S16                        | 1748S16                        |

Overall width of stairway is 12 1/2" greater than tread width.



1736S11

**YELLOW "NOSE" TREAD OPTIONAL!**

# Stairways

## Handrail Options

2017 OSHA Series Stairways with External Handrails



2018 OSHA Series Stairways with Internal Handrails



Stairways & Crosswalks

2018 OSHA Series Stairways with Internal Handrails

| Rise         | Run         | 36" Tread         | 48" Tread         |
|--------------|-------------|-------------------|-------------------|
| Min/Max      | Min/Max     | Width<br>Part No. | Width<br>Part No. |
| 3'2"/3'8"    | 3'3"/3'7"   | 1836S04           | 1848S04           |
| 3'11"/4'5"   | 4'0"/4'5"   | 1836S05           | 1848S05           |
| 4'6"/5'1"    | 5'0"/5'4"   | 1836S06           | 1848S06           |
| 5'2"/5'9"    | 5'9"/6'3"   | 1836S07           | 1848S07           |
| 5'10"/6'6"   | 6'7"/7'1"   | 1836S08           | 1848S08           |
| 6'7"/7'2"    | 7'6"/7'11"  | 1836S09           | 1848S09           |
| 7'3"/7'11"   | 8'3"/8'9"   | 1836S10           | 1848S10           |
| 8'0"/8'8"    | 9'1"/9'7"   | 1836S11           | 1848S11           |
| 8'9"/9'5"    | 9'11"/10'5" | 1836S12           | 1848S12           |
| 9'6"/10'10"  | 11'7"/12'6" | 1836S14           | 1848S14           |
| 10'11"/12'2" | 13'0"/14'3" | 1836S16           | 1848S16           |

Overall width of stairway is 5" greater than the tread width.  
Please Note: Internal hand rails are not available on 24" and 30" wide stairways.



Stair tread solid panels to close vertical rise:  
**YELLOW "NOSE" TREAD OPTIONAL!**

(Order one per stair tread)

- 30" 1730SRC
- 36" 1736SRC
- 48" 1748SRC

# Ship's Stairways

Equipto's Ship's Stairways provide excellent platform access in a smaller footprint than stairways with a traditional handrail.

- 66°–70° rise
- Deep, non-skid treads
- Handrail
- Designs to meet OSHA or IBC standards

**NEW!**

## OSHA Ship's Stairways

| Rise<br>Max/Min   | Run<br>Min/Max | Number<br>of Treads | Part No.<br>24" Tread | Part No.<br>30" Tread |
|-------------------|----------------|---------------------|-----------------------|-----------------------|
| 43.032"/39.032"   | 26.08"/26.81"  | 4                   | 2124OS04              | 2130OS04              |
| 47.156"/43.032"   | 25.88"/26.64"  | 4                   | 2124OS04-2            | 2130OS04-2            |
| 50.656"/47.156"   | 30.55"/31.32"  | 5                   | 2124OS05              | 2130OS05              |
| 55.032"/50.656"   | 29.81"/31.28"  | 5                   | 2124OS05-2            | 2130OS05-2            |
| 59.531"/55.032"   | 29.84"/31.33"  | 5                   | 2124OS05-3            | 2130OS05-3            |
| 63.953"/59.532"   | 34.60"/36.47"  | 6                   | 2124OS06              | 2130OS06              |
| 68.656"/63.953"   | 33.98"/36.18"  | 6                   | 2124OS06-2            | 2130OS06-2            |
| 73.094"/68.656"   | 38.97"/41.07"  | 7                   | 2124OS07              | 2130OS07              |
| 78.032"/73.094"   | 38.31"/41.27"  | 7                   | 2124OS07-2            | 2130OS07-2            |
| 83.125"/78.032"   | 38.25"/41.21"  | 7                   | 2124OS07-3            | 2130OS07-3            |
| 88.375"/83.125"   | 41.82"/45.40"  | 8                   | 2124OS08              | 2130OS08              |
| 93.750"/88.375"   | 44.19"/45.36"  | 8                   | 2124OS08-2            | 2130OS08-2            |
| 99.250"/93.750"   | 46.24"/50.62"  | 9                   | 2124OS09              | 2130OS09              |
| 104.906"/99.250"  | 46.28"/50.67"  | 9                   | 2124OS09-2            | 2130OS09-2            |
| 110.719"/104.906" | 50.31"/55.40"  | 10                  | 2124OS10              | 2130OS10              |
| 116.656"/110.719" | 50.31"/55.40"  | 10                  | 2124OS10-2            | 2130OS10-2            |
| 122.750"/116.656" | 54.11"/59.88"  | 11                  | 2124OS11              | 2130OS11              |
| 129.000"/122.750" | 54.13"/59.91"  | 11                  | 2124OS11-2            | 2130OS11-2            |
| 135.438"/129.000" | 58.19"/64.67"  | 12                  | 2124OS12              | 2130OS12              |




OSHA-compliant  
2124OS09

**NEW!**

## IBC Ship's Stairways

| Rise<br>Max/Min   | Run<br>Min/Max | Number<br>of Treads | Part No.<br>24" Tread | Part No.<br>30" Tread |
|-------------------|----------------|---------------------|-----------------------|-----------------------|
| 44.826"/40.610"   | 39.25"/40.34"  | 5                   | 2124IBC05-2           | 2130IBC05-2           |
| 47.030"/42.550"   | 31.87"/32.22"  | 5                   | 2124IBC05             | 2130IBC05             |
| 52.016"/47.403"   | 40.55"/41.50"  | 6                   | 2124IBC06-3           | 2130IBC06-3           |
| 53.590"/58.983"   | 39.25"/40.34"  | 6                   | 2124IBC06-2           | 2130IBC06-2           |
| 56.478"/51.625"   | 43.43"/45.28"  | 6                   | 2124IBC06             | 2130IBC06             |
| 60.497"/55.493"   | 45.88"/47.43"  | 7                   | 2124IBC07-3           | 2130IBC07-3           |
| 62.355"/57.356"   | 44.92"/46.72"  | 7                   | 2124IBC07-2           | 2130IBC07-2           |
| 65.925"/60.698"   | 48.90"/51.45"  | 7                   | 2124IBC07             | 2130IBC07             |
| 71.117"/65.729"   | 57.28"/60.62"  | 8                   | 2124IBC08-2           | 2130IBC08-2           |
| 75.373"/69.772"   | 56.92"/53.74"  | 8                   | 2124IBC08             | 2130IBC08             |
| 79.884"/74.103"   | 57.28"/60.62"  | 9                   | 2124IBC09-2           | 2130IBC09-2           |
| 84.820"/78.846"   | 59.83"/63.80"  | 9                   | 2124IBC09             | 2130IBC09             |
| 88.648"/82.476"   | 64.40"/66.38"  | 10                  | 2124IBC10-2           | 2130IBC10-2           |
| 94.268"/87.920"   | 65.92"/70.67"  | 10                  | 2124IBC10             | 2130IBC10             |
| 97.412"/90.849"   | 69.51"/74.39"  | 11                  | 2124IBC11-2           | 2130IBC11-2           |
| 103.715"/96.995"  | 65.92"/70.67"  | 11                  | 2124IBC11             | 2130IBC11             |
| 106.177"/99.223"  | 75.30"/80.90"  | 12                  | 2124IBC12-2           | 2130IBC12-2           |
| 113.163"/106.069" | 71.39"/76.84"  | 12                  | 2124IBC12             | 2130IBC12             |
| 114.941"/107.596" | 75.30"/90.90"  | 13                  | 2124IBC13-2           | 2130IBC13-2           |
| 122.610"/115.143" | 76.86"/83.02"  | 13                  | 2124IBC13             | 2130IBC13             |
| 132.058"/124.217" | 81.70"/88.48"  | 14                  | 2124IBC14             | 2130IBC14             |
| 141.506"/133.291" | 87.17"/94.66"  | 15                  | 2124IBC15             | 2130IBC15             |
| 150.953"/142.365" | 93.26"/101.53" | 16                  | 2124IBC16             | 2130IBC16             |



IBC-compliant  
2124IBC09  
**YELLOW "NOSE"  
TREAD OPTIONAL!**

Other stairway designs are available — ask your customer service representative.



# Ship's Ladders

Equipto's Ship's Ladders provide safe, multi-level access up or down to platforms, roofs, platforms, pits, trenches and wells. Extended hand rails and non-skid treads provide added safety.

- Ship's ladders meet OSHA standards
- New hand rail design
- Ideal where space is at a premium
- Deep, non-skid treads provide firm footing
- Wide hand rails (21<sup>1</sup>/<sub>2</sub>" ) extend 42" above top stair tread
- Coordinate with many other Equipto products
- 75° rise

\*Note: The actual floor height is dependent on material being used for the flooring of the platform/landing. Add the following to "Flooring support height" for:

Bar grating - 1"

Perforated/solid grating - 1<sup>1</sup>/<sub>2</sub>"

Resindek - 1<sup>1</sup>/<sub>8</sub>"

Resindek & Roofdeck - 2<sup>1</sup>/<sub>4</sub>"

## Ship's Ladders

| For Floor Heights of:*                    | Horiz. Run | Tread Width | Overall Width | Part No. |
|-------------------------------------------|------------|-------------|---------------|----------|
| 3'8" to 4'7 <sup>1</sup> / <sub>2</sub> " | 1'11"      | 24"         | 29"           | 1524L04  |
| 4'7 <sup>1</sup> / <sub>2</sub> " to 5'7" | 1'11"      | 30"         | 35"           | 1530L04  |
| 5'7" to 6'6"                              | 2'2"       | 24"         | 29"           | 1524L05  |
| 6'6" to 7'6"                              | 2'2"       | 30"         | 35"           | 1530L05  |
| 7'6" to 8'6"                              | 2'5"       | 24"         | 29"           | 1524L06  |
| 8'6" to 9'5"                              | 2'5"       | 30"         | 35"           | 1530L06  |
| 9'5" to 10'5"                             | 2'8"       | 24"         | 29"           | 1524L07  |
| 10'5" to 11'5"                            | 2'8"       | 30"         | 35"           | 1530L07  |
| 11'5" to 12'5"                            | 2'11"      | 24"         | 29"           | 1524L08  |
| 12'5" to 13'5"                            | 2'11"      | 30"         | 35"           | 1530L08  |
| 13'5" to 14'5"                            | 3'2"       | 24"         | 29"           | 1524L09  |
| 14'5" to 15'5"                            | 3'2"       | 30"         | 35"           | 1530L09  |
| 15'5" to 16'5"                            | 3'5"       | 24"         | 29"           | 1524L10  |
| 16'5" to 17'5"                            | 3'5"       | 30"         | 35"           | 1530L10  |
| 17'5" to 18'5"                            | 3'8"       | 24"         | 29"           | 1524L11  |
| 18'5" to 19'5"                            | 3'8"       | 30"         | 35"           | 1530L11  |



Rise from tread to tread – approx. 11<sup>1</sup>/<sub>2</sub>".  
The tread is 1<sup>1</sup>/<sub>2</sub>" in height.  
The opening is about 10".  
(space between steps)


# Crossover Bridges

Prefabricated crossover bridges provide safe walkways over conveyors, ducts, pipes and other obstacles. Use them for observation platforms - in plants or out in the field.

- Ready-made for fast assembly, no cutting or welding
- Galvanized, non-skid steps and platform
- Designed to meet OSHA standards
- Distributed static load capacity of 125 lbs. per square foot
- 24" Stair Tread for Crossover Bridge does not meet OSHA standards

## Ship's Ladder Crossover Bridges

| A Vertical Clearance | B Length at 36" Height | C Overall Height | D Overall Length | Part No. 24" Stair Tread Width | Part No. 30" Stair Tread Width |
|----------------------|------------------------|------------------|------------------|--------------------------------|--------------------------------|
| 42"                  | 34"                    | 7'2"             | 5'9"             | 1524X04                        | 1530X04                        |
| 54"                  | 40"                    | 8'1"             | 6'3"             | 1524X05                        | 1530X05                        |
| 65"                  | 46"                    | 9'1"             | 6'10"            | 1524X06                        | 1530X06                        |
| 77"                  | 52"                    | 10'1"            | 7'4"             | 1524X07                        | 1530X07                        |
| 88"                  | 59"                    | 11'0"            | 7'10"            | 1524X08                        | 1530X08                        |
| 100"                 | 65"                    | 12'0"            | 8'4"             | 1524X09                        | 1530X09                        |
| 112"                 | 71"                    | 12'11"           | 8'10"            | 1524X10                        | 1530X10                        |
| 123"                 | 77"                    | 13'11"           | 9'5"             | 1524X11                        | 1530X11                        |




Ship's Ladder Crossover Bridge

## Stair Crossover Bridges

| A Vertical Clearance                | B Length at 36" Height               | C Overall Height                    | D Overall Length | Part No. 24" Stair Tread is 36 <sup>1</sup> / <sub>2</sub> " Overall | Part No. 30" Stair Tread is 42 <sup>1</sup> / <sub>2</sub> " Overall | Part No. 36" Stair Tread is 48 <sup>1</sup> / <sub>2</sub> " Overall |
|-------------------------------------|--------------------------------------|-------------------------------------|------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| 2'8 <sup>1</sup> / <sub>4</sub> "   | —                                    | 6'4"                                | 10'8"            | 1724B04                                                              | 1730B04                                                              | 1736B04                                                              |
| 3'4 <sup>3</sup> / <sub>4</sub> "   | 4'6 <sup>5</sup> / <sub>32</sub> "   | 7'0 <sup>5</sup> / <sub>8</sub> "   | 12'4"            | 1724B05                                                              | 1730B05                                                              | 1736B05                                                              |
| 4'1 <sup>1</sup> / <sub>4</sub> "   | 6'2 <sup>1</sup> / <sub>2</sub> "    | 7'9 <sup>1</sup> / <sub>8</sub> "   | 14'0"            | 1724B06                                                              | 1730B06                                                              | 1736B06                                                              |
| 4'9 <sup>11</sup> / <sub>16</sub> " | 7'10 <sup>23</sup> / <sub>32</sub> " | 8'5 <sup>5</sup> / <sub>8</sub> "   | 15'9"            | 1724B07                                                              | 1730B07                                                              | 1736B07                                                              |
| 5'6 <sup>9</sup> / <sub>16</sub> "  | 9'6 <sup>29</sup> / <sub>32</sub> "  | 9'2 <sup>1</sup> / <sub>8</sub> "   | 17'5"            | 1724B08                                                              | 1730B08                                                              | 1736B08                                                              |
| 6'2 <sup>5</sup> / <sub>8</sub> "   | 11'3 <sup>1</sup> / <sub>8</sub> "   | 9'10 <sup>9</sup> / <sub>16</sub> " | 19'1"            | 1724B09                                                              | 1730B09                                                              | 1736B09                                                              |
| 6'11 <sup>5</sup> / <sub>32</sub> " | 12'11 <sup>5</sup> / <sub>16</sub> " | 10'6 <sup>3</sup> / <sub>4</sub> "  | 20'9"            | 1724B10                                                              | 1730B10                                                              | 1736B10                                                              |
| 7'7 <sup>5</sup> / <sub>8</sub> "   | 14'7 <sup>17</sup> / <sub>32</sub> " | 11'3 <sup>1</sup> / <sub>4</sub> "  | 22'5"            | 1724B11                                                              | 1730B11                                                              | 1736B11                                                              |

Items on this page hot dip galvanized except railings, which are safety yellow.



Stair Crossover Bridge

Other stairway designs are available — ask your customer service representative.


# Pre-configured Platforms

## Need more space, but don't want to move or add on?


Double or triple your floor space with Equipto pre-fabricated platforms! These rugged elevated floors, walkways and stairways add valuable area where you need it, at a fraction of the cost of acquiring new buildings. Because of their modular design, Equipto platforms are economical, quickly installed and can even be re-configured on your premises as your requirements change.

- Double floor capacity
- Modular design lets you add units as needed
- Less expensive than leasing or Construction
- Relocation to other facilities is easy
- Prefabricated for immediate use
- 36" wide stairway to 4' x 4' landing with OSHA stairs
- 36" wide stairway to 5'W x 4'D landing with IBC stairs


### Decking options include:




Anti-Skid  
Resin deck



Bar  
Grating



Perforated  
Steel Grating



Solid  
Steel Grating

Rendered image is for visual purposes only. Final product will vary slightly.

They are designed to integrate with other Equipto products to provide one-source space savings that are custom tailored for your individual application. Every place from aircraft hangars to warehouses to factories will benefit from the space saving solutions provided with Equipto platforms!



Photo is a rendered image, the actual product may vary.

| Height      | Type of Decking          | PLATFORM DIMENSIONS<br>(not including stair landing) |                   |                   |
|-------------|--------------------------|------------------------------------------------------|-------------------|-------------------|
|             |                          | 10'x10'                                              | 10'x 20'          | 8'x12'            |
| OSHA Stairs |                          |                                                      |                   |                   |
| 8'          | Bar Grating              | 1010-8GMEZ-BG-17                                     | 1020-8GMEZ-BG-17  | 1208-8GMEZ-BG-17  |
| 8'          | Perforated Steel Grating | 1010-8GMEZ-PG-17                                     | 1020-8GMEZ-PG-17  | 1208-8GMEZ-PG-17  |
| 8'          | Anti-skid Resindek       | 1010-8GMEZ-RT-17                                     | 1020-8GMEZ-RT-17  | 1208-8GMEZ-RT-17  |
| 8'          | Solid Steel Grating      | 1010-8GMEZ-SG-17                                     | 1020-8GMEZ-SG-17  | 1208-8GMEZ-SG-17  |
| 12'         | Bar Grating              | 1010-12GMEZ-BG-17                                    | 1020-12GMEZ-BG-17 | 1208-12GMEZ-BG-17 |
| 12'         | Perforated Steel Grating | 1010-12GMEZ-PG-17                                    | 1020-12GMEZ-PG-17 | 1208-12GMEZ-PG-17 |
| 12'         | Anti-skid Resindek       | 1010-12GMEZ-RT-17                                    | 1020-12GMEZ-RT-17 | 1208-12GMEZ-RT-17 |
| 12'         | Solid Steel Grating      | 1010-12GMEZ-SG-17                                    | 1020-12GMEZ-SG-17 | 1208-12GMEZ-SG-17 |

|                   |                          |                    |                    |                    |
|-------------------|--------------------------|--------------------|--------------------|--------------------|
| <b>IBC Stairs</b> |                          |                    |                    |                    |
| 8'                | Bar Grating              | 1010-8GMEZ-BG-IBC  | 1020-8GMEZ-BG-IBC  | 1208-8GMEZ-BG-IBC  |
| 8'                | Perforated Steel Grating | 1010-8GMEZ-PG-IBC  | 1020-8GMEZ-PG-IBC  | 1208-8GMEZ-PG-IBC  |
| 8'                | Anti-skid Resin deck     | 1010-8GMEZ-RT-IBC  | 1020-8GMEZ-RT-IBC  | 1208-8GMEZ-RT-IBC  |
| 8'                | Solid Steel Grating      | 1010-8GMEZ-SG-IBC  | 1020-8GMEZ-SG-IBC  | 1208-8GMEZ-SG-IBC  |
| 12'               | Bar Grating              | 1010-12GMEZ-BG-IBC | 1020-12GMEZ-BG-IBC | 1208-12GMEZ-BG-IBC |
| 12'               | Perforated Steel Grating | 1010-12GMEZ-PG-IBC | 1020-12GMEZ-PG-IBC | 1208-12GMEZ-PG-IBC |
| 12'               | Anti-skid Resin deck     | 1010-12GMEZ-RT-IBC | 1020-12GMEZ-RT-IBC | 1208-12GMEZ-RT-IBC |
| 12'               | Solid Steel Grating      | 1010-12GMEZ-SG-IBC | 1020-12GMEZ-SG-IBC | 1208-12GMEZ-SG-IBC |

**Contact your local Equipto Sales Rep to design a custom platform!**

# Catwalks and Walkways



Ideal for machinery repair, inspection or observation, Equipto Bridge Catwalks can be combined with stairways and ship's ladders to create structures. Versatile, pre-fabricated for easy assembly and engineered for maximum safety and performance.

Stairways & Crosswalks

- Catwalks feature rugged platform frames, 42" high safety railings and 4" high kickplates
- Choose ship's ladders or stairways for access
- 3 pre-configured heights, multiple lengths with add-on units available

**Note:** Stairways and ship's ladders should be ordered equal to or narrower than catwalk width.

## OSHA Stairways

| Unit Height | Tread Width | Overall Width                    | Horizontal Stair Run | Stairway Part No. |
|-------------|-------------|----------------------------------|----------------------|-------------------|
| 6'          | 36"         | 48 <sup>1</sup> / <sub>2</sub> " | 6'11"                | 1836S08           |
| 8'          | 36"         | 48 <sup>1</sup> / <sub>2</sub> " | 9'6"                 | 1836S11           |
| 10'         | 36"         | 48 <sup>1</sup> / <sub>2</sub> " | 12'0"                | 1836S14           |

## Ship's Ladders

| Unit Height | Tread Width | Overall Width | Horizontal Stair Run | Ladder Part No. |
|-------------|-------------|---------------|----------------------|-----------------|
| 6'          | 30"         | 35"           | 29"                  | 1530L06         |
| 8'          | 30"         | 35"           | 35"                  | 1530L08         |
| 10'         | 30"         | 35"           | 41"                  | 1530L10         |

| Floor Height                      | Vertical Clear                    | Walkway Length | Walkway Width | Catwalk Part No. |
|-----------------------------------|-----------------------------------|----------------|---------------|------------------|
| <b>6' high unit</b>               |                                   |                |               |                  |
| 73 <sup>5</sup> / <sub>8</sub> "  | 63 <sup>1</sup> / <sub>2</sub> "  | 2'             | 48"           | 976S02           |
| 73 <sup>5</sup> / <sub>8</sub> "  | 63 <sup>1</sup> / <sub>2</sub> "  | 4'             | 48"           | 976S04           |
| 73 <sup>5</sup> / <sub>8</sub> "  | 63 <sup>1</sup> / <sub>2</sub> "  | 6'             | 48"           | 976S06           |
| 73 <sup>5</sup> / <sub>8</sub> "  | 63 <sup>1</sup> / <sub>2</sub> "  | 8'             | 48"           | 976S08           |
| 73 <sup>5</sup> / <sub>8</sub> "  | 63 <sup>1</sup> / <sub>2</sub> "  | 10'            | 48"           | 976S10           |
| 73 <sup>5</sup> / <sub>8</sub> "  | 60 <sup>3</sup> / <sub>4</sub> "  | 12'            | 48"           | 976S12           |
| 73 <sup>5</sup> / <sub>8</sub> "  | 58"                               | 16'            | 48"           | 976S16           |
| 73 <sup>5</sup> / <sub>8</sub> "  | 56"                               | 20'            | 48"           | 976S20           |
| <b>8' high unit</b>               |                                   |                |               |                  |
| 97 <sup>5</sup> / <sub>8</sub> "  | 87 <sup>1</sup> / <sub>2</sub> "  | 2'             | 48"           | 977S02           |
| 97 <sup>5</sup> / <sub>8</sub> "  | 87 <sup>1</sup> / <sub>2</sub> "  | 4'             | 48"           | 977S04           |
| 97 <sup>5</sup> / <sub>8</sub> "  | 87 <sup>1</sup> / <sub>2</sub> "  | 6'             | 48"           | 977S06           |
| 97 <sup>5</sup> / <sub>8</sub> "  | 87 <sup>1</sup> / <sub>2</sub> "  | 8'             | 48"           | 977S08           |
| 97 <sup>5</sup> / <sub>8</sub> "  | 87 <sup>1</sup> / <sub>2</sub> "  | 10'            | 48"           | 977S10           |
| 97 <sup>5</sup> / <sub>8</sub> "  | 84 <sup>3</sup> / <sub>4</sub> "  | 12'            | 48"           | 977S12           |
| 97 <sup>5</sup> / <sub>8</sub> "  | 82"                               | 16'            | 48"           | 977S16           |
| 97 <sup>5</sup> / <sub>8</sub> "  | 80"                               | 20'            | 48"           | 977S20           |
| <b>10' high unit</b>              |                                   |                |               |                  |
| 121 <sup>5</sup> / <sub>8</sub> " | 111 <sup>1</sup> / <sub>2</sub> " | 2'             | 48"           | 978S02           |
| 121 <sup>5</sup> / <sub>8</sub> " | 111 <sup>1</sup> / <sub>2</sub> " | 4'             | 48"           | 978S04           |
| 121 <sup>5</sup> / <sub>8</sub> " | 111 <sup>1</sup> / <sub>2</sub> " | 6'             | 48"           | 978S06           |
| 121 <sup>5</sup> / <sub>8</sub> " | 111 <sup>1</sup> / <sub>2</sub> " | 8'             | 48"           | 978S08           |
| 121 <sup>5</sup> / <sub>8</sub> " | 111 <sup>1</sup> / <sub>2</sub> " | 10'            | 48"           | 978S10           |
| 121 <sup>5</sup> / <sub>8</sub> " | 108 <sup>3</sup> / <sub>4</sub> " | 12'            | 48"           | 978S12           |
| 121 <sup>5</sup> / <sub>8</sub> " | 106"                              | 16'            | 48"           | 978S16           |
| 121 <sup>5</sup> / <sub>8</sub> " | 104"                              | 20'            | 48"           | 978S20           |






## Mobile Aisles



# Mobile Aisle Systems

Equipto's mobile aisle system combines the benefits of high-density storage with the flexibility of V-Grip Shelving, modular drawer and bulk rack. By reducing the number of

access aisles, you can save as much as 50% of your floor space or double your storage capacity in the same space you are currently using.



## A. Bulk rack beams

provide storage levels up to 96" in length.

## B. Wire shelves

Keeps a clean look while providing optimum flow of air and light.

## C. Modular drawers 18"D & 24"D

in 48 standard sizes and 200 or 400lb. static load capacity.

## D. Manual drive system

grab and pull function.

## E. Ramp

available in standard 12" or 24" to accommodate ADA requirements.

## F. Modular platform

surface mounted, leveled tracks and choice of decking.

## G. Open/Mechanical style drive column

cost effective while providing greater visibility of items stored in the mobile aisle system.

## H. Closed/Mechanical style drive

requires a minimal effort to move 10,000 lbs. of load.

## I. Heavy duty wire or solid shelves


## J. Fixed Carriage (not shown)

are mounted directly to the tracks or put on the floor using raised foot brackets.

## Mechanical assisted systems

Mechanical assisted system utilizes a driveshaft/gear chain arrangement to permit easy movement of heavyweight loads. Carriages are operated mechanically by means of an exclusive ergonomically designed hand wheel which prevents snagging clothing. It requires less strength and energy to operate. It's as easy to turn as the power steering in your car.

**A locking feature can be added for extra security.**






# Designing your Mobile Aisle System

Every Mobile Aisle is a customer specific engineered product. A basic sketch of the area and mobile aisle system should be provided, indicating the overall dimensions of the area or room, including doorways, columns, and other obstructions.

Please provide basic size and shelving requirements to ensure accurate quoting.

Please contact Equipto to have a specific unit built to fit your needs.



## 1st - Identify your available space and select your carriage size, decking, and shelving

Select the appropriate carriages by width and length

You have 3 options:

- Fixed Carriage
- Manual Mobile Carriage
- Mechanical Assist Mobile Carriage

### All Carriages

**Available Lengths:** (in feet)

3', 4' and 6' to 36' - not available in 5'

Manual Carriage does not exceed 12' length

**Available Widths:**

- Fixed Carriage  
12", 15", 18", 24", 30", 36", 48"
- Manual Carriage  
18", 24", 30", 36", 48"
- Mechanical Assist Carriage  
18", 24", 30", 36", 48", 60"

### Decking

Mobile Aisle Units offer two decking options:

- Resindek (standard option - shown in image below)
- Plywood




### Shelving

Please refer to V-Grip Shelving starting on Page 6 for options.

## 2nd - Select your Drive Panel

Available Styles: Open and Closed - Open Style Drive Panel is the default selection.



### Open/Mechanical Drive Panel


Steel Only

**Available widths:**

18", 24", 30", 36", 48", 60"

**Height:**

55"



### Closed/Mechanical Drive Panel

Steel or Laminate

**Available widths:**

18", 24", 30", 36", 48", 60"

**Height:**

Steel: 60", 78", 85", 90", 97"


Laminate: 78", 85", 90"

60" widths are only available in 85" heights.

A standard color chart is available on page 160.



## Select your Drive Panel - cont'd



### Fixed Drive Panel

Steel or Laminate


Available widths:

12", 15", 18", 24", 30", 36", 48"

Height:

Steel: 60", 78", 85", 90", 97"

Laminate: 78", 85", 90"



### Manual Drive Panel

Steel or Laminate

Available widths:

18", 24", 30", 36", 48"

Height:

Steel: 78", 85", 90"

Laminate: 78", 85", 90"

### Drive Shaft End Covers


Available Widths:

12", 15", 18", 24", 30", 36", 48", 60"

**Note:** Finished End Covers are an inexpensive option to add-on to the end of the carriage to cover mechanical components (drive shaft) extending beyond carriage.

This part can be used in place of an end panel but **WILL NOT** cover the shelving ends.

**\*Available for Fixed Carriages or opposite end of Manual or Mechanical apps.**



## Mobile Aisle Systems - Accessories

### Anti Tip Brackets

Available Widths:

18", 24", 30", 36", 48", 60"

**Use this guideline to determine if anti-tip brackets are required:**

18" wide carriage - use if shelving height is over 48"

24" wide carriage - use if shelving height is over 72"

30" wide carriage - use if shelving height is over 96"

36" wide carriage - use if shelving height is over 120"

48" wide carriage - use if shelving height is over 168"

**Use the following guideline to determine the quantity of anti-tip brackets needed:**

One Required per Mechanical / Manual carriage 3'-6' in length

Two Required per Mechanical / Manual carriage 7'-24' in length

Three Required per Mechanical / Manual carriage 25'-36' in length

### Raised Foot Brackets

For fixed carriages located on the floor.

**Raised Foot Bracket** - Order 2 per track.

**Hardware for Brackets** - Order 2 per bracket.

### Sprocket Options

Heavy load sprocket option

Fast travel sprocket option

Bumper extensions



### Deck Skirting

Available Length: 6'

**Note:** Deck skirt covers the exposed areas at the end of the track. The skirts attach to the decking and are manufactured in 6ft. sections. The last section is cut to length in the field to match installation requirements.

### Locking Options

**3 options:**

Normal or Keyed Alike

**Track Base Lock** - Keyed lock located on the carriage base, locking into the track. This is the only lock that can be used on manual carriages.

**MOBLOCK** - Keyed panel lock to secure carriage.

Available upon request. Typically used in last carriage.

Users can collapse the system, lock the last carriage, and the entire system is secured (must use closed-style shelving).

Ideal for high-security items.

**Panel Lock** - Safety Feature used to lock

hand wheel before entering an aisle.

Included with each mechanical drive panel (Not Keyed).

Panel lock shown in photo to the left.

# NEW!

## Lateral Mobile Aisle with V-Grip™ Shelving

Make the most of limited space with Equipto's affordable high-density system that dramatically increase storage capacity while still permitting immediate access to all storage areas. Movable, lateral systems consist of stationary shelving in the back row and movable shelving in the front row. The movable shelving units are mounted to mobile carriages that are easily moved from side to side on a heavy-duty track. This type of system is exceptionally flexible, can be easily expanded at any time, and provides fast access to multiple layers of storage.



- Buy complete or integrate with your existing storage equipment
- Lateral Track system creates two or three sliding rows of storage
- Mounted independently to the floor in front of new or existing equipment
- No aisles are required; maximum floor space is utilized
- Perfect for alcoves and limited spaces
- Bi-File (two-row) and Tri-File (three-row) high-density lateral sliding shelving systems are an affordable way to maximize storage capacity
- Double or triple the storage space compared to static shelving

The system works well with virtually any type of inventories/equipment and is effective in maximizing storage capacity along walls in narrow rooms or corridors. The concept of the high-density lateral sliding shelving systems is simple: two or three rows of storage equipment placed in nearly the same footprint where there was once only one!

### Standard Shelving Units – 84"H x 18"D, overall height of 90"


| Part Number          | Dimensions                                                                                            |
|----------------------|-------------------------------------------------------------------------------------------------------|
| 273-5-2-1-36M System | (2) 36"W Stationary V-Grip™ Closed Shelving Units<br>(1) Mobile 36"W Shelving Unit – Total width 72"  |
| 273-5-3-2-36M System | (3) 36"W Stationary V-Grip™ Closed Shelving Units<br>(2) Mobile 36"W Shelving Unit – Total width 108" |
| 273-5-4-3-36M System | (4) 36"W Stationary V-Grip™ Closed Shelving Units<br>(3) Mobile 36"W Shelving Unit – Total width 144" |

Mobile  
Aisles





## Motorized Pallet Rack Mobile Aisle System



- Fully motorized operation including safety sensors
- Rows up to 50' in length
- Static load capacity up to 75,000 lbs. per row

## Gives You 70% More Storage Capacity! Weapons Mobile Aisle System

Mobile aisle system configured to use weapons storage cabinets  
(see page 155)

**Contact Inside Sales for More Information**







## Workcenters & Workbenches



|                                             |                |
|---------------------------------------------|----------------|
| <b>Preconfigured OmniVerse Workcenter</b>   | <b>113</b>     |
| <b>Build Your Own OmniVerse Workcenter</b>  | <b>114-115</b> |
| <b>EquiptoBay Workcenters</b>               | <b>116-117</b> |
| <b>Tech Bench Workcenters</b>               | <b>118-121</b> |
| <b>Modular Drawer Cabinet Workcenters</b>   | <b>122</b>     |
| <b>Pedestal Workcenters</b>                 | <b>123</b>     |
| <b>Closed Leg Workcenters</b>               | <b>124</b>     |
| <b>Adjustable Height Iron-I Workcenters</b> | <b>125-127</b> |
| <b>Open Leg Workcenters</b>                 | <b>128-129</b> |
| <b>Teardown Bench</b>                       | <b>130-131</b> |
| <b>Workcenter Accessories</b>               | <b>132-133</b> |
| <b>EquiptoFlex Workcenters</b>              | <b>134-138</b> |

# Workcenters & Workbenches



**NEW!**

# Preconfigured OmniVerse Workcenter

OmniVerse is an all-in-one work center, versatile enough to allow you to customize to your needs.

The preconfigured workcenters below give you different options all in one part number. If you need any additional accessory, go to the Accessory page to add that item to your workcenter.

All benches come standard with a Hardwood Ash Top & (2) 6-outlet Electrical Rails. Each cabinet comes with (2) 3"H, (1) 4-1/2"H, (1) 6"H & (1) 12" H 200lb drawers. Comes with locks on lower cabinets. Cabinet & Leg can be located on either end.



## OmniVerse Workcenter – Preconfigured


| Part No.    | Description                                                                                                                                             |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| OV6-CCD-001 | 6ft Bench w/Overhead light, Lower Shelf, (2) Lower cabinets, (1) Adjustable shelf, (1) Overhead cabinet & (8) 2"H x 4-1/4"W removable drawers           |
| OV4-CLD-001 | 4ft Bench w/Overhead light, Lower Shelf                                                                                                                 |
| OV5-CLD-001 | 5ft Bench w/Overhead light, Lower Shelf                                                                                                                 |
| OV6-CLD-001 | 6ft Bench w/Overhead light, Lower Shelf<br>(1) Lower cabinet, (1) Leg, (1) Adjustable shelf, (1) Overhead cabinet & (8) 2"H x 4-1/4"W removable drawers |

| Part No.    | Description                                                                                                                                                          |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OV6-CCD-002 | 6ft Bench w/Overhead light, Lower Shelf, (2) Lower cabinets, (1) Overhead cabinet, (1) Upper & (1) lower Pegboard back & (1) Lower Solid Back w/ Tack board          |
| OV4-CLD-002 | 4ft Bench w/Overhead light, Lower Shelf                                                                                                                              |
| OV5-CLD-002 | 5ft Bench w/Overhead light, Lower Shelf                                                                                                                              |
| OV6-CLD-002 | 6ft Bench w/Overhead light, Lower Shelf<br>1) Lower cabinet, (1) Leg, (1) Overhead cabinet, (1) Upper & (1) lower Pegboard back & (1) Lower Solid Back w/ Tack board |



| Part No.    | Description                                                                                                                                                            |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OV6-CCD-003 | 6ft Bench w/Overhead light, Lower Shelf, (2) Lower cabinets, (1) Overhead cabinet, (1) Lower Pegboard back, (1) Upper Solid Back & (1) Lower Solid Back w/ Tack board  |
| OV4-CLD-003 | 4ft Bench w/Overhead light, Lower Shelf                                                                                                                                |
| OV5-CLD-003 | 5ft Bench w/Overhead light, Lower Shelf                                                                                                                                |
| OV6-CLD-003 | 6ft Bench w/Overhead light, Lower Shelf<br>2) Lower cabinets, (1) Overhead cabinet, (1) Lower Pegboard back, (1) Upper Solid Back & (1) Lower Solid Back w/ Tack board |



OV6-CCD-001

OV4-CLD-001  
OV5-CLD-001  
OV6-CLD-001

OV6-CCD-002

OV4-CLD-002  
OV5-CLD-002  
OV6-CLD-002

OV6-CCD-003

OV4-CLD-003  
OV5-CLD-003  
OV6-CLD-003

Workcenters &  
Workbenches

Workcenters & All Accessories will come all in the one color you pick. If you would like items on your bench to be a different color, like pictured above, please contact your rep.

A standard color chart is available on page 160.



## OmniVerse Workcenter – Build Your Own!

The Workcenters below all have a Hardwood Ash top that comes with either two cabinets with a lower shelf or one cabinet and a leg with a lower shelf. You can customize your drawer sizes if need be. All units include bracing & lights in the back for overhead lighting and (2) 6-outlet electrical rails above your top.

Head to the accessories to add overhead cabinets, pegboard, tack board, removable drawers, tool holders, spool holders and much more to make your work center function the way you need it to.

# NEW!

### OmniVerse Cabinet Configurations

| Description                  | 4ft Width | 5ft Width | 6ft Width |
|------------------------------|-----------|-----------|-----------|
| Base Cabinet and Closed Leg  | OV4-CLD   | OV5-CLD   | OV6-CLD   |
| Base Model with No Drawers   | OV4-CLE   | OV5-CLE   | OV6-CLE   |
| Two Cabinets                 | —         | —         | OV6-CCD   |
| Two Cabinets with No Drawers | —         | —         | OV6-CCE   |

#### OV6-CLD\*


30"D X 72"W X 84"H (DESK 35-1/8"H)



#### OV6-CLE

NO DRAWERS

30"D X 72"W X 84"H (DESK 35-1/8"H)



#### OV6-CCD\*


30"D X 72"W X 84"H (DESK 35-1/8"H)



#### OV6-CCE

NO DRAWERS

30"D X 72"W X 84"H (DESK 35-1/8"H)



\*Each cabinet comes w/ (2) 3"H, (1) 4-1/2"H, (1) 6"H & (1) 12" H 200lb drawers. You can not use a Steel or Stainless Steel (no wood core) top on these benches. Cabinet & Leg can be located on either end. Workcenters & All Accessories will come all in the one color you pick. If you would like items on your bench to be a different color, like pictured above, please contact your rep.

## OmniVerse Workcenter Accessories

Workcenters & Workbenches



### Drawers (for empty cabinets)

| 22-1/2" 200 lb. Drawers<br>(95 points to fill cab.) | Description     | Points |
|-----------------------------------------------------|-----------------|--------|
| 8623-10                                             | 3"H Drawer      | 10     |
| 8624-15                                             | 4-1/2"H Drawer  | 15     |
| 8625-20                                             | 6"H Drawer      | 20     |
| 8626-25                                             | 7-1/2"H Drawer  | 25     |
| 8627-30                                             | 9"H Drawer      | 30     |
| 8628-35                                             | 10-1/2"H Drawer | 35     |
| 8629-40                                             | 12"H Drawer     | 40     |

\*For more information on these drawers and for divider kits see page 42.



### Overhead Cabinet/Sloped Shelf/Lock

| Part No.     | Description                                 |
|--------------|---------------------------------------------|
| AFCAB241518  | 24"Wx15"Dx18 1/2"H Cabinet/retractable door |
| AFCAB301518  | 30"Wx15"Dx18 1/2"H Cabinet/retractable door |
| AFCAB361518  | 36"Wx15"Dx18 1/2"H Cabinet/retractable door |
| AFASHELF2412 | 12"Dx24"W Adjustable Sloped Shelf           |
| AFASHELF3012 | 12"Dx30"W Adjustable Sloped Shelf           |
| AFASHELF3612 | 12"Dx36"W Adjustable Sloped Shelf           |
| AFASHELF12ES | Pair End Stops for sloped shelf             |
| 4101         | Lock for drawer cabinet                     |

## OmniVerse Workcenter Accessories

### Tool Accessories

| Part No. | Description                   |
|----------|-------------------------------|
| AFRAIL24 | 24"W Tool Rail                |
| AFRAIL30 | 30"W Tool Rail                |
| AFRAIL36 | 36"W Tool Rail                |
| AFSPOOL  | Spool Holder (need tool rail) |
| AFTRAY   | Tool Tray (need tool rail)    |



### OmniVerse Louvers, Panels, Peg Boards, Tack or Steel Panels

| Description                                                                 | 24"      | 30"      | 36"      |
|-----------------------------------------------------------------------------|----------|----------|----------|
| Upper Louver Panel                                                          | AFLPU24  | AFLPU30  | AFLPU36  |
| Lower Louver Panel                                                          | AFLPL24  | AFLPL30  | AFLPL36  |
| Upper Peg Board                                                             | AFPEGU24 | AFPEGU30 | AFPEGU36 |
| Lower Peg Board                                                             | AFPEGL24 | AFPEGL30 | AFPEGL36 |
| Tack Board<br>(Must also order an upper or a lower back panel to attach to) | AFTB24   | AFTB30   | AFTB36   |
| Upper Metal Back Panel                                                      | AFBPU24  | AFBPU30  | AFBPU36  |
| Lower Metal Back Panel                                                      | AFBPL25  | AFBPL30  | AFBPL36  |

To close off 1 entire 36"W top section of the upper unit use both an upper and lower panel (pictured on the left hand side), if you have a cabinet on the upper part use 1 lower panel to close it off below it. (pictured on the right hand side, please note you can not use a upper back panel behind the cabinet.) If you close the entire back of the bench on both 36"W sides you need 2 lowers and 2 uppers.

### Removable Bins

| Part No.            | Description     | Divider # | Points    |
|---------------------|-----------------|-----------|-----------|
| <b>2"H Rail</b>     |                 |           |           |
| AFDWRRAIL224        | 24"W Bin Rail   | —         | Holds 120 |
| AFDWRRAIL230        | 30"W Bin Rail   | —         | Holds 120 |
| AFDWRRAIL2          | 36"W Bin Rail   | —         | Holds 120 |
| <b>2"H Bins</b>     |                 |           |           |
| 8532                | 4-1/4"W x 11"D  | 8732      | 15        |
| 8534                | 5-5/8"W x 11"D  | 8734      | 20        |
| <b>3-1/8"H Rail</b> |                 |           |           |
| AFDWRRAIL324        | 24"W Bin Rail   | —         | Holds 120 |
| AFDWRRAIL330        | 30"W Bin Rail   | —         | Holds 120 |
| AFDWRRAIL3          | 36"W Bin Rail   | —         | Holds 120 |
| <b>3-1/8"H Bins</b> |                 |           |           |
| 8504                | 4-1/4"W x 11"D  | 8709      | 15        |
| 8505                | 5-5/8"W x 11"D  | 8720      | 20        |
| 8553                | 8-3/8"W x 11"D  | 8753      | 30        |
| 8556                | 11-1/4"W x 11"D | 8756      | 40        |

Order the correct height rail with the correct height bins.

Each rail can hold up to 120 points of bins, each bin has a point system add them up to fill your rail with a full row of bins.

# EquiptoBay Workcenters

## Self configured tech bench systems


The EQUIPTO Bay is a modular Workbench system which can be preconfigured in numerous designs according to individual customer requirements.

### Features:

- Versatile Preconfigured Workbench Systems
- Lower Workbench provided with Sliding Doors or Reel Cabinets
- Stainless Steel Counters and Chaseway
- Lockable Double Bank Tool Cabinets
- 200 lb. Drawer Weight Static Load Capacity
- Drawers lined with Rubber Protection Mats
- Tool Cart Lockers to Store and Secure Tools
- Tool Carts available with Optional Wheel Locks
- Adaptable to facility space restrictions
- Ease of installation and assembly
- Ability to relocate and modify for expansion
- Modular Design
- Various color options available

### Benefits:

- Economical Standard Preconfigured Work Units
- Can be used in service, maintenance or production areas
- Provides a safe and organized work environment (OSHA)
- Ergonomic design
- Green Compliant



Lower units have 77-1/32"H uprights in the back to hang the upper cabinets on. If no Uppers you can remove the uprights/bracing if you field attach the units to 38"H modular cabinet. Remove the following from the BOM 46081-04EBA, 46081-308 or 46081-306, 46081-307, 46081-308 or 46081-306, 46081-307, 46081-305, 46081-304 and 46081-332 (check BOM of item in JDE for qty and part numbers, units will not have all the above #'s referenced).



Cart fits safe and secure inside locker



Total height of bench with SS top, 28-3/4"H

A standard color chart is available on page 160.





### Lift Control Drawer

#### Part No. Available Sizes:

|      |                                                                                  |
|------|----------------------------------------------------------------------------------|
| 1L1A | 12"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H     |
| 2L1A | (2) 12"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H |
| 1L1B | For RM Motor                                                                     |
| 2L1B | (2) For RM Motor                                                                 |
| 1L1C | For Challenger Motor                                                             |
| 2L1C | (2) For Challenger Motor                                                         |
| 1L1D | For RM3PH Motor                                                                  |
| 2L1D | (2) For RM3PH Motor                                                              |
| 1L1E | For Generic Motor                                                                |
| 2L1E | (2) For Generic Motor                                                            |
| 1L1F | For ROT600 Motor                                                                 |
| 2L1F | (2) For ROT600 Motor                                                             |
| 1L1G | For Becker Mech Motor                                                            |
| 2L1G | (2) For Becker Mech Motor                                                        |

When ordering, please specify  
Power Unit Brand and Part Number



### Hose Reel Bench Unit

with removable front panel  
27<sup>3</sup>/<sub>4</sub>"D x 37<sup>1</sup>/<sub>8</sub>"H

#### Part No. Available Sizes:

|     |                         |
|-----|-------------------------|
| 1R2 | 24"W - 2 Hose reels     |
| 1R3 | 36"W - 3 Hose reels     |
| 2R3 | (2) 36"W - 3 Hose reels |
| 1R4 | 48"W - 4 Hose reels     |
| 2R4 | (2) 48"W - 4 Hose reels |
| 1R5 | 60"W - 5 Hose reels     |
| 2R5 | (2) 60"W - 5 Hose reels |



### Service Cart Locker

Service cart included with locker

#### Part No. Available Sizes:

|     |                                                                                  |
|-----|----------------------------------------------------------------------------------|
| 1N2 | 24"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H     |
| 2N2 | (2) 24"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H |

### EQUIPTO SERVICE CART

#### Part No. Available Sizes:

|       |                                                                              |
|-------|------------------------------------------------------------------------------|
| SVC-1 | 18 <sup>1</sup> / <sub>8</sub> "W x 22 <sup>1</sup> / <sub>8</sub> "D x 34"H |
| 11621 | 3" wheel lock for<br>one cart caster                                         |



### Sliding Door Bench Unit

Kick plate cover is not shown, but is included

#### Part No. Available Sizes:

|     |                                                                                  |
|-----|----------------------------------------------------------------------------------|
| 1S3 | 36"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H     |
| 2S3 | (2) 36"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H |
| 1S4 | 48"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H     |
| 2S4 | (2) 48"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H |
| 1S5 | 60"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H     |
| 2S5 | (2) 60"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H |



### Double Bank Tool Cabinet

Kick plate cover is not shown, but is included

#### Drawer Sizes:

44"H X 60" WIDE: 30"W: (4) 3", (6) 4.5", (2) 6", (2) 7.5" AND 60"W: (1) 4.5"  
59"H X 60" WIDE: 30"W: (4) 3", (10) 4.5", (4) 6", (2) 7.5" AND 60"W: (1) 4.5"

#### Part No. Available Sizes:

|           |                                                 |
|-----------|-------------------------------------------------|
| EBMDB44-1 | 60"W x 27 <sup>3</sup> / <sub>4</sub> "D x 44"H |
| EBMDB59-1 | 60"W x 27 <sup>3</sup> / <sub>4</sub> "D x 59"H |



### Modular Cabinets

Drawers sizes include: (1)3"H, (1)6"H, (1)7<sup>1</sup>/<sub>2</sub>"H, (1)12"H

#### Part No. Available Sizes:

|      |                                                                                  |
|------|----------------------------------------------------------------------------------|
| 1M2A | 24"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H     |
| 2M2A | (2) 24"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H |
| 1M3A | 36"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H     |
| 2M3A | (2) 36"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H |
| 1M4A | 48"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H     |
| 2M4A | (2) 48"W x 27 <sup>3</sup> / <sub>4</sub> "D x 37 <sup>1</sup> / <sub>8</sub> "H |

22<sup>1</sup>/<sub>2</sub>", 30", and 45"

Cabinets used with  
Fillers for 24", 36"  
and 45" Widths

Note: Alternative drawer  
configurations available  
by contacting EQUIPTO.



### Upper Storage Cabinets

#### Retractable sliding cabinet doors

#### Part No. Cabinets Included:

|          |                                                              |
|----------|--------------------------------------------------------------|
| EBUC-3M3 | (2)36"W, (1)24"W monitor cabinet w/ retracting keyboard tray |
| EBUC-4M  | (1)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray |
| EBUC-4M4 | (2)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray |
| EBUC-2M2 | (2)24"W, (1)24"W monitor cabinet w/ retracting keyboard tray |
| EBUC-33  | (2)36"W x 15"D x 21"H                                        |
| EBUC-44  | (2)48"W x 15"D x 21"H                                        |

#### Gas Spring lift cabinet doors

#### Part No. Cabinets Included:

|            |                                                              |
|------------|--------------------------------------------------------------|
| EBUC-3M3GS | (2)36"W, (1)24"W monitor cabinet w/ retracting keyboard tray |
| EBUC-33GS  | (2)36"W x 15"D x 21"H                                        |
| EBUC-2M2GS | (2)24"W, (1)24"W monitor cabinet w/ retracting keyboard tray |
| EBUC-4MGS  | (1)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray |
| EBUC-44GS  | (2)48"W x 15"D x 21"H                                        |
| EBUC-4M4GS | (2)48"W, (1)24"W monitor cabinet w/ retracting keyboard tray |

### Stainless Steel Wood Core Top

All tops include matching chaseway – 21<sup>1</sup>/<sub>2</sub>" H

#### Part No. Application:

|     |                                                                                 |
|-----|---------------------------------------------------------------------------------|
| S5  | 30"D x 60"W x 1 <sup>5</sup> / <sub>8</sub> " thick to be used with a 5' bench  |
| S6  | 30"D x 72"W x 1 <sup>5</sup> / <sub>8</sub> " thick: to be used with 6' bench   |
| S8  | 30"D x 96"W x 1 <sup>5</sup> / <sub>8</sub> " thick: to be used with 8' bench   |
| S10 | 30"D x 120"W x 1 <sup>5</sup> / <sub>8</sub> " thick: to be used with 10' bench |

# Tech Bench Workcenters

The Equipto Tech Bench combines essential service facility equipment and Hi-tech storage functionality to organize every aspect of a technician's workspace

# EQUIPTO TECH BENCH



Concealed reel holder compartments, sliding lift control drawers and retractable cabinet doors provide a professional, streamlined appearance.



## Lift Control Drawer

Provides hidden compartment to mount the lift control power unit and easily slides out to provide quick and convenient access for servicing.



## Lower Bench Cabinets

Neatly organize and conceal reel holders for air, water and lubricants behind removable sliding cabinet doors. Prevent dirt, trash and debris from collecting and obstructing reel unwinding and rewinding.



## Monitor Enclosure

Offers eye-level storage compartment for service computer monitor. Retractable keyboard tray adjusts to individual user level and is center mounted under the monitor enclosure.

A standard color chart is available on page 160.



## Tech Bench Workcenters - Preconfigured Units

# 1<sup>st</sup>

### Select the lower bench unit

Select the sliding door or removable panel lower bench configuration;

Available in 4', 5', 6', 8' and 10' lengths.

### Stainless Steel Top - Preconfigured Units

16 gauge solid steel over wood core, wall-mount workcenter with a one piece top and integral backstop. Cabinets feature sliding/removable doors for storage or servicing of equipment. Includes knockouts for electrical outlets and hoses. (Electrical outlets and hoses not included). Standard cover plates are included, specialty cover plates are listed in the Optional Accessories section on page 121.

Tech bench lower bench cabinets do not include back panel since wall mount is assumed.

For free standing kits which include the back panel, see page 121.




### Sliding door lower bench wall units (If units will be freestanding add kits on page 121)


| Part No.    | Description                                                                                                                                               |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| TBL10S-55DN | Includes two 60" sliding door bench units with a 10' stainless steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                               |
| TBL10S-44DE | Includes two 48" sliding door bench units with one 12" overhang on each end with a stainless steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H |
| TBL10S-44DC | Includes two 48" sliding door bench units with one 24" center opening with a stainless steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H       |
| TBL8S-44DN  | Includes two 48" sliding door bench units with a 8' stainless steel top - 96"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                                 |
| TBL8S-33DE  | Includes two 36" sliding door bench units with one 12" overhang on each end with a stainless steel top - 96"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H  |
| TBL6S-5DE   | Includes one 60" sliding door bench unit with one 12" overhang with a stainless steel top - 72"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H               |
| TBL5S-5DN   | Includes one 60" sliding door bench unit with a 5' stainless steel top - 60"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                                  |
| TBL4S-3DE   | Includes one 36" sliding door bench unit with one 12" overhang with a stainless steel top - 48"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H               |

### Removable door lower bench wall units


| Part No.    | Description                                                                                                                                                  |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TBL10S-55PN | Includes two 60" removable panel bench units with a 10' stainless steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                               |
| TBL10S-44PE | Includes two 48" removable panel bench units with one 12" overhang on each end with a stainless steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H |
| TBL10S-44PC | Includes two 48" removable panel bench units with one 24" center opening with a stainless steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H       |
| TBL8S-44PN  | Includes two 48" removable panel bench units with a 8' stainless steel top - 96"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                                 |
| TBL8S-33PE  | Includes two 36" removable panel bench units with one 12" overhang on each end with a stainless steel top - 96"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H  |
| TBL6S-5PE   | Includes one 60" removable panel bench unit with one 12" overhang with a stainless steel top - 72"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H               |
| TBL5S-5PN   | Includes one 60" removable panel bench unit with a 5' stainless steel top - 60"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                                  |
| TBL4S-3PE   | Includes one 36" removable panel bench unit with one 12" overhang with a stainless steel top - 48"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H               |




TBL10P-55DN




TBL10P-44DE




TBL10P-44DC




TBL8P-44DN




TBL8P-33DE




TBL6P-5DE




TBL5P-5DN




TBL10P-44PC




TBL10P-44PE




TBL10P-55PN




TBL8P-44PN




TBL8P-33PE




TBL6P-5PE



TBL5P-5PN



TBL4P-3PE



TBL4P-3DE

A standard color chart is available on page 160.



Optional Painted Steel Top - Preconfigured units

Painted 16 gauge solid steel over a wood core, wall-mount work center with a one piece top and integral backstop. Cabinets feature sliding/removable doors for storage or servicing of equipment. Includes knockouts for electrical outlets and hoses. (Electrical outlets and hoses not included). Standard cover plates are included, specialty cover plates are listed in the Optional Accessories section on page 121.

Sliding door lower bench units

| Part No.    | Description                                                                                                                                             |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| TBL10P-55DN | Includes two 60" sliding door bench units with a 10' painted steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                               |
| TBL10P-44DE | Includes two 48" sliding door bench units with one 12" overhang on each end with a painted steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H |
| TBL10P-44DC | Includes two 48" sliding door bench units with one 24" center opening with a painted steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H       |
| TBL8P-44DN  | Includes two 48" sliding door bench units with a 8' painted steel top - 96"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                                 |
| TBL8P-33DE  | Includes two 36" sliding door bench units with one 12" overhang on each end with a painted steel top - 96"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H  |
| TBL6P-5DE   | Includes one 60" sliding door bench unit with one 12" overhang with a painted steel top - 72"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H               |
| TBL5P-5DN   | Includes one 60" sliding door bench unit with a 5' painted steel top - 60"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                                  |
| TBL4P-3DE   | Includes one 36" sliding door bench unit with one 12" overhang with a painted steel top - 48"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H               |

Removable panel lower bench units

| Part No.    | Description                                                                                                                                                |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TBL10P-55PN | Includes two 60" removable panel bench units with a 10' painted steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                               |
| TBL10P-44PE | Includes two 48" removable panel bench units with one 12" overhang on each end with a painted steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H |
| TBL10P-44PC | Includes two 48" removable panel bench units with one 24" center opening with a painted steel top - 120"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H       |
| TBL8P-44PN  | Includes two 48" removable panel bench units with a 8' painted steel top - 96"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                                 |
| TBL8P-33PE  | Includes two 36" removable panel bench units with one 12" overhang on each end with a painted steel top - 96"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H  |
| TBL6P-5PE   | Includes one 60" removable panel bench unit with one 12" overhang with a painted steel top - 72"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H               |
| TBL5P-5PN   | Includes one 60" removable panel bench unit with a 5' painted steel top - 60"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H                                  |
| TBL4P-3PE   | Includes one 36" removable panel bench unit with one 12" overhang with a painted steel top - 48"W x 30"D x 28 <sup>3</sup> / <sub>4</sub> "H               |

examples shown on previous page

2<sup>nd</sup>

Tech Bench Workcenter - Preconfigured Units

Select the upper cabinet unit

Available in 4', 5', 6', 8' and 10' lengths.


Wall-mount cabinet unit with your choice of retractable sliding cabinet and/or gas shock door, and one 24" monitor enclosure with retracting keyboard tray.

| Part No.   | Description                                                                                                    |
|------------|----------------------------------------------------------------------------------------------------------------|
| TBU10-4M4  | Includes two 48" storage cabinets and one 24" monitor cabinet - 120"W x 15"D x 21"H                            |
| TBU8-3M3   | Includes two 36" storage cabinets and one 24" monitor cabinet - 96"W x 15"D x 21"H                             |
| TBU6-M4    | Includes one 48" storage cabinet and one 24" monitor cabinet - 72"W x 15"D x 21"H                              |
| TBU5-M3    | Includes one 36" storage cabinet and one 24" monitor cabinet - 60"W x 15"D x 21"H                              |
| TBU4-M2    | Includes one 24" storage cabinet and one 24" monitor cabinet - 48"W x 15"D x 21"H                              |
| TBU-SMK-16 | Bracket to mount to 16 <sup>1</sup> / <sub>2</sub> " deep Aerial Shelf, comes in pairs, need 1 pair per aerial |


TBU-SMK-13      Bracket to mount to 13<sup>1</sup>/<sub>2</sub>" deep Aerial Shelf, comes in pairs, need 1 pair per aerial

For **GAS SHOCK** attachment, "**GS**" is added to the end of the base upper cabinet part number.


If you would like to have multiple door options, please contact Equipto Inside Sales for a customized quote.




TBU4-M2




TBU5-M3



TBU6-M4



TBU8-3M3



TBU10-4M4

A standard color chart is available on page 160.

## Back Braces - for wall mount units only

Uni-strut or equivalent structural channels and appropriate hardware are required to hang upper and lower cabinets from wall and are not provided.  
**Back braces are required on lower cabinets for wall hanging only.**

| Part No. | Description         |
|----------|---------------------|
| TBWMK-2  | size of brace - 24" |
| TBWMK-3  | size of brace - 36" |
| TBWMK-4  | size of brace - 48" |
| TBWMK-5  | size of brace - 60" |

## Free-standing kits

(Attach together with post)

| Part No. | Description             |
|----------|-------------------------|
| TBFSK-2  | Free Standing Kit - 24" |
| TBFSK-3  | Free Standing Kit - 36" |
| TBFSK-4  | Free Standing Kit - 48" |
| TBFSK-5  | Free Standing Kit - 60" |

## For lower units only

(Attach separately)

| Part No. | Description             |
|----------|-------------------------|
| TBFSK-2L | Free Standing Kit - 24" |
| TBFSK-3L | Free Standing Kit - 36" |
| TBFSK-4L | Free Standing Kit - 48" |
| TBFSK-5L | Free Standing Kit - 60" |



## Tech Bench Workcenter - Accessories

Select desired accessories. For additional lift control drawer options, contact Equipto Inside Sales.

### Optional Accessories

| Part No.                                                        | Description                    |
|-----------------------------------------------------------------|--------------------------------|
| Contact Equipto Inside Sales reps for proper lift control parts |                                |
| TBCW-2 (S*)                                                     | Painted Steel Chaseway - 24"W  |
| TBCW-3 (S*)                                                     | Painted Steel Chaseway - 36"W  |
| TBCW-4 (S*)                                                     | Painted Steel Chaseway - 48"W  |
| TBCW-5 (S*)                                                     | Painted Steel Chaseway - 60"W  |
| TBCW-6 (S*)                                                     | Painted Steel Chaseway - 72"W  |
| TBCW-8 (S*)                                                     | Painted Steel Chaseway - 96"W  |
| TBCW-10 (S*)                                                    | Painted Steel Chaseway - 120"W |

\*Add "S" to end of PN for Stainless Steel Chaseway

\*Add "H" for pegboard holes

Backsplash less out back stop

| Part No.  | Description                             |
|-----------|-----------------------------------------|
| TBRM-3    | Rubber Mat - 36"W                       |
| TBRM-4    | Rubber Mat - 48"                        |
| TBRM-5    | Rubber Mat - 60"                        |
| TBRM-6    | Rubber Mat - 72"                        |
| TBRM-8    | Rubber Mat - 96"                        |
| TBRM-10   | Rubber Mat - 120"                       |
| TBRK      | 4 pc. Hose Roller Kit                   |
| TBCP-NE   | Cover Plate (No Electric) – unpainted   |
| TBCP-WE   | Cover Plate (With Electric) – unpainted |
| TBCP-LR   | Cover Plate For Light Reel – unpainted  |
| TBCP-RK   | Standard Cover Plate                    |
| TBLHS-2   | Lower Half Shelf - 24"                  |
| TBLHS-3   | Lower Half Shelf - 36"                  |
| TBLHS-4   | Lower Half Shelf - 48"                  |
| TBLHS-5   | Lower Half Shelf - 60"                  |
| TBTER-30S | End Rail - 29 1/32" x 4 1/8" x 1 5/8"   |
| 13106M    | Key master                              |

\*Customer to provide mounting hardware

## Tech Bench Workcenter - Modular Components

### Upper cabinet components

| Part No. | Description                                                     |
|----------|-----------------------------------------------------------------|
| TBU-2    | Upper Cabinet - 24"                                             |
| TBU-M    | Upper Monitor Cabinet - 24" (Add QV at end for quick view door) |
| TBU-3    | Upper Cabinet - 36"                                             |
| TBU-4    | Upper Cabinet - 48"                                             |
| TBU-2GS  | Upper Cabinet w/ gas shocks - 24"                               |
| TBU-MGS  | Upper Monitor Cabinet w/ gas shocks - 24"                       |
| TBU-3GS  | Upper Cabinet w/ gas shocks - 36"                               |
| TBU-4GS  | Upper Cabinet w/ gas shocks - 48"                               |

**Note: Upper Cabinet Units have an 18" high clearance when the cabinet doors are retracted.**

### Upper cabinets Quick View – TBU – MQV



TBU-2



TBU-M



TBU-3



TBU-4

### Lower cabinet components

| Part No. | Description                        |
|----------|------------------------------------|
| TBL-2P   | With Removable Panel - 24"         |
| TBL-3P   | With Removable Panel - 36"         |
| TBL-4P   | With Removable Panel - 48"         |
| TBL-5P   | With Removable Panel - 60"         |
| TBL-3D   | With Sliding Doors - 36"           |
| TBL-4D   | With Sliding Doors - 48"           |
| TBL-5D   | With Sliding Doors - 60"           |
| TBL-6D   | With Sliding Doors - 72"           |
| TBLCD-SC | Side Cover for Lift Control Drawer |

Note: Lower bench top not included.


### Lower bench tops steel/wood core

| Part No. | Description                |
|----------|----------------------------|
| TBT-3P   | Painted Steel Top - 36"    |
| TBT-4P   | Painted Steel Top - 48"    |
| TBT-5P   | Painted Steel Top - 60"    |
| TBT-6P   | Painted Steel Top - 72"    |
| TBT-8P   | Painted Steel Top - 96"    |
| TBT-10P  | Painted Steel Top - 120"   |
| TBT-3S   | Stainless Steel Top - 36"  |
| TBT-4S   | Stainless Steel Top - 48"  |
| TBT-5S   | Stainless Steel Top - 60"  |
| TBT-6S   | Stainless Steel Top - 72"  |
| TBT-8S   | Stainless Steel Top - 96"  |
| TBT-10S  | Stainless Steel Top - 120" |


**Note: Lower Bench Tops have a rear overhang of 1 1/4" and a front overhang of 4 1/2".**

### Lower Cabinets


#### Panel Front



TBL-2P



TBL-3P




TBL-4P



TBL-5P


#### Sliding Door Front



TBL-3D



TBL-4D



TBL-5D

A standard color chart is available on page 160.

# Modular Drawer Cabinet Workcenters

Optimize work areas by combining work and storage space into a modular drawer cabinet workcenter. With static load capacity up to 400 lbs per drawer, and single or double cabinet configurations, these workcenters are designed to last a lifetime.

## Modular Drawer Cabinet Workcenter - Preconfigured Units

No dividers – No lock

- All workcenters are 30" deep
- 22 1/2" wide cabinets feature "Quiet Ride™" Drawers with 200 lb. static load capacity per drawer
- 30" wide cabinets with 400 lb. static load capacity per drawer
- Choice of Equipto vivid colors to enhance work environment
- Knockouts in legs provide for safe, convenient electrical hookup
- Lower recessed shelf
- 140 sizes and styles
- Design Efficient workcenters to fit your specific needs
- Choice of 6 tops available in 3 lengths
- Choice of 3 pedestals



2578U6




2563 or 2568 Style W



2561 or 2566 Style U

| Height             | Cabinet Model No. | Length | Steel With Backstop | Wood Top Hardwood | Bonded Wood | Hardboard With Backstop | ESD Anti-Static |
|--------------------|-------------------|--------|---------------------|-------------------|-------------|-------------------------|-----------------|
| 22 1/2" W Cabinets |                   |        |                     |                   |             |                         |                 |
| 34"                | 4273              | 5'     | 2578U5              | 2578-5W           | 2578-5B     | 2578U5M                 | 2578-5C         |
|                    |                   | 6'     | 2578U6              | 2578-6W           | 2578-6B     | 2578U6M                 | 2578-6C         |
|                    |                   | 8'     | 2578U8              | 2578-8W           | 2578-8B     | 2578U8M                 | 2578-8C         |
| 29 1/2"            | 4263              | 5'     | 2563U5              | 2563-5W           | 2563-5B     | 2563U5M                 | 2563-5C         |
|                    |                   | 6'     | 2563U6              | 2563-6W           | 2563-6B     | 2563U6M                 | 2563-6C         |
|                    |                   | 8'     | 2563U8              | 2563-8W           | 2563-8B     | 2563U8M                 | 2563-8C         |
| 34"                | 4273              | 5'     | 2568U5              | 2568-5W           | 2568-5B     | 2568U5M                 | 2568-5C         |
|                    |                   | 6'     | 2568U6              | 2568-6W           | 2568-6B     | 2568U6M                 | 2568-6C         |
|                    |                   | 8'     | 2568U8              | 2568-8W           | 2568-8B     | 2568U8M                 | 2568-8C         |
| 30" W Cabinets     |                   |        |                     |                   |             |                         |                 |
| 29 1/2"            | 4443              | 5'     | 2561U5              | 2561-5W           | 2561-5B     | 2561U5M                 | 2561-5C         |
|                    |                   | 6'     | 2561U6              | 2561-6W           | 2561-6B     | 2561U6M                 | 2561-6C         |
|                    |                   | 8'     | 2561U8              | 2561-8W           | 2561-8B     | 2561U8M                 | 2561-8C         |
| 34"                | 4433              | 5'     | 2566U5              | 2566-5W           | 2566-5B     | 2566U5M                 | 2566-5C         |
|                    |                   | 6'     | 2566U6              | 2566-6W           | 2566-6B     | 2566U6M                 | 2566-6C         |
|                    |                   | 8'     | 2566U8              | 2566-8W           | 2566-8B     | 2566U8M                 | 2566-8C         |



## Tops

### Choice of 6 tops:

Tempered hardboard bonded to 12 gauge steel; Plastic laminate (color: cloud spectrum); ESD (anti-static, color: cloud spectrum - not shown); 3/8" resin wood bonded to wood block core; 12 gauge (.104") steel (painted red in photo); solid laminated hardwood.



2586-6B



2576-6W



2591-8W or 2596-8W

| Height                | Cabinet Model No. | Length | Steel With Backstop | Wood Top Hardwood | Bonded Wood | Hardboard With Backstop | ESD Anti-Static |
|-----------------------|-------------------|--------|---------------------|-------------------|-------------|-------------------------|-----------------|
| <b>30" W Cabinets</b> |                   |        |                     |                   |             |                         |                 |
| 34"                   | 4433              | 5'     | 2586U5              | 2586-5W           | 2586-5B     | 2586U5M                 | 2586-5C         |
|                       |                   | 6'     | 2586U6              | 2586-6W           | 2586-6B     | 2586U6M                 | 2586-6C         |
|                       |                   | 8'     | 2586U8              | 2586-8W           | 2586-8B     | 2586U8M                 | 2586-8C         |
| 34"                   | 4433              | 5'     | 2576U5              | 2576-5W           | 2576-5B     | 2576U5M                 | 2576-5C         |
|                       |                   | 6'     | 2576U6              | 2576-6W           | 2576-6B     | 2576U6M                 | 2576-6C         |
|                       |                   | 8'     | 2576U8              | 2576-8W           | 2576-8B     | 2576U8M                 | 2576-8C         |
| 29 1/2"               | 4443              | 8'     | 2591U8              | 2591-8W           | 2591-8B     | 2591U8M                 | 2591-8C         |
| 34"                   | 4433              | 8'     | 2596U8              | 2596-8W           | 2596-8B     | 2596U8M                 | 2596-8C         |

All 8' benches in this Modular Drawer Workcenter section are on 8' centers with an 8' top. Pages 121-122 feature Workcenter Accessories for these benches.

A standard color chart is available on page 160.



# Pedestal Workcenters

Equipto Pedestal Benches offer the perfect bench/cabinet combination and feature strong, rugged work surfaces, lower shelf space and lockable cabinets and drawers. Customize with accessories and over 180 combinations of height, length, depth, and top surfaces.

## Pedestal Workcenter - Preconfigured Units

- Bench can be customized to fit your specific needs
- Choice of 6 tops available in 4 lengths
- Lower recessed shelf
- Door cabinets have middle shelf
- **All benches are 30" deep**
- **All Cabinets are 34"H x 15"W**
- 1800 lb. static load capacity – no levelers



250U6



255U6



260U6

| Series                                                      | Length  | Steel Tops |         | Wood Tops |                | Hardboard on Steel |        | ESD<br>Anti-Static |
|-------------------------------------------------------------|---------|------------|---------|-----------|----------------|--------------------|--------|--------------------|
|                                                             |         | Backstop   |         | Hardwood  | Bonded<br>Wood | Backstop           |        |                    |
| With                                                        | Without | With       | Without |           |                |                    |        |                    |
| 250 Series - Includes 2 Door Pedestals                      |         |            |         |           |                |                    |        |                    |
|                                                             | 4'      | 250U4      | 250D4   | 250-4W    | 250-4B         | 250U4M             | 250D4M | 250-4C             |
|                                                             | 5'      | 250U5      | 250D5   | 250-5W    | 250-5B         | 250U5M             | 250D5M | 250-5C             |
|                                                             | 6'      | 250U6      | 250D6   | 250-6W    | 250-6B         | 250U6M             | 250D6M | 250-6C             |
|                                                             | 8'      | 250U8      | 250D8   | 250-8W    | 250-8B         | 250U8M             | 250D8M | 250-8C             |
| 255 Series - Includes 1 Drawer Pedestal And 1 Door Pedestal |         |            |         |           |                |                    |        |                    |
|                                                             | 4'      | 255U4      | 255D4   | 255-4W    | 255-4B         | 255U4M             | 255D4M | 255-4C             |
|                                                             | 5'      | 255U5      | 255D5   | 255-5W    | 255-5B         | 255U5M             | 255D5M | 255-5C             |
|                                                             | 6'      | 255U6      | 255D6   | 255-6W    | 255-6B         | 255U6M             | 255D6M | 255-6C             |
|                                                             | 8'      | 255U8      | 255D8   | 255-8W    | 255-8B         | 255U8M             | 255D8M | 255-8C             |
| 260 Series - Includes 2 Drawer Pedestals                    |         |            |         |           |                |                    |        |                    |
|                                                             | 4'      | 260U4      | 260D4   | 260-4W    | 260-4B         | 260U4M             | 260D4M | 260-4C             |
|                                                             | 5'      | 260U5      | 260D5   | 260-5W    | 260-5B         | 260U5M             | 260D5M | 260-5C             |
|                                                             | 6'      | 260U6      | 260D6   | 260-6W    | 260-6B         | 260U6M             | 260D6M | 260-6C             |
|                                                             | 8'      | 260U8      | 260D8   | 260-8W    | 260-8B         | 260U8M             | 260D8M | 260-8C             |

On 8' benches, the legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 121 and 122 Feature Productivity Enhancements for These Benches.



240U6




245U6

| Series                                                   | Length | Steel Tops       |                     | Wood Tops |                | Hardboard on Steel |                     | ESD<br>Anti-Static |
|----------------------------------------------------------|--------|------------------|---------------------|-----------|----------------|--------------------|---------------------|--------------------|
|                                                          |        | Backstop<br>With | Backstop<br>Without | Hardwood  | Bonded<br>Wood | Backstop<br>With   | Backstop<br>Without |                    |
| 240 Series - Includes 1 Closed Leg And 1 Door Pedestal   |        |                  |                     |           |                |                    |                     |                    |
|                                                          | 4'     | 240U4            | 240D4               | 240-4W    | 240-4B         | 240U4M             | 240D4M              | 240-4C             |
|                                                          | 5'     | 240U5            | 240D5               | 240-5W    | 240-5B         | 240U5M             | 240D5M              | 240-5C             |
|                                                          | 6'     | 240U6            | 240D6               | 240-6W    | 240-6B         | 240U6M             | 240D6M              | 240-6C             |
|                                                          | 8'     | 240U8            | 240D8               | 240-8W    | 240-8B         | 240U8M             | 240D8M              | 240-8C             |
| 245 Series - Includes 1 Closed Leg And 1 Drawer Pedestal |        |                  |                     |           |                |                    |                     |                    |
|                                                          | 4'     | 245U4            | 245D4               | 245-4W    | 245-4B         | 245U4M             | 245D4M              | 245-4C             |
|                                                          | 5'     | 245U5            | 245D5               | 245-5W    | 245-5B         | 245U5M             | 245D5M              | 245-5C             |
|                                                          | 6'     | 245U6            | 245D6               | 245-6W    | 245-6B         | 245U6M             | 245D6M              | 245-6C             |
|                                                          | 8'     | 245U8            | 245D8               | 245-8W    | 245-8B         | 245U8M             | 245D8M              | 245-8C             |

On 8' benches, the legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 121 and 122 feature Accessories for these benches.

Flush locks not included. (Part No. 10405 for each drawer) or user supplied padlock.




### Tops

#### Choice of 6 tops:

tempered hardboard bonded to 12 gauge steel;  
plastic laminate (color: cloud spectrum); ESD  
(anti-static, color: cloud spectrum - Not shown);  
3/8" resin wood bonded to wood block core;  
12 gauge (.104") steel; solid laminated hardwood.

For drawer specifications see pg. 111.



As many as 9 drawers (6 in the 4' unit) can be added to the 210 and 215 series benches.

# Closed Leg Workcenters


Equipto closed leg benches combine high-efficiency bench features with the important benefits of cabinet space. Choose from more than 200 sizes and styles and a range of features to match your exact needs. Rugged structural unit designed for tough use with the flexibility for adding accessories.

## Closed Leg Workcenter - Preconfigured Units


Benches are all 30" deep and 34" high.



215U6




210U6



265U6



280U6



270U6



275U6

|                                                                     | Steel Tops |         | Wood Tops |        | Hardboard on Steel |         | ESD<br>Anti-Static |  |
|---------------------------------------------------------------------|------------|---------|-----------|--------|--------------------|---------|--------------------|--|
|                                                                     | Backstop   |         | Bonded    |        | Backstop           |         |                    |  |
|                                                                     | With       | Without | Hardwood  | Wood   | With               | Without |                    |  |
| 215 Series - Open Backed Bench , Includes 1 Half Shelf              |            |         |           |        |                    |         |                    |  |
| 4'                                                                  | 215U4      | 215D4   | 215-4W    | 215-4B | 215U4M             | 215D4M  | 215-4C             |  |
| 5'                                                                  | 215U5      | 215D5   | 215-5W    | 215-5B | 215U5M             | 215D5M  | 215-5C             |  |
| 6'                                                                  | 215U6      | 215D6   | 215-6W    | 215-6B | 215U6M             | 215D6M  | 215-6C             |  |
| 8'                                                                  | 215U8      | 215D8   | 215-8W    | 215-8B | 215U8M             | 215D8M  | 215-8C             |  |
| 210 Series - Open Backed Bench , Includes 1 Half Shelf And 1 Drawer |            |         |           |        |                    |         |                    |  |
| 4'                                                                  | 210U4      | 210D4   | 210-4W    | 210-4B | 210U4M             | 210D4M  | 210-4C             |  |
| 5'                                                                  | 210U5      | 210D5   | 210-5W    | 210-5B | 210U5M             | 210D5M  | 210-5C             |  |
| 6'                                                                  | 210U6      | 210D6   | 210-6W    | 210-6B | 210U6M             | 210D6M  | 210-6C             |  |
| 8'                                                                  | 210U8      | 210D8   | 210-8W    | 210-8B | 210U8M             | 210D8M  | 210-8C             |  |
| 265 Series - Closed Backed Bench , Includes 1 Full Shelf            |            |         |           |        |                    |         |                    |  |
| 4'                                                                  | 265U4      | 265D4   | 265-4W    | 265-4B | 265U4M             | 265D4M  | 265-4C             |  |
| 5'                                                                  | 265U5      | 265D5   | 265-5W    | 265-5B | 265U5M             | 265D5M  | 265-5C             |  |
| 6'                                                                  | 265U6      | 265D6   | 265-6W    | 265-6B | 265U6M             | 265D6M  | 265-6C             |  |
| 8'                                                                  | 265U8      | 265D8   | 265-8W    | 265-8B | 265U8M             | 265D8M  | 265-8C             |  |

Casters for 4' Wide: 2205-4, 5' Wide: 2205-5, 6' Wide: 2205-6

| Series                                            | Length | Steel Tops       |                     | Wood Tops          |                | Hardboard on Steel |                     | ESD<br>Anti-Static |
|---------------------------------------------------|--------|------------------|---------------------|--------------------|----------------|--------------------|---------------------|--------------------|
|                                                   |        | Backstop<br>With | Backstop<br>Without | Bonded<br>Hardwood | Bonded<br>Wood | Backstop<br>With   | Backstop<br>Without |                    |
| 280 Series - Includes 1 Shelf & 1 Drawer          |        |                  |                     |                    |                |                    |                     |                    |
|                                                   | 4'     | 280U4            | 280D4               | 280-4W             | 280-4B         | 280U4M             | 280D4M              | 280-4C             |
|                                                   | 5'     | 280U5            | 280D5               | 280-5W             | 280-5B         | 280U5M             | 280D5M              | 280-5C             |
|                                                   | 6'     | 280U6            | 280D6               | 280-6W             | 280-6B         | 280U6M             | 280D6M              | 280-6C             |
|                                                   | 8'     | 280U8            | 280D8               | 280-8W             | 280-8B         | 280U8M             | 280D8M              | 280-8C             |
| 270 Series - Includes Doors Only                  |        |                  |                     |                    |                |                    |                     |                    |
|                                                   | 4'     | 270U4            | 270D4               | 270-4W             | 270-4B         | 270U4M             | 270D4M              | 270-4C             |
|                                                   | 5'     | 270U5            | 270D5               | 270-5W             | 270-5B         | 270U5M             | 270D5M              | 270-5C             |
|                                                   | 6'     | 270U6            | 270D6               | 270-6W             | 270-6B         | 270U6M             | 270D6M              | 270-6C             |
|                                                   | 8'     | 270U8            | 270D8               | 270-8W             | 270-8B         | 270U8M             | 270D8M              | 270-8C             |
| 275 Series - Includes Doors & 1 Shelf (top photo) |        |                  |                     |                    |                |                    |                     |                    |
|                                                   | 4'     | 275U4            | 275D4               | 275-4W             | 275-4B         | 275U4M             | 275D4M              | 275-4C             |
|                                                   | 5'     | 275U5            | 275D5               | 275-5W             | 275-5B         | 275U5M             | 275D5M              | 275-5C             |
|                                                   | 6'     | 275U6            | 275D6               | 275-6W             | 275-6B         | 275U6M             | 275D6M              | 275-6C             |
|                                                   | 8'     | 275U8            | 275D8               | 275-8W             | 275-8B         | 275U8M             | 275D8M              | 275-8C             |

On 8' benches, the legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 121-122 feature Productivity Enhancements for these benches.

## Closed Leg and Pedestal Workcenter - Accessories Only

### Pedestal for Benches

| Description                | Part No. |
|----------------------------|----------|
| Door pedestal (no top)     | 233LT    |
| 4-drawer pedestal (no top) | 237LT    |

### Legs for Benches

| Description                 | Part No. |
|-----------------------------|----------|
| Left hand closed leg panel  | 230L     |
| Right hand closed leg panel | 230R     |

### Bench Shelves

| Bench Series No. | Bench Length | Shelf Depth | Part No. |
|------------------|--------------|-------------|----------|
| 210 & 215 Series | 4'           | 11 1/2"     | 6322     |
|                  | 5'           | 11 1/2"     | 6323     |
|                  | 6'           | 11 1/2"     | 6312     |
|                  | 8'           | 11 1/2"     | 6312     |
| 240 & 245 Series | 4'           | 11 1/2"     | 6330     |
|                  | 5'           | 11 1/2"     | 6334     |
|                  | 6'           | 11 1/2"     | 6313     |
|                  | 8'           | 11 1/2"     | 6313     |
| 250 Series       | 4'           | 11 1/2"     | 6332     |
| 255 Series       | 5'           | 11 1/2"     | 6336     |
| 260 Series       | 6'           | 11 1/2"     | 6314     |
|                  | 8'           | 11 1/2"     | 6314     |


| Bench Series No.       | Bench Length | Shelf Depth | Part No. |
|------------------------|--------------|-------------|----------|
| 265 & 270 Series       | 4'           | 19 3/4"     | 6327A    |
| 275 & 280 Series       | 5'           | 19 3/4"     | 6328A    |
| (Intermediate Shelves) | 6'           | 19 3/4"     | 6329A    |
|                        | 8'           | 19 3/4"     | 6329A    |
| 265 & 270 Series       | 4'           | 20 1/4"     | 6315     |
| 275 & 280 Series       | 5'           | 20 1/4"     | 6316     |
| (Bottom Shelves)       | 6'           | 20 1/4"     | 6317     |
|                        | 8'           | 20 1/4"     | 6317     |

## Adjustable Height Iron-I Workcenters

Equipto's Iron-I workcenters are completely adjustable and are available in 2 depths and 4 lengths with over 35 varying leg heights! You can choose from 5 standard tops to customize to your specific requirements

- Adjustable height 26" to 44"
- Three-way adjustable shelf
- Electrical, air and fluid power knockouts on each leg
- Heavy-Duty cantilever leg design eliminates obstruction of corner leg design

# IRON-I®




**Fully Adjustable**  
Leg heights from 26" to 44"  
in 1/2" increments.



**Adjust position**  
Shelf can be adjusted to be closer to front or back of bench.



**Adjustable slope**  
Shelf can be sloped toward front or toward rear of bench.



**Adjustable height**  
Shelf can be located in any one of 3 height positions.



**Electric power**  
Each bench has knockouts for 8 electrical outlets. Knockouts are in both top and bottom of each leg.



**Air or fluid power**  
Each bench has 4 knockouts for Air or Fluid power. Knockouts are in both top and bottom of leg.



**Optional levelers**  
Each bench leg can be equipped with an optional leveler to achieve exact height and level needed. Part No. 11650-04

Workcenters & Workbenches

Pages 121-123 feature Productivity Enhancements for these benches.

A standard color chart is available on page 160.



## Adjustable Height Iron-I Workcenter - Preconfigured Units

- Lower shelf adjusts to three heights and tilts front or back to fit your application
- More than 450 pre-configured options
- Back and side rails keep parts on top of workcenter
- Adjustable from 26" to 36" or from 34" to 44" in 1/2" increments to meet your exact height requirements
- Aerial shelf adds space for increased productivity
- Depending on type of top, workbench will support up to 1,800 lbs.

### Iron-I Bench without shelf

| Depth     | Height | Length | Steel Tops       |                     | Wood Tops |                | Hardboard on Steel |                     | ESD<br>Anti-Static |
|-----------|--------|--------|------------------|---------------------|-----------|----------------|--------------------|---------------------|--------------------|
|           |        |        | Backstop<br>With | Backstop<br>Without | Hardwood  | Bonded<br>Wood | Backstop<br>With   | Backstop<br>Without |                    |
| 30" Depth |        |        |                  |                     |           |                |                    |                     |                    |
|           | 26"    | 4'     | 421U4            | 421D4               | 421-4W    | 421-4B         | 421U4M             | 421D4M              | 421-4C             |
|           | to     | 5'     | 421U5            | 421D5               | 421-5W    | 421-5B         | 421U5M             | 421D5M              | 421-5C             |
|           | 36"    | 6'     | 421U6            | 421D6               | 421-6W    | 421-6B         | 421U6M             | 421D6M              | 421-6C             |
|           |        | 8'     | 421U8            | 421D8               | 421-8W    | 421-8B         | 421U8M             | 421D8M              | 421-8C             |
|           | 34"    | 4'     | 422U4            | 422D4               | 422-4W    | 422-4B         | 422U4M             | 422D4M              | 422-4C             |
|           | to     | 5'     | 422U5            | 422D5               | 422-5W    | 422-5B         | 422U5M             | 422D5M              | 422-5C             |
|           | 44"    | 6'     | 422U6            | 422D6               | 422-6W    | 422-6B         | 422U6M             | 422D6M              | 422-6C             |
|           |        | 8'     | 422U8            | 422D8               | 422-8W    | 422-8B         | 422U8M             | 422D8M              | 422-8C             |
| 36" Depth |        |        |                  |                     |           |                |                    |                     |                    |
|           | 26"    | 4'     | 431U4            | 431D4               | 431-4W    | 431-4B         | 431U4M             | 431D4M              | 431-4C             |
|           | to     | 5'     | 431U5            | 431D5               | 431-5W    | 431-5B         | 431U5M             | 431D5M              | 431-5C             |
|           | 36"    | 6'     | 431U6            | 431D6               | 431-6W    | 431-6B         | 431U6M             | 431D6M              | 431-6C             |
|           |        | 8'     | 431U8            | 431D8               | 431-8W    | 431-8B         | 431U8M             | 431D8M              | 431-8C             |
|           | 34"    | 4'     | 432U4            | 432D4               | 432-4W    | 432-4B         | 432U4M             | 432D4M              | 432-4C             |
|           | to     | 5'     | 432U5            | 432D5               | 432-5W    | 432-5B         | 432U5M             | 432D5M              | 432-5C             |
|           | 44"    | 6'     | 432U6            | 432D6               | 432-6W    | 432-6B         | 432U6M             | 432D6M              | 432-6C             |
|           |        | 8'     | 432U8            | 432D8               | 432-8W    | 432-8B         | 432U8M             | 432D8M              | 432-8C             |



Iron-I Bench without lower shelf

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 121-122 feature Productivity Enhancements for these benches.

### Iron-I Bench with lower shelf

|           |        |        | Steel Tops |         | Wood Tops |                | Hardboard on Steel |         | ESD<br>Anti-Static |
|-----------|--------|--------|------------|---------|-----------|----------------|--------------------|---------|--------------------|
| Depth     | Height | Length | Backstop   |         | Hardwood  | Bonded<br>Wood | Backstop           |         |                    |
|           |        |        | With       | Without |           |                | With               | Without |                    |
| 30" Depth |        |        |            |         |           |                |                    |         |                    |
|           | 26"    | 4'     | 423U4      | 423D4   | 423-4W    | 423-4B         | 423U4M             | 423D4M  | 423-4C             |
|           | to     | 5'     | 423U5      | 423D5   | 423-5W    | 423-5B         | 423U5M             | 423D5M  | 423-5C             |
|           | 36"    | 6'     | 423U6      | 423D6   | 423-6W    | 423-6B         | 423U6M             | 423D6M  | 423-6C             |
|           |        | 8'     | 423U8      | 423D8   | 423-8W    | 423-8B         | 423U8M             | 423D8M  | 423-8C             |
|           |        |        |            |         |           |                |                    |         |                    |
|           | 34"    | 4'     | 424U4      | 424D4   | 424-4W    | 424-4B         | 424U4M             | 424D4M  | 424-4C             |
|           | to     | 5'     | 424U5      | 424D5   | 424-5W    | 424-5B         | 424U5M             | 424D5M  | 424-5C             |
|           | 44"    | 6'     | 424U6      | 424D6   | 424-6W    | 424-6B         | 424U6M             | 424D6M  | 424-6C             |
|           |        | 8'     | 424U8      | 424D8   | 424-8W    | 424-8B         | 424U8M             | 424D8M  | 424-8C             |
| 36" Depth |        |        |            |         |           |                |                    |         |                    |
|           | 26"    | 4'     | 433U4      | 433D4   | 433-4W    | 433-4B         | 433U4M             | 433D4M  | 433-4C             |
|           | to     | 5'     | 433U5      | 433D5   | 433-5W    | 433-5B         | 433U5M             | 433D5M  | 433-5C             |
|           | 36"    | 6'     | 433U6      | 433D6   | 433-6W    | 433-6B         | 433U6M             | 433D6M  | 433-6C             |
|           |        | 8'     | 433U8      | 433D8   | 433-8W    | 433-8B         | 433U8M             | 433D8M  | 433-8C             |
|           |        |        |            |         |           |                |                    |         |                    |
|           | 34"    | 4'     | 434U4      | 434D4   | 434-4W    | 434-4B         | 434U4M             | 434D4M  | 434-4C             |
|           | to     | 5'     | 434U5      | 434D5   | 434-5W    | 434-5B         | 434U5M             | 434D5M  | 434-5C             |
|           | 44"    | 6'     | 434U6      | 434D6   | 434-6W    | 434-6B         | 434U6M             | 434D6M  | 434-6C             |
|           |        | 8'     | 434U8      | 434D8   | 434-8W    | 434-8B         | 434U8M             | 434D8M  | 434-8C             |



Iron-I Bench with lower shelf

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 121-122 feature Productivity Enhancements for these benches.

## Adjustable Height Iron-I Workcenter - Preconfigured Units cont'd

### Iron-I Bench with lower shelf and rails

| Wood Tops |        |                        |          |                |                            |                    |  |
|-----------|--------|------------------------|----------|----------------|----------------------------|--------------------|--|
| Height    | Length | Steel<br>with Backstop | Hardwood | Bonded<br>Wood | Hardboard<br>with Backstop | ESD<br>Anti-Static |  |
| 30" Depth |        |                        |          |                |                            |                    |  |
| 26"       | 4'     | 425U4                  | 425-4W   | 425-4B         | 425U4M                     | 425-4C             |  |
| to        | 5'     | 425U5                  | 425-5W   | 425-5B         | 425U5M                     | 425-5C             |  |
| 36"       | 6'     | 425U6                  | 425-6W   | 425-6B         | 425U6M                     | 425-6C             |  |
|           | 8'     | 425U8                  | 425-8W   | 425-8B         | 425U8M                     | 425-8C             |  |
| 34"       | 4'     | 426U4                  | 426-4W   | 426-4B         | 426U4M                     | 426-4C             |  |
| to        | 5'     | 426U5                  | 426-5W   | 426-5B         | 426U5M                     | 426-5C             |  |
| 44"       | 6'     | 426U6                  | 426-6W   | 426-6B         | 426U6M                     | 426-6C             |  |
|           | 8'     | 426U8                  | 426-8W   | 426-8B         | 426U8M                     | 426-8C             |  |
| 36" Depth |        |                        |          |                |                            |                    |  |
| 26"       | 4'     | 435U4                  | 435-4W   | 435-4B         | 435U4M                     | 435-4C             |  |
| to        | 5'     | 435U5                  | 435-5W   | 435-5B         | 435U5M                     | 435-5C             |  |
| 36"       | 6'     | 435U6                  | 435-6W   | 435-6B         | 435U6M                     | 435-6C             |  |
|           | 8'     | 435U8                  | 435-8W   | 435-8B         | 435U8M                     | 435-8C             |  |
| 34"       | 4'     | 436U4                  | 436-4W   | 436-4B         | 436U4M                     | 436-4C             |  |
| to        | 5'     | 436U5                  | 436-5W   | 436-5B         | 436U5M                     | 436-5C             |  |
| 44"       | 6'     | 436U6                  | 436-6W   | 436-6B         | 436U6M                     | 436-6C             |  |
|           | 8'     | 436U8                  | 436-8W   | 436-8B         | 436U8M                     | 436-8C             |  |

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 121-122 feature Productivity Enhancements for these benches.



Iron-I Bench with lower shelf, and side and back rails

### Iron-I Bench with lower shelf, aerial shelf, drawer, and rails

| Wood Tops |        |        |                        |          |                |                            |                    |
|-----------|--------|--------|------------------------|----------|----------------|----------------------------|--------------------|
| Depth     | Height | Length | Steel<br>with Backstop | Hardwood | Bonded<br>Wood | Hardboard<br>with Backstop | ESD<br>Anti-Static |
| 30" Depth |        |        |                        |          |                |                            |                    |
|           |        | 4'     | 427U4                  | 427-4W   | 427-4B         | 427U4M                     | 427-4C             |
|           | 26"    | 5'     | 427U5                  | 427-5W   | 427-5B         | 427U5M                     | 427-5C             |
|           | to     | 6'     | 427U6                  | 427-6W   | 427-6B         | 427U6M                     | 427-6C             |
|           | 36"    | 8'     | 427U8                  | 427-8W   | 427-8B         | 427U8M                     | 427-8C             |
|           | 34"    | 4'     | 428U4                  | 428-4W   | 428-4B         | 428U4M                     | 428-4C             |
|           | to     | 5'     | 428U5                  | 428-5W   | 428-5B         | 428U5M                     | 428-5C             |
|           | 44"    | 6'     | 428U6                  | 428-6W   | 428-6B         | 428U6M                     | 428-6C             |
|           |        | 8'     | 428U8                  | 428-8W   | 428-8B         | 428U8M                     | 428-8C             |
| 36" Depth |        |        |                        |          |                |                            |                    |
|           |        | 4'     | 437U4                  | 437-4W   | 437-4B         | 437U4M                     | 437-4C             |
|           | 26"    | 5'     | 437U5                  | 437-5W   | 437-5B         | 437U5M                     | 437-5C             |
|           | to     | 6'     | 437U6                  | 437-6W   | 437-6B         | 437U6M                     | 437-6C             |
|           | 36"    | 8'     | 437U8                  | 437-8W   | 437-8B         | 437U8M                     | 437-8C             |
|           | 34"    | 4'     | 438U4                  | 438-4W   | 438-4B         | 438U4M                     | 438-4C             |
|           | to     | 5'     | 438U5                  | 438-5W   | 438-5B         | 438U5M                     | 438-5C             |
|           | 44"    | 6'     | 438U6                  | 438-6W   | 438-6B         | 438U6M                     | 438-6C             |
|           |        | 8'     | 438U8                  | 438-8W   | 438-8B         | 438U8M                     | 438-8C             |

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 121-122 feature Productivity Enhancements for these benches.



Iron-I Bench with lower shelf, aerial shelf, drawer and rails

# Open Leg Workcenters

A simple and convenient way to achieve efficient work space with economy and endurance.

This basic unit is designed to boost your productivity over years and years of demanding use.

## Open Leg Workcenter - 2200 series

|           |        |        | Steel Top Backstop |         | Wood Tops |             | Hardboard Backstop |         | ESD         |
|-----------|--------|--------|--------------------|---------|-----------|-------------|--------------------|---------|-------------|
| Depth     | Height | Length | With               | Without | Hardwood  | Bonded Wood | With               | Without | Anti-Static |
| 30" Depth |        |        |                    |         |           |             |                    |         |             |
| 29"       | 4'     |        | 2221U4             | 2221D4  | 2221-4W   | 2221-4B     | 2221U4M            | 2221D4M | 2221-4C     |
|           | 5'     |        | 2221U5             | 2221D5  | 2221-5W   | 2221-5B     | 2221U5M            | 2221D5M | 2221-5C     |
|           | 6'     |        | 2221U6             | 2221D6  | 2221-6W   | 2221-6B     | 2221U6M            | 2221D6M | 2221-6C     |
|           | 8'     |        | 2221U8             | 2221D8  | 2221-8W   | 2221-8B     | 2221U8M            | 2221D8M | 2221-8C     |
| 31 1/4"   | 4'     |        | 2222U4             | 2222D4  | 2222-4W   | 2222-4B     | 2222U4M            | 2222D4M | 2222-4C     |
|           | 5'     |        | 2222U5             | 2222D5  | 2222-5W   | 2222-5B     | 2222U5M            | 2222D5M | 2222-5C     |
|           | 6'     |        | 2222U6             | 2222D6  | 2222-6W   | 2222-6B     | 2222U6M            | 2222D6M | 2222-6C     |
|           | 8'     |        | 2222U8             | 2222D8  | 2222-8W   | 2222-8B     | 2222U8M            | 2222D8M | 2222-8C     |
| 34"       | 4'     |        | 2223U4             | 2223D4  | 2223-4W   | 2223-4B     | 2223U4M            | 2223D4M | 2223-4C     |
|           | 5'     |        | 2223U5             | 2223D5  | 2223-5W   | 2223-5B     | 2223U5M            | 2223D5M | 2223-5C     |
|           | 6'     |        | 2223U6             | 2223D6  | 2223-6W   | 2223-6B     | 2223U6M            | 2223D6M | 2223-6C     |
|           | 8'     |        | 2223U8             | 2223D8  | 2223-8W   | 2223-8B     | 2223U8M            | 2223D8M | 2223-8C     |
| 36" Depth |        |        |                    |         |           |             |                    |         |             |
| 29"       | 4'     |        | 2231U4             | 2231D4  | 2231-4W   | 2231-4B     | 2231U4M            | 2231D4M | 2231-4C     |
|           | 5'     |        | 2231U5             | 2231D5  | 2231-5W   | 2231-5B     | 2231U5M            | 2231D5M | 2231-5C     |
|           | 6'     |        | 2231U6             | 2231D6  | 2231-6W   | 2231-6B     | 2231U6M            | 2231D6M | 2231-6C     |
|           | 8'     |        | 2231U8             | 2231D8  | 2231-8W   | 2231-8B     | 2231U8M            | 2231D8M | 2231-8C     |
| 31 1/4"   | 4'     |        | 2232U4             | 2232D4  | 2232-4W   | 2232-4B     | 2232U4M            | 2232D4M | 2232-4C     |
|           | 5'     |        | 2232U5             | 2232D5  | 2232-5W   | 2232-5B     | 2232U5M            | 2232D5M | 2232-5C     |
|           | 6'     |        | 2232U6             | 2232D6  | 2232-6W   | 2232-6B     | 2232U6M            | 2232D6M | 2232-6C     |
|           | 8'     |        | 2232U8             | 2232D8  | 2232-8W   | 2232-8B     | 2232U8M            | 2232D8M | 2232-8C     |
| 34"       | 4'     |        | 2233U4             | 2233D4  | 2233-4W   | 2233-4B     | 2233U4M            | 2233D4M | 2233-4C     |
|           | 5'     |        | 2233U5             | 2233D5  | 2233-5W   | 2233-5B     | 2233U5M            | 2233D5M | 2233-5C     |
|           | 6'     |        | 2233U6             | 2233D6  | 2233-6W   | 2233-6B     | 2233U6M            | 2233D6M | 2233-6C     |
|           | 8'     |        | 2233U8             | 2233D8  | 2233-8W   | 2233-8B     | 2233U8M            | 2233D8M | 2233-8C     |




Open leg bench **without** lower shelf

## Open Leg Workcenter - 2300 series

As rugged as the basic open leg unit, with the added feature of a spacious lower shelf. The 2300 series provides superior strength,

with built-in versatility for adapting, adding on and custom building to match bench capability to your work needs.

|           |         |        | Steel Top Backstop |         | Wood Tops |             | Hardboard Backstop |         | ESD         |
|-----------|---------|--------|--------------------|---------|-----------|-------------|--------------------|---------|-------------|
| Depth     | Height  | Length | With               | Without | Hardwood  | Bonded Wood | With               | Without | Anti-Static |
| 30" Depth |         |        |                    |         |           |             |                    |         |             |
|           | 29"     | 4'     | 2321U4             | 2321D4  | 2321-4W   | 2321-4B     | 2321U4M            | 2321D4M | 2321-4C     |
|           |         | 5'     | 2321U5             | 2321D5  | 2321-5W   | 2321-5B     | 2321U5M            | 2321D5M | 2321-5C     |
|           |         | 6'     | 2321U6             | 2321D6  | 2321-6W   | 2321-6B     | 2321U6M            | 2321D6M | 2321-6C     |
|           |         | 8'     | 2321U8             | 2321D8  | 2321-8W   | 2321-8B     | 2321U8M            | 2321D8M | 2321-8C     |
|           | 31 1/4" | 4'     | 2322U4             | 2322D4  | 2322-4W   | 2322-4B     | 2322U4M            | 2322D4M | 2322-4C     |
|           |         | 5'     | 2322U5             | 2322D5  | 2322-5W   | 2322-5B     | 2322U5M            | 2322D5M | 2322-5C     |
|           |         | 6'     | 2322U6             | 2322D6  | 2322-6W   | 2322-6B     | 2322U6M            | 2322D6M | 2322-6C     |
|           |         | 8'     | 2322U8             | 2322D8  | 2322-8W   | 2322-8B     | 2322U8M            | 2322D8M | 2322-8C     |
|           | 34"     | 4'     | 2323U4             | 2323D4  | 2323-4W   | 2323-4B     | 2323U4M            | 2323D4M | 2323-4C     |
|           |         | 5'     | 2323U5             | 2323D5  | 2323-5W   | 2323-5B     | 2323U5M            | 2323D5M | 2323-5C     |
|           |         | 6'     | 2323U6             | 2323D6  | 2323-6W   | 2323-6B     | 2323U6M            | 2323D6M | 2323-6C     |
|           |         | 8'     | 2323U8             | 2323D8  | 2323-8W   | 2323-8B     | 2323U8M            | 2323D8M | 2323-8C     |
| 36" Depth |         |        |                    |         |           |             |                    |         |             |
|           | 29"     | 4'     | 2331U4             | 2331D4  | 2331-4W   | 2331-4B     | 2331U4M            | 2331D4M | 2331-4C     |
|           |         | 5'     | 2331U5             | 2331D5  | 2331-5W   | 2331-5B     | 2331U5M            | 2331D5M | 2331-5C     |
|           |         | 6'     | 2331U6             | 2331D6  | 2331-6W   | 2331-6B     | 2331U6M            | 2331D6M | 2331-6C     |
|           |         | 8'     | 2331U8             | 2331D8  | 2331-8W   | 2331-8B     | 2331U8M            | 2331D8M | 2331-8C     |
|           | 31 1/4" | 4'     | 2332U4             | 2332D4  | 2332-4W   | 2332-4B     | 2332U4M            | 2332D4M | 2332-4C     |
|           |         | 5'     | 2332U5             | 2332D5  | 2332-5W   | 2332-5B     | 2332U5M            | 2332D5M | 2332-5C     |
|           |         | 6'     | 2332U6             | 2332D6  | 2332-6W   | 2332-6B     | 2332U6M            | 2332D6M | 2332-6C     |
|           |         | 8'     | 2332U8             | 2332D8  | 2332-8W   | 2332-8B     | 2332U8M            | 2332D8M | 2332-8C     |
|           | 34"     | 4'     | 2333U4             | 2333D4  | 2333-4W   | 2333-4B     | 2333U4M            | 2333D4M | 2333-4C     |
|           |         | 5'     | 2333U5             | 2333D5  | 2333-5W   | 2333-5B     | 2333U5M            | 2333D5M | 2333-5C     |
|           |         | 6'     | 2333U6             | 2333D6  | 2333-6W   | 2333-6B     | 2333U6M            | 2333D6M | 2333-6C     |
|           |         | 8'     | 2333U8             | 2333D8  | 2333-8W   | 2333-8B     | 2333U8M            | 2333D8M | 2333-8C     |



Open leg bench **with** lower shelf

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.

Pages 121-122 feature Productivity Enhancements for these benches.

A standard color chart is available on page 160.



Carefully engineered for rugged use with 3 sides of the top enclosed, and a bottom shelf. Equipto Series 2400 Open Leg Workcenters are extremely versatile units. Completely modular, completely flexible - with variations to match any work area requirements. A full range of easily-added accessories further expands your options.

## Open Leg Workcenters - 2400 series

|           |         |        | Wood Tops              |          |                |                            |                    |
|-----------|---------|--------|------------------------|----------|----------------|----------------------------|--------------------|
| Depth     | Height  | Length | Steel<br>with Backstop | Hardwood | Bonded<br>Wood | Hardboard<br>with Backstop | ESD<br>Anti-Static |
| 30" Depth |         |        |                        |          |                |                            |                    |
|           | 29"     | 4'     | 2421U4                 | 2421-4W  | 2421-4B        | 2421U4M                    | 2421-4C            |
|           |         | 5'     | 2421U5                 | 2421-5W  | 2421-5B        | 2421U5M                    | 2421-5C            |
|           |         | 6'     | 2421U6                 | 2421-6W  | 2421-6B        | 2421U6M                    | 2421-6C            |
|           | 8'      | 2421U8 | 2421-8W                | 2421-8B  | 2421U8M        | 2421-8C                    |                    |
|           | 31 1/4" | 4'     | 2422U4                 | 2422-4W  | 2422-4B        | 2422U4M                    | 2422-4C            |
|           |         | 5'     | 2422U5                 | 2422-5W  | 2422-5B        | 2422U5M                    | 2422-5C            |
|           | 6'      | 2422U6 | 2422-6W                | 2422-6B  | 2422U6M        | 2422-6C                    |                    |
|           | 8'      | 2422U8 | 2422-8W                | 2422-8B  | 2422U8M        | 2422-8C                    |                    |
|           | 34"     | 4'     | 2423U4                 | 2423-4W  | 2423-4B        | 2423U4M                    | 2423-4C            |
|           | 5'      | 2423U5 | 2423-5W                | 2423-5B  | 2423U5M        | 2423-5C                    |                    |
|           | 6'      | 2423U6 | 2423-6W                | 2423-6B  | 2423U6M        | 2423-6C                    |                    |
|           | 8'      | 2423U8 | 2423-8W                | 2423-8B  | 2423U8M        | 2423-8C                    |                    |
| 36" Depth |         |        |                        |          |                |                            |                    |
|           | 29"     | 4'     | 2431U4                 | 2431-4W  | 2431-4B        | 2431U4M                    | 2431-4C            |
|           |         | 5'     | 2431U5                 | 2431-5W  | 2431-5B        | 2431U5M                    | 2431-5C            |
|           |         | 6'     | 2431U6                 | 2431-6W  | 2431-6B        | 2431U6M                    | 2431-6C            |
|           | 8'      | 2431U8 | 2431-8W                | 2431-8B  | 2431U8M        | 2431-8C                    |                    |
|           | 31 1/4" | 4'     | 2432U4                 | 2432-4W  | 2432-4B        | 2432U4M                    | 2432-4C            |
|           |         | 5'     | 2432U5                 | 2432-5W  | 2432-5B        | 2432U5M                    | 2432-5C            |
|           | 6'      | 2432U6 | 2432-6W                | 2432-6B  | 2432U6M        | 2432-6C                    |                    |
|           | 8'      | 2432U8 | 2432-8W                | 2432-8B  | 2432U8M        | 2432-8C                    |                    |
|           | 34"     | 4'     | 2433U4                 | 2433-4W  | 2433-4B        | 2433U4M                    | 2433-4C            |
|           | 5'      | 2433U5 | 2433-5W                | 2433-5B  | 2433U5M        | 2433-5C                    |                    |
|           | 6'      | 2433U6 | 2433-6W                | 2433-6B  | 2433U6M        | 2433-6C                    |                    |
|           | 8'      | 2433U8 | 2433-8W                | 2433-8B  | 2433U8M        | 2433-8C                    |                    |

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.



Open leg bench **with** lower shelf and side and back rails

Replace the letter at the end of the part numbers with a "P" to order with a plastic laminate top.  
Ex. 2423-6C to 2423-6P

## Open Leg Workcenters - 2500 series

An open, modular style unit with standard features that increase bench efficiency. Everything you need to accommodate your situation — with 3 sides enclosed, aerial shelf, lower shelf, and drawer space all in one rugged unit.

|           |         |         | Wood Tops              |          |                |                            |                    |         |
|-----------|---------|---------|------------------------|----------|----------------|----------------------------|--------------------|---------|
| Depth     | Height  | Length  | Steel<br>with Backstop | Hardwood | Bonded<br>Wood | Hardboard<br>with Backstop | ESD<br>Anti-Static |         |
| 30" Depth |         |         |                        |          |                |                            |                    |         |
|           | 29"     | 4'      | 2521U4                 | 2521-4W  | 2521-4B        | 2521U4M                    | 2521-4C            |         |
|           |         | 5'      | 2521U5                 | 2521-5W  | 2521-5B        | 2521U5M                    | 2521-5C            |         |
|           |         | 6'      | 2521U6                 | 2521-6W  | 2521-6B        | 2521U6M                    | 2521-6C            |         |
|           | 31 1/4" | 8'      | 2521U8                 | 2521-8W  | 2521-8B        | 2521U8M                    | 2521-8C            |         |
|           |         | 4'      | 2522U4                 | 2522-4W  | 2522-4B        | 2522U4M                    | 2522-4C            |         |
|           |         | 5'      | 2522U5                 | 2522-5W  | 2522-5B        | 2522U5M                    | 2522-5C            |         |
|           |         | 6'      | 2522U6                 | 2522-6W  | 2522-6B        | 2522U6M                    | 2522-6C            |         |
|           |         | 8'      | 2522U8                 | 2522-8W  | 2522-8B        | 2522U8M                    | 2522-8C            |         |
|           |         | 34"     | 4'                     | 2523U4   | 2523-4W        | 2523-4B                    | 2523U4M            | 2523-4C |
|           |         | 5'      | 2523U5                 | 2523-5W  | 2523-5B        | 2523U5M                    | 2523-5C            |         |
|           |         | 6'      | 2523U6                 | 2523-6W  | 2523-6B        | 2523U6M                    | 2523-6C            |         |
|           |         | 8'      | 2523U8                 | 2523-8W  | 2523-8B        | 2523U8M                    | 2523-8C            |         |
| 36" Depth |         |         |                        |          |                |                            |                    |         |
|           | 29"     | 4'      | 2531U4                 | 2531-4W  | 2531-4B        | 2531U4M                    | 2531-4C            |         |
|           |         | 5'      | 2531U5                 | 2531-5W  | 2531-5B        | 2531U5M                    | 2531-5C            |         |
|           |         | 6'      | 2531U6                 | 2531-6W  | 2531-6B        | 2531U6M                    | 2531-6C            |         |
|           |         | 8'      | 2531U8                 | 2531-8W  | 2531-8B        | 2531U8M                    | 2531-8C            |         |
|           |         | 31 1/4" | 4'                     | 2532U4   | 2532-4W        | 2532-4B                    | 2532U4M            | 2532-4C |
|           |         | 5'      | 2532U5                 | 2532-5W  | 2532-5B        | 2532U5M                    | 2532-5C            |         |
|           |         | 6'      | 2532U6                 | 2532-6W  | 2532-6B        | 2532U6M                    | 2532-6C            |         |
|           |         | 8'      | 2532U8                 | 2532-8W  | 2532-8B        | 2532U8M                    | 2532-8C            |         |
|           |         | 34"     | 4'                     | 2533U4   | 2533-4W        | 2533-4B                    | 2533U4M            | 2533-4C |
|           |         | 5'      | 2533U5                 | 2533-5W  | 2533-5B        | 2533U5M                    | 2533-5C            |         |
|           |         | 6'      | 2533U6                 | 2533-6W  | 2533-6B        | 2533U6M                    | 2533-6C            |         |
|           |         | 8'      | 2533U8                 | 2533-8W  | 2533-8B        | 2533U8M                    | 2533-8C            |         |

8' bench legs are on 6' centers. The top overhangs legs 1' on each side.



Open leg bench **with** lower shelf, side and back rails, aerial shelf and a drawer

Workcenters & Workbenches

Pages 121-122 feature Productivity Enhancements for these benches.

A standard color chart is available on page 160.

# Teardown Bench

## Teardown Bench features and benefits

- Ideal for working on transmissions, small engines and hydraulic components
- Reinforced work surface will stand up to years of heavy use
- Top has a 3/4" high retaining lip on all sides tapering to the rear center to a 1/2" threaded and plumbed drain
- Optional caster kit consists of 4 swivel 7 1/2"H casters
- 1/2" threaded drain nipple allows for connection of a hose to divert fluid to a storage container; or capture fluid with an optional fluid container kit



S-2301DT shown with fluid container, drawer kit, shelf, and optional caster kit.

## Teardown Benches

| Part No. | Description         | Depth | Width | Leg Height |
|----------|---------------------|-------|-------|------------|
| 2301DT   | Steel Top           | 30"   | 48"   | 29"        |
| 2303DT   | Steel Top           | 30"   | 48"   | 34"        |
| 2311DT   | Steel Top           | 30"   | 60"   | 29"        |
| 2313DT   | Steel Top           | 30"   | 60"   | 34"        |
| 2301DTSS | Stainless Steel Top | 30"   | 48"   | 29"        |
| 2303DTSS | Stainless Steel Top | 30"   | 48"   | 34"        |
| 2311DTSS | Stainless Steel Top | 30"   | 60"   | 29"        |
| 2313DTSS | Stainless Steel Top | 30"   | 60"   | 34"        |

Add "S-" to the part number to include container and drawer kit, e.g. S-2301DT.

## Kits and Accessories

| Part No.   | Description                                    |
|------------|------------------------------------------------|
| TDFLKT48   | Fluid Container Kit w/ Channels – 48"          |
| TDFLKT60   | Fluid Container Kit w/ Channels – 60"          |
| TDDWKT48   | Drawer Kit w/ Channels – 48"                   |
| TDDWKT60   | Drawer Kit w/ Channels – 60"                   |
| TDFLDWKT48 | Fluid Container & Drawer Kit w/ Channels – 48" |
| TDFLDWKT60 | Fluid Container & Drawer Kit w/ Channels – 60" |
| 2203       | Caster Kit – 30"                               |
| 6120       | Bottom Shelf – 48"                             |
| 6121       | Bottom Shelf – 60"                             |

\*Kit support channels are required when ordering a fluid container kit or a drawer kit. If both kits are ordered for the same bench, only one set of kit support channels is needed.

## Wall mount Open Leg Bench

|           |        | Wood Tops     |          |         |               | ESD<br>Anti-Static |
|-----------|--------|---------------|----------|---------|---------------|--------------------|
|           |        | Steel Tops    |          | Bonded  | Hardboard     |                    |
| Depth     | Length | With Backstop | Hardwood | Wood    | With Backstop |                    |
| 30" Depth |        |               |          |         |               |                    |
|           | 30"    | 2340U3        | 2340-3W  | 2340-3B | 2340U3M       | —                  |
|           | 4'     | 2340U4        | 2340-4W  | 2340-4B | 2340U4M       | 2340-4C            |
|           | 5'     | 2340U5        | 2340-5W  | 2340-5B | 2340U5M       | 2340-5C            |
|           | 6'     | 2340U6        | 2340-6W  | 2340-6B | 2340U6M       | 2340-6C            |
|           | 8'     | 2340U8        | 2340-8W  | 2340-8B | 2340U8M       | 2340-8C            |
| 36" Depth |        |               |          |         |               |                    |
|           | 30"    | 2345U3        | 2345-3W  | 2345-3B | 2345U3M       | —                  |
|           | 4'     | 2345U4        | 2345-4W  | 2345-4B | 2345U4M       | 2345-4C            |
|           | 5'     | 2345U5        | 2345-5W  | 2345-5B | 2345U5M       | 2345-5C            |
|           | 6'     | 2345U6        | 2345-6W  | 2345-6B | 2345U6M       | 2345-6C            |
|           | 8'     | 2345U8        | 2345-8W  | 2345-8B | 2345U8M       | 2345-8C            |

A standard color chart is available on page 160.



2307DT  
Fluid Container Kit



221DT - Drawer Kit




2203 - Caster Kit

- Easy to anchor to wall
- Clean-up of work area is easy
- Efficient use of wall space



2345U6

## Open Leg Workcenters - Accessories



### Bottom Shelves

| Description                           | Part No. |
|---------------------------------------|----------|
| 12 <sup>7</sup> / <sub>8</sub> " x 4' | 6120     |
| 12 <sup>7</sup> / <sub>8</sub> " x 5' | 6121     |
| 12 <sup>7</sup> / <sub>8</sub> " x 6' | 6122     |

### Mobile Caster Kit for Open Leg Bench

Mobile Kit adds 7<sup>1</sup>/<sub>2</sub>" to the height of bench

| Depth | Part No. |
|-------|----------|
| 30"   | 2203     |
| 36"   | 2204     |

### Closed Leg Bench Caster Sets

| Part No. | Description        |
|----------|--------------------|
| 2205-4   | 4' long bench      |
| 2205-5   | 5' long bench      |
| 2205-6   | 6' & 8' long bench |

Caster kits include: (4) locking swivel casters  
1200 total lb. static load capacity per set of 4



### Bench Legs

Welded, one-piece steel units seamed for strength and safety.

| Depth                            | Height                           | Part No. |
|----------------------------------|----------------------------------|----------|
| <b>Nominal 30"</b>               |                                  |          |
| 28 <sup>1</sup> / <sub>2</sub> " | 29"                              | 9921     |
| 28 <sup>1</sup> / <sub>2</sub> " | 31 <sup>1</sup> / <sub>4</sub> " | 9922     |
| 28 <sup>1</sup> / <sub>2</sub> " | 34"                              | 9923     |
| <b>Nominal 36"</b>               |                                  |          |
| 34 <sup>1</sup> / <sub>2</sub> " | 29"                              | 9931     |
| 34 <sup>1</sup> / <sub>2</sub> " | 31 <sup>1</sup> / <sub>4</sub> " | 9932     |
| 34 <sup>1</sup> / <sub>2</sub> " | 34"                              | 9933     |

### Back Stringers

| Size | Part No. |
|------|----------|
| 4'   | 10251    |
| 5'   | 10252    |
| 6'   | 10253    |




### Bench Legs

| Depth | Height    | Part No. |
|-------|-----------|----------|
| 29"   | 26" - 36" | 420L30   |
| 35"   | 26" - 36" | 420L36   |
| 29"   | 34" - 44" | 420H30   |
| 35"   | 34" - 44" | 420H36   |

## Iron-I Workcenter - Accessories

Equipto Iron-I Benches have the flexibility for planned expansion. Our parts and accessories allow you to keep up with changing requirements.



**IRON-I**

The Iron-I's legs adjust from heights of 26" to 44" in 1/2" increments. All structural parts are 12 gauge (.104") steel.  
**Each leg will support 1,000 lbs., static load**

### Bench Base

| Length | Part No. |
|--------|----------|
| 4'     | 6844     |
| 5'     | 6845     |
| 6'     | 6846     |

### Swivel Caster Set (4)

| Part No.    | Description         |
|-------------|---------------------|
| 11649-04    | non-locking         |
| 11649-04L   | with lock           |
| 11649-04HR  | hard rubber         |
| 11649-04HRL | hard rubber w/ lock |

### Leveler Set

| Quantity | Part No. |
|----------|----------|
| 4        | 11650-04 |

### Bottom Shelves

| Description                            | Part No. |
|----------------------------------------|----------|
| 13 <sup>1</sup> / <sub>2</sub> " x 48" | 6054     |
| 13 <sup>1</sup> / <sub>2</sub> " x 60" | 6055     |
| 13 <sup>1</sup> / <sub>2</sub> " x 72" | 6056     |



# Workcenter Accessories

## Production Boosters

- Can be used on any work bench
- Hands off use for manuals and instruments
- Shelves adjust to any angle, tip toward front or back
- Safely holds expensive test equipment
- Can triple work surface

| A. 14" High Unit  | For 4' Bench | For 5' Bench | For 6' Bench |
|-------------------|--------------|--------------|--------------|
| With 1 Shelf      | 454T48       | 454T60       | 454T72       |
| B. 24" High Unit  | For 4' Bench | For 5' Bench | For 6' Bench |
| With 1 Shelf      | 451T48       | 451T60       | 451T72       |
| With 2 Shelves    | 452T48       | 452T60       | 452T72       |
| With 3 Shelves    | 453T48       | 453T60       | 453T72       |
| D. 36" High Unit  | For 4' Bench | For 5' Bench | For 6' Bench |
| With 1 Shelf      | 461T48       | 461T60       | 461T72       |
| With 2 Shelves    | 462T48       | 462T60       | 462T72       |
| With 3 Shelves    | 463T48       | 463T60       | 463T72       |
| Extra Top Shelves | 450T48       | 450T60       | 450T72       |

For additional intermediate shelves please contact Equipto Inside Sales

| C. Cabinet              |                 |
|-------------------------|-----------------|
| 13" D x 30" W x 27" H   | Part No. 1734DI |
| 2 required for 5' bench |                 |
| 13" D x 36" W x 27" H   | Part No. 1735DI |
| 2 required for 6' bench |                 |

None available for 4' benches


NOTE: To order production booster with top shelf that can be tilted, substitute "—" for "T" in part number.

Intermediate shelves are 13<sup>1/2</sup>" D x 44", 56" or 68" L


Full length top shelves are 13<sup>1/2</sup>" D x 48", 60" or 72" L

## Drawers

Pilfer-proof, enclosed frame, in 2 widths and heights, for mounting up to 3 drawers wide and 3 drawers high with hasp and knockout for locks.



221-2



223

| Drawer Size                                                                                                    | For Bench Top Type                   | Starting Unit | Additional Unit | 2-Drawer Stack | 3-Drawer Stack |
|----------------------------------------------------------------------------------------------------------------|--------------------------------------|---------------|-----------------|----------------|----------------|
| Regular Size<br>Overall unit dimensions<br>15" W x 23 <sup>3/4</sup> " L x 6 <sup>1/4</sup> " H                | Steel or Hardboard on steel          | 221           | 221A            | 221-2          | 221-3          |
| Regular Size<br>Overall unit dimensions<br>15" W x 23 <sup>3/4</sup> " L x 6 <sup>1/4</sup> " H                | Wood, laminate, or ESD (Anti-Static) | 221A          | 221A            | 221A2          | 221A3          |
| Extra Large<br>Overall unit dimensions<br>21 <sup>1/2</sup> " W x 23 <sup>3/4</sup> " L x 7 <sup>3/4</sup> " H | Steel or hardboard on steel          | 223           | 223A            | 223-2          | 223-3*         |
| Extra Large<br>Overall unit dimensions<br>21 <sup>1/2</sup> " W x 23 <sup>3/4</sup> " L x 7 <sup>3/4</sup> " H | Wood, laminate, or ESD (Anti-Static) | 223A          | 223A            | 223A2          | 223A3*         |

\*Note: Fits only benches without bottom shelves



454T72 A



452T72 B



452T72 B



463T72 D

## Aerial Shelf

- Added space
- Gain a shelf without losing table top space

All are 12" D x 14" H (For aerial to have back panel add BP to end of Part #)

Part No. 226-30 - 30" W

Part No. 226-48 - 48" W

Part No. 226-60 - 60" W

Part No. 226-72 - 72" W

Part No. 850696-96 - 96" W



Aerial Shelf

## Aerial Shelf with Back Panel

Developed for 12" D x 14" H Aerial shelves

Part No. 226-30BP - 30" W

Part No. 226-48BP - 48" W

Part No. 226-60BP - 60" W


Part No. 226-72BP - 72" W

Part No. 7989-30 - 30" W back panel only

Part No. 7989-48 - 48" W back panel only

Part No. 7989-60 - 60" W back panel only

Part No. 7989-72 - 72" W back panel only



### Back Rail — Wood Top

| Description | Part No. |
|-------------|----------|
| 4' long     | 7404     |
| 5' long     | 7405     |
| 6' long     | 7406     |
| 8' long     | 7411     |
| 30" long    | 7407     |

### End Rail — Wood Top

| Description | Part No. |
|-------------|----------|
| 30" left    | 7420L    |
| 30" right   | 7420R    |
| 36" left    | 7421L    |
| 36" right   | 7421R    |

### End Rail — Steel Top

| Description | Part No. |
|-------------|----------|
| 30" left    | 7417L    |
| 30" right   | 7417R    |
| 36" left    | 7418L    |
| 36" right   | 7418R    |

### End Rail — Stainless Steel Top


| Description | Part No. |
|-------------|----------|
| 30" left    | 7417LS   |
| 30" right   | 7417RS   |

## Accessories - continued

### Tops

| Style               | Length | 30" Deep  | 30" Deep<br>Stainless<br>Steel | 36" Deep |
|---------------------|--------|-----------|--------------------------------|----------|
| Steel Top           | 4'     | 441U4     | 441U4SS                        | 442U4    |
| (12 gauge)          | 5'     | 441U5     | 441U5SS                        | 442U5    |
| With Backstop       | 6'     | 441U6     | 441U6SS                        | 442U6    |
|                     | 8'     | 441U8     | 441U8SS                        | 442U8    |
| Steel Top           | 4'     | 441D4     | 441D4SS                        | 442D4    |
| (12 gauge)          | 5'     | 441D5     | 441D5SS                        | 442D5    |
| Without Backstop    | 6'     | 441D6     | 441D6SS                        | 442D6    |
|                     | 8'     | 441D8     | 441D8SS                        | 442D8    |
| Stainless Steel Top | 4'     | 441-4SSW4 | —                              | —        |
| With Wood Core      | 5'     | 441-5SSW4 | —                              | —        |
| 15/8" thick         | 6'     | 441-6SSW4 | —                              | —        |
|                     | 8'     | 441-8SSW4 | —                              | —        |
| Hardboard           | 4'     | 441U4M    | —                              | 442U4M   |
| On Steel,           | 5'     | 441U5M    | —                              | 442U5M   |
| With Backstop       | 6'     | 441U6M    | —                              | 442U6M   |
|                     | 8'     | 441U8M    | —                              | 442U8M   |
| Hardboard           | 4'     | 441D4M    | —                              | 442D4M   |
| On Steel,           | 5'     | 441D5M    | —                              | 442D5M   |
| Without Backstop    | 6'     | 441D6M    | —                              | 442D6M   |
|                     | 8'     | 441D8M    | —                              | 442D8M   |
| Bonded              | 4'     | 441-4B    | —                              | 442-4B   |
| Wood,               | 5'     | 441-5B    | —                              | 442-5B   |
| 13/4" thick         | 6'     | 441-6B    | —                              | 442-6B   |
|                     | 8'     | 441-8B    | —                              | 442-8B   |
| Hardwood            | 4'     | 441-4W    | —                              | 442-4W   |
| 13/4" thick         | 5'     | 441-5W    | —                              | 442-5W   |
|                     | 6'     | 441-6W    | —                              | 442-6W   |
|                     | 8'     | 441-8W    | —                              | 442-8W   |
| ESD                 | 4'     | 441-4C    | —                              | 442-4C   |
| (Anti-Static)       | 5'     | 441-5C    | —                              | 442-5C   |
| 11/4" thick         | 6'     | 441-6C    | —                              | 442-6C   |
|                     | 8'     | 441-8C    | —                              | 442-8C   |
| Plastic Laminate*   | 4'     | 441-4P    | —                              | 442-4P   |
| 11/4" thick         | 5'     | 441-5P    | —                              | 442-5P   |
|                     | 6'     | 441-6P    | —                              | 442-6P   |
|                     | 8'     | 441-8P    | —                              | 442-8P   |

\* plastic laminate unable to span greater than 60" W without center support



### Convenience cube

12" x 12" x 12" cube. Protect fragile items or personalize a workcenter. Lock door with padlock or key lock. Part No. 121212



### Locks

Lock assembly fits all bench drawers and doors (padlock hasp is standard).

| Description | Part No. |
|-------------|----------|
| Key lock    | 10405    |
| Keyed Alike | 10405ka  |

### Number Plates

Available for any number from 1 - 500 (please specify).

Number plate 13013



### Electrical Power Center

Compact, with 4 outlets, On-Off switch, 15 Amp breaker, 15 ft. cord with ground. Easy to install where you need it. Part No. 229-4

# Equiptoflex Workcenters

This is the most flexible technical workcenter available. Designed ergonomically for the 21st century, it changes with you. Three sizes of cabinets, four sizes of drawers, four sizes of doors and six choices of work surfaces mean almost limitless design options for you. Add to

that, electrical legs, bottom shelves, locks, aerial shelves with or without electrical outlets, and Equipto cabinets, and seating, and you have a total, flexible, technical workcenter. One that adapts to your changing requirements!

- These attractive workcenters compliment and enhance other Equipto workcenters and modular drawers.
- 100% extension on drawers
- Hinged Doors
- Shelves
- Quiet Ride™ drawers
- UL approved fused electrical outlets
- ESD paint available
- 6 work surfaces from which to choose
- 100 lb. static load capacity per drawer
- Pre-engineered units
- Custom designed units
- Built-in label holder
- Optional unit locking mechanism
- Leveling feet



389 Series

## Use In:

Assembly  
Maintenance  
Manufacturing  
Office  
Hospitals  
Mail Room  
Packaging  
Technical  
Electronics

## Equipto Workcenters - Preconfigured Units - 360L (Left Return) and 360R (Right Return)



The right cabinet, in the main work surface area, consists of two 3"H drawers, one 6"H drawer and one 12"H file drawer.

In the left return area, the cabinet consists of two 12" H file drawers.

Main work area is 72"W x 36"D and return is 48"W x 30"D. Work surface is 30"H.

Model 360L - Plastic laminate top. (cloud spectrum)

Model 360LW - Picture shows wood top; optional aerial shelf with wood top is on page 137 and sold separately

To order unit with a right hand return instead of a left hand return order model

360R - Plastic laminate top.

360RW for Wood top

**\*\*Wood Tops add 1 3/4" to the overall height of the bench.**

Pullout Keyboard Tray 537



## Equiptoflex Workcenter - 29" Desk Height; 30" Deep

### 363 series

| Work Surface Type | Workcenter Widths |        |        |
|-------------------|-------------------|--------|--------|
|                   | 4'                | 5'     | 6'     |
| Plastic Laminate  | 363R4P            | 363R5P | 363R6P |
| ESD (Anti-Static) | 363R4C            | 363R5C | 363R6C |
| Hardwood          | 363R4W            | 363R5W | 363R6W |
| Bonded Wood       | 363R4B            | 363R5B | 363R6B |

Left hand cabinet with two 3"H drawers; four 4<sup>1/2</sup>"H drawers. Right hand cabinet with one full height 24"H door and one interior adjustable shelf. To order unit with cabinets reversed left to right, change letter in catalog number from "R" to "L". Bottom shelf on all workcenters. Drawer cabinet has central lock; door has individual lock.



Model 363R5P

### 364 series

| Work Surface Type | Workcenter Widths |        |        |
|-------------------|-------------------|--------|--------|
|                   | 4'                | 5'     | 6'     |
| Plastic Laminate  | 364R4P            | 364R5P | 364R6P |
| ESD (Anti-Static) | 364R4C            | 364R5C | 364R6C |
| Hardwood          | 364R4W            | 364R5W | 364R6W |
| Bonded Wood       | 364R4B            | 364R5B | 364R6B |

Left hand cabinet with one 3"H drawer; two 4<sup>1/2</sup>"H drawers; one 12" H hanging file drawer. Right hand cabinet with two 12"H doors and one adjustable shelf between doors. To order unit with cabinets reversed left to right, change letter in catalog number from "R" to "L". Bottom shelf on all work-centers. Drawer cabinet has central lock; doors have individual locks.



Model 364R5P

### 365 series

| Work Surface Type  | Workcenter Widths |        |        |
|--------------------|-------------------|--------|--------|
|                    | 4'                | 5'     | 6'     |
| Plastic Laminate   | 365-4P            | 365-5P | 365-6P |
| ESD (Anti-Static)  | 365-4C            | 365-5C | 365-6C |
| Hardwood           | 365-4W            | 365-5W | 365-6W |
| Bonded Wood        | 365-4B            | 365-5B | 365-6B |
| 12 Gauge Steel     | 365-4T            | 365-5T | 365-6T |
| Hardboard on Steel | 365-4M            | 365-5M | 365-6M |

Left hand cabinet with two 3"H drawers; one 6"H drawer; one 12"H hanging file drawer. Right hand cabinet with two 6"H drawers; and one 12"H hanging file drawer. Bottom shelf on all workcenters. All units complete with cabinet locks.



Model 365-5P

### 366 series

| Work Surface Type  | Workcenter Widths |        |        |
|--------------------|-------------------|--------|--------|
|                    | 4'                | 5'     | 6'     |
| Plastic Laminate   | 366L4P            | 366L5P | 366L6P |
| ESD (Anti-Static)  | 366L4C            | 366L5C | 366L6C |
| Hardwood           | 366L4W            | 366L5W | 366L6W |
| Bonded Wood        | 366L4B            | 366L5B | 366L6B |
| 12 Gauge Steel     | 366L4T            | 366L5T | 366L6T |
| Hardboard on Steel | 366L4M            | 366L5M | 366L6M |

One cabinet with one 3"H drawer; two 4<sup>1/2</sup>"H drawers; one 12"H hanging file drawer. One pedestal leg with UL approved fused electrical outlets. Bottom shelf on all workcenters. All units complete with cabinet lock. To order unit with cabinet reversed from left to right, change letter in catalog number from "L" to "R".



Model 366L5P

### 367 series

| Work Surface Type  | Workcenter Widths |        |        |
|--------------------|-------------------|--------|--------|
|                    | 4'                | 5'     | 6'     |
| Plastic Laminate   | 367-4P            | 367-5P | 367-6P |
| ESD (Anti-Static)  | 367-4C            | 367-5C | 367-6C |
| Hardwood           | 367-4W            | 367-5W | 367-6W |
| Bonded Wood        | 367-4B            | 367-5B | 367-6B |
| 12 Gauge Steel     | 367-4T            | 367-5T | 367-6T |
| Hardboard on Steel | 367-4M            | 367-5M | 367-6M |

Two pedestal legs with UL approved fused electrical outlets. Bottom shelf and modesty panel on all workcenters.



Model 367-5P

## Equiptoflex Workcenter - Desk Height 33<sup>1</sup>/<sub>2</sub>"; 30" Deep



Model 384R5C



Model 385-5C



Model 386R5C



Model 387R5C



Model 388-5C



Model 389R5C complete

### 384 Series

| Work Surface Type | Workcenter Width |        |        |
|-------------------|------------------|--------|--------|
|                   | 4'               | 5'     | 6'     |
| Plastic Laminate  | 384R4P           | 384R5P | 384R6P |
| ESD (Anti-Static) | 384R4C           | 384R5C | 384R6C |
| Hardwood          | 384R4W           | 384R5W | 384R6W |
| Bonded Wood       | 384R4B           | 384R5B | 384R6B |

Left hand cabinet with one drawer 4<sup>1</sup>/<sub>2</sub>"H; four drawers 6"H. Right hand cabinet with one full height door, 28<sup>1</sup>/<sub>2</sub>"H. To order unit with cabinets reversed right to left, change letter in catalog number from "R" to "L". Bottom shelf on all workcenters. Drawer cabinet has central lock; door has individual lock.

### 385 Series

| Work Surface Type  | Workcenter Width |        |        |
|--------------------|------------------|--------|--------|
|                    | 4'               | 5'     | 6'     |
| Plastic Laminate   | 385-4P           | 385-5P | 385-6P |
| ESD (Anti-Static)  | 385-4C           | 385-5C | 385-6C |
| Laminated Maple    | 385-4W           | 385-5W | 385-6W |
| Hardwood           | 385-4B           | 385-5B | 385-6B |
| 12 Gauge Steel     | 385-4T           | 385-5T | 385-6T |
| Hardboard on Steel | 385-4M           | 385-5M | 385-6M |

One cabinet with one drawer 4<sup>1</sup>/<sub>2</sub>"H; four drawers 6"H. One cabinet with two drawers 3"H; one drawer 4<sup>1</sup>/<sub>2</sub>"H; one door 24"H with one interior adjustable shelf. All units complete with cabinet locks. All units complete with cabinet locks.

### 386 Series

| Work Surface Type  | Workcenter Width |        |        |
|--------------------|------------------|--------|--------|
|                    | 4'               | 5'     | 6'     |
| Plastic Laminate   | 386R4P           | 386R5P | 386R6P |
| ESD (Anti-Static)  | 386R4C           | 386R5C | 386R6C |
| Hardwood           | 386R4W           | 386R5W | 386R6W |
| Bonded Wood        | 386R4B           | 386R5B | 386R6B |
| 12 Gauge Steel     | 386R4T           | 386R5T | 386R6T |
| Hardboard on Steel | 386R4M           | 386R5M | 386R6M |

Left hand cabinet with one drawer 3"H; three drawers 4<sup>1</sup>/<sub>2</sub>"H; two drawers 6"H. Right hand cabinet with one drawer 4<sup>1</sup>/<sub>2</sub>"H; one door 24"H with one interior adjustable shelf. All units complete with door and cabinet locks. To order unit with cabinet reversed from right to left, change letter in catalog number from "R" to "L".

### 387 Series

| Work Surface Type  | Workcenter Width |        |        |
|--------------------|------------------|--------|--------|
|                    | 4'               | 5'     | 6'     |
| Plastic Laminate   | 387R4P           | 387R5P | 387R6P |
| ESD (Anti-Static)  | 387R4C           | 387R5C | 387R6C |
| Hardwood           | 387R4W           | 387R5W | 387R6W |
| Bonded Wood        | 387R4B           | 387R5B | 387R6B |
| 12 Gauge Steel     | 387R4T           | 387R5T | 387R6T |
| Hardboard on Steel | 387R4M           | 387R5M | 387R6M |

One cabinet with one 3"H drawer; three 4<sup>1</sup>/<sub>2</sub>"H drawers; one 12"H hanging file drawer. Pedestal leg with UL approved fused electrical outlets. Bottom shelf on all workcenters. All units complete with cabinet lock. To order unit with cabinets reversed right to left, change letter in catalog number from "R" to "L".

### 388 Series

| Work Surface Type  | Workcenter Width |        |        |
|--------------------|------------------|--------|--------|
|                    | 4'               | 5'     | 6'     |
| Plastic Laminate   | 388-4P           | 388-5P | 388-6P |
| ESD (Anti-Static)  | 388-4C           | 388-5C | 388-6C |
| Hardwood           | 388-4W           | 388-5W | 388-6W |
| Bonded Wood        | 388-4B           | 388-5B | 388-6B |
| 12 Gauge Steel     | 388-4T           | 388-5T | 388-6T |
| Hardboard on Steel | 388-4M           | 388-5M | 388-6M |

With two pedestal legs with UL approved fused electrical outlets. Bottom shelf and modesty panel on all workcenters.

### 389 Series

| Work Surface Type | Workcenter Width |        |        |
|-------------------|------------------|--------|--------|
|                   | 4'               | 5'     | 6'     |
| Plastic Laminate  | 389R4P           | 389R5P | 389R6P |
| ESD (Anti-Static) | 389R4C           | 389R5C | 389R6C |
| Hardwood          | 389R4W           | 389R5W | 389R6W |
| Bonded Wood       | 389R4B           | 389R5B | 389R6B |

Left hand cabinet with one 4<sup>1</sup>/<sub>2</sub>"H drawer; two 6"H drawers; one 12"H door. Right hand cabinet with one full height 28<sup>1</sup>/<sub>2</sub>"H door with one adjustable interior shelf. To order unit with cabinets reversed right to left, change letter in catalog number from "R" to "L". Bottom shelf and 12"H plastic laminate aerial shelf with UL approved fused electrical outlet riser supports on all workcenters. (ESD (Anti-Static) top workcenter is furnished with ESD (Anti-Static) aerial shelf. To order steel aerial shelf, as shown, refer to accessories, page 137)

## Equiptoflex Workcenter - Accessories

15" wide cabinets compliment your Equipto drawers by adding convenience and flexibility. Use them individually, on wheels or as flexible technical workcenters.

### Design your own Equipto workcenter



#### 1<sup>st</sup> Select cabinet frames and/or pedestal legs. Frames for 15" wide cabinets

##### Right Hand Bench Cabinet

| Height  | No Lock | Top Lock | Points. |
|---------|---------|----------|---------|
| 33 1/2" | 487NLR  | 487TLR   | 95      |
| 29"     | 486NLR  | 486TLR   | 80      |
| 24 1/2" | 485NLR  | 485TLR   | 65      |

##### Left Hand Bench Cabinet

| Height  | No Lock | Top Lock | Points. |
|---------|---------|----------|---------|
| 33 1/2" | 487NLL  | 487TLL   | 95      |
| 29"     | 486NLL  | 486TLL   | 80      |
| 24 1/2" | 485NLL  | 485TLL   | 65      |

##### Free Standing Cabinet (Not used with workcenter)

| Height  | No Lock | Top Lock | Points. |
|---------|---------|----------|---------|
| 33 1/2" | 487NLE  | 487TLE   | 95      |
| 29"     | 486NLE  | 486TLE   | 80      |
| 24 1/2" | 485NLE  | 485TLE   | 65      |

Above units include leveling feet, and are 27 3/4" Deep  
Caster kit available - #231

#### Pedestal legs (3" w)

|         | With<br>Electric Outlets | Without<br>Electric Outlets |
|---------|--------------------------|-----------------------------|
| Height  |                          |                             |
| 24 1/2" | 495EL                    | 495NE                       |
| 29"     | 496EL                    | 496NE                       |
| 33 1/2" | 497EL                    | 497NE                       |

Includes leveling feet. Equipto workcenter with  
2 pedestal legs requires Steel Modesty Panel.

#### 2<sup>nd</sup> Fill cabinet frames with doors or drawers

| Drawer Height | Part No. | Useable Height | Points |
|---------------|----------|----------------|--------|
| 3"            | 541-10   | 29 1/16"       | 10     |
| 4 1/2"        | 542-15   | 4 1/16"        | 15     |
| 6"            | 543-20   | 5 9/16"        | 20     |
| 12"           | 547-40   | 11 9/16"       | 40     |
| Door Height   | Part No. | Useable Height | Points |
| 12"           | 550L40*  | 12"            | 40     |
|               | 550R40   |                |        |
| 19 1/2"       | 553L65*  | 19 1/2"        | 65     |
|               | 553R65   |                |        |
| 24"           | 554L80*  | 24"            | 80     |
|               | 554R80   |                |        |
| 28 1/2"       | 555L95*  | 28 1/2"        | 95     |
|               | 555R95   |                |        |

\* L & R indicate which side of cabinet has door hinge. The sum of the last 2 digits of the drawer/door selection must total the number of points associated with each cabinet size. Ex: 4 - #543-20 have 4 x 20 = 80 points, which fills cabinet #486. Inside dimensions of drawers are 12" W x 25" D. Clear height 7 1/16" less than nominal height.

Note: Spacer channel #9240 is required at top of cabinet when any steel top is used. Full cabinet height door may not be used.

#### 3<sup>rd</sup> Add lower recessed shelf or panel (required).

##### Recessed lower shelf

For Use in Equiptoflex workcenter:

| Width | Two Cabinets | One Cabinet & One Leg | Two Legs |
|-------|--------------|-----------------------|----------|
| 4'    | 470T4        | 471T4                 | 472T4    |
| 5'    | 470T5        | 471T5                 | 472T5    |
| 6'    | 470T6        | 471T6                 | 472T6    |

##### Full Height Modesty Panels

| Height | Width | Part No. |
|--------|-------|----------|
|        | 4'    | 476-4    |
| 24" H  | 5'    | 476-5    |
|        | 6'    | 476-6    |
|        | 4'    | 477-4    |
| 29" H  | 5'    | 477-5    |
|        | 6'    | 477-6    |
|        | 4'    | 478-4    |
| 33" H  | 5'    | 478-5    |
|        | 6'    | 478-6    |

#### 4<sup>th</sup> Select work surface - 30" Deep

| Style         | Length | 30" Deep |
|---------------|--------|----------|
| Steel Top     | 4'     | 441U4    |
| (12 gauge)*   | 5'     | 441U5    |
| With Backstop | 6'     | 441U6    |

|               |    |        |
|---------------|----|--------|
| Hardboard     | 4' | 441U4M |
| On Steel,     | 5' | 441U5M |
| With Backstop | 6' | 441U6M |

|              |    |        |
|--------------|----|--------|
| Bonded       | 4' | 441-4B |
| Wood,        | 5' | 441-5B |
| 1 3/4" thick | 6' | 441-6B |

|              |    |        |
|--------------|----|--------|
| Laminated    | 4' | 441-4W |
| Hardwood     | 5' | 441-5W |
| 1 3/4" thick | 6' | 441-6W |

|                   |    |        |
|-------------------|----|--------|
| ESD (Anti-Static) | 4' | 441-4C |
| 1 1/4" thick      | 5' | 441-5C |
|                   | 6' | 441-6C |

|              |    |        |
|--------------|----|--------|
| Laminated    | 4' | 441-4P |
| Plastic,     | 5' | 441-5P |
| 1 1/4" thick | 6' | 441-6P |

\*Note-Spacer channel #9240 is required at top of cabinet when any steel top is used.

#### 5<sup>th</sup> Add optional accessories.



Aerial shelf assembly  
(2 riser supports, shelf and back panel).

##### Type of Shelf

|                                            | Wood<br>w/elec. | w/o elec. | Steel<br>w/elec. | w/o elec. | Conductive<br>w/elec. | w/o elec. | Plastic Laminate<br>w/elec. | w/o elec. |
|--------------------------------------------|-----------------|-----------|------------------|-----------|-----------------------|-----------|-----------------------------|-----------|
| 14" High (depth of top surface is 13 1/2") |                 |           |                  |           |                       |           |                             |           |
| 4'                                         | 464W4           | 466W4     | 464T4            | 466T4     | 464C4                 | 466C4     | 464P4                       | 466P4     |
| 5'                                         | 464W5           | 466W5     | 464T5            | 466T5     | 464C5                 | 466C5     | 464P5                       | 466P5     |
| 6'                                         | 464W6           | 466W6     | 464T6            | 466T6     | 464C6                 | 466C6     | 464P6                       | 466P6     |
| 7'                                         | 464W7           | 466W7     | 464T7            | 466T7     | 464C7                 | 466C7     | 464P7                       | 466P7     |
| 3'                                         |                 |           |                  |           |                       |           | 466P3                       |           |
| 90"                                        |                 |           | 464T90           |           |                       |           |                             |           |
| 24" High (depth of top surface is 16 1/2") |                 |           |                  |           |                       |           |                             |           |
| 4'                                         | 467W4           | 469W4     | 467T4            | 469T4     | 467C4                 | 469C4     | 467P4                       | 469P4     |
| 5'                                         | 467W5           | 469W5     | 467T5            | 469T5     | 467C5                 | 469C5     | 467P5                       | 469P5     |
| 6'                                         | 467W6           | 469W6     | 467T6            | 469T6     | 467C6                 | 469C6     | 467P6                       | 469P6     |
| 7'                                         | 467W7           | 469W7     | 467T7            | 469T7     | 467C7                 | 469C7     | 467P7                       | 469P7     |
| 3'                                         |                 |           | 859122           |           |                       |           |                             |           |
| 8'                                         |                 |           | 850696T8         |           |                       |           |                             |           |

Add "W" to the end of the part number for wire back grid panel.  
(Available only in 14" height)

Note: Units with electrical include power in both left and right aerial shelf riser supports.

#### Gray cloth tackboard for aerial shelf

| Back panel |         |         |         |         |
|------------|---------|---------|---------|---------|
| Width      | 4'      | 5'      | 6'      | 7'      |
| 14" High   | 538-4   | 538-5   | 538-6   | 538-7   |
| 24" High   | 517210A | 517211A | 517212A | 517213A |

Do not less out steel back panel.

#### Steel monitor risers

Sturdy Steel Monitor Risers elevate computer monitor above work area and create space for keyboard when not in use. Risers have soft rubber feet to eliminate marking desktops and can be painted to match Equipto workstation. Available in two sizes.



| Part No. | Dimensions                   |
|----------|------------------------------|
| 310      | 12" D x 12" W x 4 1/2" H     |
| 311      | 12" D x 24 1/2" W x 4 1/2" H |



### Drawer dividers (left to right)

| Drawer Height | Part No. |
|---------------|----------|
| 3"            | 8891     |
| 4 1/2"        | 8892     |
| 6"            | 8893     |

### Accessories

|                                                                 |         |
|-----------------------------------------------------------------|---------|
| Pullout Keyboard Tray<br>(for computer keyboard)                | 537     |
| Cabinet unit lock                                               | 3101    |
| Door lock                                                       | 3103    |
| Adjustable shelf                                                | 539-05  |
| 1 1/2" spacer strip<br>(for use with flange down steel tops)    | 540-05  |
| 3" High Mobile Wheel kit<br>(mobilizes any Equiptoflex cabinet) | 4406    |
| Task Light (for under aerial shelf)                             | 307     |
| Spacer (for steel top)                                          | 9240    |
| Paper label                                                     | 224995  |
| Mylar label cover                                               | 224994  |
| Plastic end caps for handles (left)                             | 993102L |
| Plastic end caps for handles (right)                            | 993102R |

### Aerial Shelf Back Panel Options to Change Solid Back to Pegboard or Stainless Steel

| Less<br>Out Qty                           | Width | Part    | Qty                                            | Width | Painted Peg<br>Board Back | SS Peg<br>Board Back | SS Solid<br>Back Panel |
|-------------------------------------------|-------|---------|------------------------------------------------|-------|---------------------------|----------------------|------------------------|
| <b>14"H Aerial – Less Out Solid Panel</b> |       |         | <b>14"H Aerial – Add in Replacement Option</b> |       |                           |                      |                        |
| -1                                        | 4'    | 517175F | 1                                              | 4'    | 517175F-PEG               | N/A                  | N/A                    |
| -1                                        | 5'    | 517176F | 1                                              | 5'    | 517176F-PEG               | N/A                  | N/A                    |
| -1                                        | 6'    | 517177F | 1                                              | 6'    | 517177F-PEG               | N/A                  | N/A                    |
| -1                                        | 8'    | 517178F | 1                                              | 8'    | 517178F-PEG               | N/A                  | N/A                    |
| <b>24"H Aerial – Less Out Solid Panel</b> |       |         | <b>24"H Aerial – Add in Replacement Option</b> |       |                           |                      |                        |
| -1                                        | 4'    | 517275F | 1                                              | 4'    | 517275F-PEG               | 517275FSH            | 517275FS               |
| -1                                        | 5'    | 517276F | 1                                              | 5'    | 517276F-PEG               | 517276FSH            | 517276FS               |
| -1                                        | 6'    | 517277F | 1                                              | 6'    | 517277F-PEG               | 517277FSH            | 517277FS               |
| -1                                        | 8'    | 517278F | 1                                              | 8'    | 517278F-PEG               | N/A                  | N/A                    |

**Note:** Must have an aerial shelf part number included in parts list already; these parts are just to change the back panel and will not come with the actual complete aerial.

### Special Components

|                                                                                      |             |
|--------------------------------------------------------------------------------------|-------------|
| Aerial Shelf Riser Support Tower, 3"W x 14"H x 12"D w/o Outlets                      | 480NE       |
| Aerial Shelf Riser Support Tower, 3"W x 14"H x 12"D w/ Outlets                       | 480EL       |
| Aerial Shelf Riser Support Tower, 3"W x 24"H x 15"D w/o Outlets                      | 481NE       |
| Aerial Shelf Riser Support Tower, 3"W x 24"H x 15"D w/o Outlets                      | 481EL       |
| 30"W x 13-1/2"D Steel Top (add (4) of each 13162 & 13060)                            | 6155        |
| 36"W x 13-1/2"D Steel Top (add (4) of each 13162 & 13060)                            | 6156        |
| 8"W x 24"H x 16-1/2"D Aerial with electric, No Top                                   | 467-8       |
| 8"W x 13-1/2"D Steel Top (hardware included)                                         | 850696      |
| 8"W x 16-1/2"D Steel Top (add (4) of each 13162 & 13060)                             | 850696-7A   |
| 8"W x 13-1/2"D Wood Top (add (4) of 13156)                                           | 859096W     |
| 8"W x 16-1/2"D Wood Top (add (4) of 13156)                                           | 8590204     |
| 48-7/8"W x 13-1/2"D Steel Back Panel for 54"W aerial (add (4) of each 13162 & 13060) | 859054      |
| 54"W x 13-1/2"D Tack Board                                                           | 9120006-002 |
| 54"W x 13-1/2"D Plastic Laminate Top (add (4) of 13156)                              | 9111754-002 |





# Storage Cabinets

**Storage Cabinets****141****Full and Quick-View Storage Cabinets with Bins****142****Armadillo Cabinet****143****Armadillo Bin Cabinet****144****Armadillo Janitorial/Locker Cabinets****145-146****Bench Cabinets****147-148**

# Storage Cabinets



# Storage Cabinets & Quick-View Cabinets

22 ga steel; 2 keys included; shelf static load capacity 200lbs.



## Combination Cabinet

Versatile unit with 5 shelves plus wardrobe area with rod and 4 hooks. Divider panel permits locating wardrobe on either side. Locking handles and key. **Extra shelves can be added.**



## Wardrobe Cabinet

Spacious cabinet has a sturdy, metal rod and 4 hooks for hanging coats, plus a top shelf for personal items. Locking handles and key.



## Spacious Cabinet

Rugged cabinet in 2 depths features locking handles and key and 4 adjustable shelves (2" centers). **Extra shelves can be added.**



## Quick-View Cabinet

Equipto Quick-View Cabinets are designed for both easy visibility and security of personal belongings, books, files, equipment supplies parts, etc. Clean styling and durable construction make these cabinets ideal for both office and industrial environments.

### Features:

- UV, break and scratch resistant plastic Lexan panels are mounted in both door frames for an unobstructed view of the cabinet's contents.
- Each shelf has a 225 lb. weight static load capacity with 2" increment height adjustability.
- Cabinet doors have a 3-point locking mechanism with one chrome plated handle. (2 keys)
- Multiple cabinets will be keyed alike
- Dollies are available for the 78" high cabinets to add mobility



## Wall Hung Cabinet

Keeps books, manuals, parts. Locking handle.

Equipto Quick-View Storage Cabinets offer the perfect appearance, capacity, visibility and security for your plant or office.

## Individual Components

| Description                 | Part Number |
|-----------------------------|-------------|
| Wall Hung Shelf             | 090-3725    |
| 36"W 18"D Shelf             | 514-1836    |
| 36"W 24"D Shelf             | 514-2436    |
| 48"W 24"D Shelf             | 514-2448    |
| 18"D Combination Half-Shelf | 093-4820    |
| 24"D Combination Half-Shelf | 093-4821    |
| Louver Back Panel           | 090-4885    |
| Back Cover Panel            | 090-4886    |

## Full and Quick-View Storage Cabinets

| Description          | Width | Depth | Height | Full Door    | Quick-View Door |
|----------------------|-------|-------|--------|--------------|-----------------|
| Wall Hung Cabinet    | 30"   | 12"   | 26"    | STC301226SU  | QVC301226SU     |
| Desk High Cabinet    | 36"   | 18"   | 29"    | STC361829    | QVC361829       |
| Counter High Cabinet | 36"   | 18"   | 42"    | STC361842    | QVC361842       |
| Counter High Cabinet | 36"   | 24"   | 42"    | STC362442    | QVC362442       |
| Full Height Cabinet  | 36"   | 18"   | 78"    | STC361878    | QVC361878       |
| Full Height Cabinet  | 36"   | 24"   | 78"    | STC362478    | QVC362478       |
| Extra Large Cabinet  | 48"   | 24"   | 78"    | STC482478    | QVC482478       |
| Wardrobe Cabinet     | 36"   | 18"   | 78"    | STC361878-WC | QVC361878-WC    |
| Wardrobe Cabinet     | 36"   | 24"   | 78"    | STC362478-WC | QVC362478-WC    |
| Combination Cabinet  | 36"   | 18"   | 78"    | STC361878-CC | QVC361878-CC    |
| Combination Cabinet  | 36"   | 24"   | 78"    | STC362478-CC | QVC362478-CC    |

Add SU to end of part number for assembled unit, i.e. QVC361878SU

A standard color chart is available on page 160.

# Full and Quick-View Cabinets with Bins




**Cabinets with custom bin and shelf layout**

## Full and Quick-View Storage Cabinets with Bins

| Description                                                                 | Width | Depth | Height | Full Door         | Quick-View Door   |
|-----------------------------------------------------------------------------|-------|-------|--------|-------------------|-------------------|
| Full Height Cabinet with Louver Back Panel, No Shelves                      | 36"   | 18"   | 78"    | STC361878LP       | QVC361878LP       |
| Full Height Cabinet with Louver Back Panel & Back Cover                     | 36"   | 18"   | 78"    | STC361878LPBC     | QVC361878LPBC     |
| Full Height Cabinet with Louver Back Panel & 66 Plastic Bins                | 36"   | 18"   | 78"    | STC361878LP-001   | QVC361878LP-001   |
| Full Height Cabinet with Louver Back Panel, 66 Plastic Bins, and Back Cover | 36"   | 18"   | 78"    | STC361878LPBC-001 | QVC361878LPBC-001 |

Add SU to end of part number for assembled unit, i.e. QVC361878LPSU




050-0230Y 050-0220Y 050-0200Y

### Bins

| Description                           | Part Number | Bins to Fill Cabinet |
|---------------------------------------|-------------|----------------------|
| 5" x 4" x 3" 8 lb. capacity bin       | 050-0200Y   | 136                  |
| 7" x 4" x 3" 10 lb. capacity bin      | 050-0220Y   | 136                  |
| 10.5" x 5.5" x 5" 30 lb. capacity bin | 050-0230Y   | 72                   |

### Dollies

| Part No. | Description (W x D)         |
|----------|-----------------------------|
| CD1836   | Dolly for 36" x 18" Cabinet |
| CD2436   | Dolly for 36" x 24" Cabinet |
| CD2448   | Dolly for 48" x 24" Cabinet |



## Storage Cabinets

### Flammable Liquid Storage Cabinets

Protect your personnel and your business

- Galvanized steel shelves and leveling legs
- Support up to 350 lbs.
- Internal and external welded construction
- 18 gauge steel reinforced double wall panel construction
- 2" raised leakproof sill
- 2" vent with fire baffle and cap
- Ground connection
- Lead-free high gloss baked on powder finish
- 3 point key lock doors
- Meet OSHA and NFPA code 30 specifications
- Self-closing models meet UFC 79, fusible links, melt at 165°
- Seismic kits also available



shipped assembled

Equipto flammable liquid cabinets help protect you from fire hazard. Use them for volatile liquids that need to be safely contained like:

- Alcohol
- Acetone
- Formaldehyde
- Gasoline



These cabinets can be conveniently placed wherever safe housekeeping procedures or ease of accessibility dictate.



| Part No.   | Description                                | Dimensions (W X D X H) | Weight   |
|------------|--------------------------------------------|------------------------|----------|
| FSC15S     | 15 gal two door self-closing               | 43" x 18" x 24"        | 145 lbs. |
| FSC15M     | 15 gal two door manual close               | 43" x 18" x 24"        | 135 lbs. |
| FSC30M     | 30 gal two door, one shelf, manual close   | 43" x 18" x 44"        | 247 lbs. |
| FSC30S     | 30 gal two door, one shelf, self-closing   | 43" x 18" x 44"        | 257 lbs. |
| FSC45M     | 45 gal two door, two shelves, manual close | 43" x 18" x 65"        | 342 lbs. |
| FSC45S     | 45 gal two door, two shelves, self-closing | 43" x 18" x 65"        | 353 lbs. |
| FSC60M     | 60 gal two door, two shelves, manual close | 34"x 34" x 65"         | 354 lbs. |
| FSC60S     | 60 gal two door, two shelves, self-closing | 34"x 34" x 65"         | 364 lbs. |
| FSC90M     | 90 gal two door, two shelves, manual close | 43" x 34" x 65"        | 465 lbs. |
| FSC90S     | 90 gal two door, two shelves, self-closing | 43" x 34" x 65"        | 475 lbs. |
| FSCSHELF   | *Additional Shelf                          | 43" x 18"              | 12 lbs.  |
| FSC60SHELF | *Additional Shelf                          | 31 1/4" x 31 1/4"      | 12 lbs.  |

\*(2) shelves are needed per required additional shelf when adding to a 34"D x 43"W cabinet

A standard color chart is available on page 160.

# Armadillo Cabinet

Equipto's Industrial Cabinet Line provides you with the ultimate in Heavy Duty 12 Gauge Cabinets. All Armadillo cabinets are Armadillo dark gray in color.

## Each cabinet includes:

- 14 gauge shelves with up to 1900 lb. static load capacity
- Adjustable shelves 2" increments
- Handle includes a hasp for use with padlock
- 7 gauge welded legs for moving and durability
- More shelves can be added for versatility

## Heavy Duty Standard Cabinets

- Heavy Duty, 12 gauge Steel, all welded design, specifically for industrial applications

| Part No.  | Dimensions (W x D x H) | Overall Height | Shelves | Shelf P/N | Static Load Capacity | Weight   |
|-----------|------------------------|----------------|---------|-----------|----------------------|----------|
| ICL24132* | 36" x 24" x 66"        | 66"            | 3       | ICS8241   | 1900                 | 406 lbs. |
| ICL25103  | 36" x 20" x 78"        | 78"            | 4       | ICS8251   | 1600                 | 435 lbs. |
| ICL25133  | 36" x 24" x 78"        | 78"            | 4       | ICS8241   | 1900                 | 475 lbs. |
| ICL34132* | 48" x 24" x 66"        | 66"            | 3       | ICS8341   | 1200                 | 489 lbs. |
| ICL35133  | 48" x 24" x 78"        | 78"            | 4       | ICS8341   | 1200                 | 573 lbs. |
| ICL44132* | 60" x 24" x 66"        | 66"            | 3       | ICS8441   | 1650                 | 595 lbs. |
| ICL45133  | 60" x 24" x 78"        | 78"            | 4       | ICS8441   | 1650                 | 699 lbs. |
| ICL54132* | 72" x 24" x 78"        | 78"            | 3       | ICS8551   | 1525                 | 726 lbs. |
| ICL55133  | 72" x 24" x 78"        | 78"            | 4       | ICS8551   | 1525                 | 856 lbs. |

\*Casters Optional - (Add CSTR suffix to part number)

## Half and Half Cabinet

- Easily separate your items on shelves or in drawers
- Cabinet shelves can be adjusted in 2" increments to accommodate both large and small items

| Part No.   | Dimensions (W x D x H) | Overall Height | Shelf P/N | Shelf Capacity | Drawer Width | Drawer Capacity | Weight     |
|------------|------------------------|----------------|-----------|----------------|--------------|-----------------|------------|
| ICL3513354 | 48" x 24" x 78"        | 78"            | ICS8342   | 1125           | 19"          | 225             | 917 lbs.   |
| ICL4513354 | 60" x 24" x 78"        | 78"            | ICS8442   | 1575           | 25"          | 225             | 1,079 lbs. |
| ICL5513354 | 72" x 24" x 78"        | 78"            | ICS8552   | 1450           | 31"          | 225             | 1,267 lbs. |

## Dual Zone Cabinet

- Provides you with two separate shelving compartments
- Both sides can be locked independently; while one side is locked you can work out of the other
- Perfect for two people

| Part No. | Dimensions (W x D x H) | Overall Height | Shelf P/N | Adjustable Shelves Each Side | Capacity | Weight   |
|----------|------------------------|----------------|-----------|------------------------------|----------|----------|
| ICL25137 | 36" x 24" x 78"        | 78"            | ICS8243   | 4                            | 950      | 544 lbs. |
| ICL35137 | 48" x 24" x 78"        | 78"            | ICS8343   | 4                            | 1275     | 642 lbs. |
| ICL45137 | 60" x 24" x 78"        | 78"            | ICS8443   | 4                            | 1600     | 740 lbs. |
| ICL55137 | 72" x 24" x 78"        | 78"            | ICS8553   | 4                            | 1950     | 838 lbs. |

## Built to last

- 12 gauge steel one piece wrap around shell
- 12 gauge steel doors
- 12 gauge steel bottom
- 14 gauge steel shelves attached with 3/8" carriage bolts
- 8 gauge hinge leaf, 5/16" brass hinge pin, 3/4" receiver
- cast aluminum bronze alloy handle, 3/8" angle receiver with three point locking device, 3/8" latch rod, 3/16" latch plate
- 3/16" steel legs, provision for lagging, 6" sweep space

## Units are all welded, and fully assembled.



Every unit comes fully assembled  
Standard paint is Armadillo dark gray water based application



# Armadillo Bin Cabinet

Heavy Duty, 12 gauge Steel, all welded design,  
specifically for industrial applications.

## 4 Shelf Bin Cabinet with adjustable shelves

With the introduction of Bin Storage to our Shelving cabinets,  
you are now able to store both large and small items all in a single  
cabinet. Bins are 4 1/4" wide, 7 3/8" deep and 3" high and constructed  
of Polypropylene.

| Part No. | Dimensions<br>(W x D x H) | Overall<br>Height | Number of<br>Small Bins | Shelf<br>P/N | Shelf<br>Capacity | Weight   |
|----------|---------------------------|-------------------|-------------------------|--------------|-------------------|----------|
| ICLB710  | 36" x 24" x 78"           | 78"               | 94                      | ICS8742      | 1350              | 533 lbs. |
| ICLB720  | 48" x 24" x 78"           | 78"               | 144                     | ICS8822      | 850               | 651 lbs. |


It is recommended that these cabinets be anchored to your floor or wall.



## Total Bin Cabinet

Packed with 32 Large Bins holding up to 60 lbs. each, large bins are  
8 1/4" wide by 14 3/4" deep and 7" high. There are 94 Small Bins which  
hold up to 10 lbs. each and comes completely assembled.  
Small bins are 4 1/4" wide, 7 3/8" deep and 3" high and constructed  
of Polypropylene.


| Part No. | Dimensions<br>(W x D x H) | Overall<br>Height | Number of<br>Small Bins | Number of<br>Large Bins | Weight   |
|----------|---------------------------|-------------------|-------------------------|-------------------------|----------|
| ICLB730  | 36" x 24" x 78"           | 78"               | 94                      | 32                      | 596 lbs. |
| ICLB740  | 48" x 24" x 78"           | 78"               | 144                     | 40                      | 732 lbs. |



## 3 Shelf Total Bin Cabinet

Enjoy the storage of the Total Bin Cabinet  
with the flexibility of 3 adjustable shelves.  
Small bins are 4 1/4" wide, 7 3/8" deep and 3" high and constructed  
of Polypropylene. Large bins are 8 1/4" wide, 14 3/4" deep and 7" high.

| Part No. | Dimensions<br>(W x D x H) | Overall<br>Height | Number of<br>Small Bins | Number of<br>Large Bins | Shelf<br>P/N | Shelf<br>Capacity | Weight   |
|----------|---------------------------|-------------------|-------------------------|-------------------------|--------------|-------------------|----------|
| ICLB750  | 36" x 24" x 78"           | 78"               | 94                      | 16                      | ICS8742      | 1350              | 579 lbs. |
| ICLB760  | 48" x 24" x 78"           | 78"               | 144                     | 20                      | ICS8822      | 850               | 756 lbs. |



Every unit comes fully assembled

Standard paint is Armadillo dark gray water based application

# 

## 

### 

#### 

##### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

###### 

######

# Armadillo Janitorial/ Locker Cabinets

## Janitorial Broom Side Closet

Store those housekeeping and items with long handles out of the way. Also store any other materials like cleaners, brushes, or tool chests on the adjustable shelves of the other side

No locking handle. Padlock only.



| Part No.   | Dimensions<br>(W x D x H) | Overall<br>Height | Closet<br>Shelves | Shelf<br>P/N | Shelf<br>Capacity | Weight   |
|------------|---------------------------|-------------------|-------------------|--------------|-------------------|----------|
| ICLJ551310 | 36" x 24" x 78"           | 78"               | 4                 | ICCS8244     | 1025              | 492 lbs. |
| ICLJ551320 | 48" x 24" x 78"           | 78"               | 4                 | ICCS8344     | 1375              | 580 lbs. |
| ICLJ551330 | 60" x 24" x 78"           | 78"               | 4                 | ICCS8444     | 1750              | 659 lbs. |
| ICLJ551340 | 72" x 24" x 78"           | 78"               | 4                 | ICCS8544     | 1050              | 766 lbs. |

## Tool Crib Cabinet

Two separate sections to store all your tool needs. Up top you have 3 adjustable shelves, two of which are slotted with metal vertical dividers. The lower section has a 14 gauge adjustable shelf. Separating the two section is a 12" deep shelf which can be used to do work on or repair tools.



| Part No.    | Dimensions<br>(W x D x H) | Overall<br>Height | Standard<br>Shelf P/N | Standard<br>Shelf Capacity | Slotted<br>Shelf P/N | Slotted Shelf<br>Capacity | Dividers/<br>Slotted Shelf | Weight   |
|-------------|---------------------------|-------------------|-----------------------|----------------------------|----------------------|---------------------------|----------------------------|----------|
| ICLTC551350 | 36" x 24" x 78"           | 78"               | ICS8241               | 1900                       | ICSS8246             | 1425                      | 3                          | 509 lbs. |
| ICLTC551360 | 48" x 24" x 78"           | 78"               | ICS8341               | 1200                       | ICSS8346             | 900                       | 4                          | 637 lbs. |
| ICLTC551370 | 60" x 24" x 78"           | 78"               | ICS8441               | 1650                       | ICSS8446             | 1225                      | 5                          | 767 lbs. |

Every unit comes fully assembled

Standard paint is Armadillo dark gray water based application



## Bench Cabinets

Rugged bench cabinets are available in 15", 21<sup>1/2</sup>" and 30" widths and provide convenient workspace and storage for tools and parts. Choose between mobile and stationary configurations as well as a variety of tops to suit your application.

### Bench cabinets - 15" wide



240DS



245DS



240DP



245DP

### Bench cabinets - 15" & 21<sup>1/2</sup>" W



221SW5

223SW4

- Rugged welded frame cabinets for small spaces
- Stationary or portable
- Secure shelf space or drawer space with a bench top in as little as 15" wide
- Back rail
- Four-drawer unit
- Single-door unit
- Roller suspension drawers

### 240 Series with Door and Shelf

| Caster Capacity                         | Steel Tops    |                  | Hardboard on Steel |                  |
|-----------------------------------------|---------------|------------------|--------------------|------------------|
|                                         | With Backstop | Without Backstop | With Backstop      | Without Backstop |
| <b>15"W x 24<sup>7/8</sup>"D x 34"H</b> |               |                  |                    |                  |
| 500 lb.                                 | 240UP         | 240DP            | 240UPM             | 240DPM           |
| No Casters                              | 240US         | 240DS            | 240USM             | 240DSM           |

### 245 Series with Drawers

| Caster Capacity                         | Steel Tops    |                  | Hardboard on Steel |                  |
|-----------------------------------------|---------------|------------------|--------------------|------------------|
|                                         | With Backstop | Without Backstop | With Backstop      | Without Backstop |
| <b>15"W x 24<sup>7/8</sup>"D x 34"H</b> |               |                  |                    |                  |
| 500 lb.                                 | 245UP         | 245DP            | 245UPM             | 245DPM           |
| No Casters                              | 245US         | 245DS            | 245USM             | 245DSM           |

- Equipto mobile drawer cabinets enable faster delivery of parts and supplies right to the job site. Compact, efficient and designed to save you time.

- 4 and 5 drawer units available
- Rigid steel construction
- Use stationary or as mobile units
- Roller suspension drawers
- Optional items:

Loop handle (#11574)

Tumbler locks (#10405)

Tumbler locks keyed alike (#10405KA)

Padlock cover (#11216)

| Part No. | Description              | Drawer Size (W x D x H)                                        | Cabinet Size (W x D x H)                                        | Caster Static Load Capacity |
|----------|--------------------------|----------------------------------------------------------------|-----------------------------------------------------------------|-----------------------------|
| 223MW4   | 4-drawer w/hardboard top | 21 <sup>1/2</sup> " x 23 <sup>3/4</sup> " x 7 <sup>3/4</sup> " | 21 <sup>1/2</sup> " x 22 <sup>3/4</sup> " x 37 <sup>1/2</sup> " | 500 lbs.                    |
| 223SW4   | 4-drawer w/steel top     | 21 <sup>1/2</sup> " x 23 <sup>3/4</sup> " x 7 <sup>3/4</sup> " | 21 <sup>1/2</sup> " x 22 <sup>3/4</sup> " x 37 <sup>1/2</sup> " | 500 lbs.                    |
| 221MW5   | 5-drawer w/hardboard top | 15" x 23 <sup>3/4</sup> " x 6 <sup>1/4</sup> "                 | 15" x 22 <sup>3/4</sup> " x 37 <sup>3/4</sup> "                 | 500 lbs.                    |
| 221SW5   | 5-drawer w/steel top     | 15" x 23 <sup>3/4</sup> " x 6 <sup>1/4</sup> "                 | 15" x 22 <sup>3/4</sup> " x 37 <sup>3/4</sup> "                 | 500 lbs.                    |

A standard color chart is available on page 160.

## Bench cabinets - 30" wide x 27<sup>3</sup>/<sub>4</sub>" deep



250-PB



255DP



260-PW

- Stationary or portable
- Back rail available
- Flat or sloped tops
- Roller suspension drawers
- Door cabinets have middle shelf
- Lock It Up! All doors and drawers accept standard padlocks, or order #10405 key locks, keyed either differently or alike

| Series                                       | Caster Capacity | Steel Tops    |                  | Wood Tops |             | Hardboard on Steel |                  |
|----------------------------------------------|-----------------|---------------|------------------|-----------|-------------|--------------------|------------------|
|                                              |                 | With Backstop | Without Backstop | Hardwood  | Bonded Wood | With Backstop      | Without Backstop |
| 250 Series - 2 doors with shelving           |                 |               |                  |           |             |                    |                  |
|                                              | 500 lbs.        | 250UP         | 250DP            | 250-PW    | 250-PB      | 250UPM             | 250DPM           |
|                                              | 800 lbs.        | 250UH         | 250DH            | 250-HW    | 250-HB      | 250UHM             | 250DHM           |
|                                              | No Casters      | 250US         | 250DS            | 250-SW    | 250-SB      | 250USM             | 250DSM           |
| 255 Series - 1 door with shelf and 4 drawers |                 |               |                  |           |             |                    |                  |
|                                              | 500 lbs.        | 255UP         | 255DP            | 255-PW    | 255-PB      | 255UPM             | 255DPM           |
|                                              | 800 lbs.        | 255UH         | 255DH            | 255-HW    | 255-HB      | 255UHM             | 255DHM           |
|                                              | No Casters      | 255US         | 255DS            | 255-SW    | 255-SB      | 255USM             | 255DSM           |
| 260 Series - 8 drawers                       |                 |               |                  |           |             |                    |                  |
|                                              | 500 lbs.        | 260UP         | 260DP            | 260-PW    | 260-PB      | 260UPM             | 260DPM           |
|                                              | 800 lbs.        | 260UH         | 260DH            | 260-HW    | 260-HB      | 260UHM             | 260DHM           |
|                                              | No Casters      | 260US         | 260DS            | 260-SW    | 260-SB      | 260USM             | 260DSM           |

Without casters the overall height 34<sup>1</sup>/<sub>8</sub>"

With casters, the overall height is 40<sup>1</sup>/<sub>8</sub>"

**NOTE:** All units are 30" wide and 27<sup>3</sup>/<sub>4</sub>" deep without top. Tops are 30" wide and 30" deep unless sloping desktop is used which is 30"W x 29"D. Add 1<sup>5</sup>/<sub>8</sub>" to overall height if wood top is used, and 6<sup>7</sup>/<sub>8</sub>" overall height if sloping desktop is used.

### Bench Cabinets with Sloping Desk Top


| 250 Series | Part No. | 255 Series | Part No. | 260 Series | Part No. |
|------------|----------|------------|----------|------------|----------|
| 500 lbs.   | 250FP    | 500 lbs.   | 255FP    | 500 lbs.   | 260FP    |
| 800 lbs.   | 250FH    | 800 lbs.   | 255FH    | 800 lbs.   | 260FH    |
| No Casters | 250FS    | No Casters | 255FS    | No Casters | 260FS    |

### Caster Static Load Capacity




#### Aerial Shelf

A #226-30 Aerial Shelf adds extra capability without sacrificing bench top work space.



#### Sloping Desk Top

Top is 30"W x 29"D x 6<sup>7</sup>/<sub>8</sub>"H  
Sloping desk top  
**Part No. 294**



A standard color chart is available on page 160.



# Carts



# V-Grip™ Shelving Carts

- Instant mobility
- Open wire construction promotes high visibility, letting light and air pass freely
- Rugged and easy to use
- Handles the most demanding jobs
- All units have two brake and two rigid casters
- Casters are not recommended for units over 66"H



Equipto Carts are heavy duty to handle the toughest jobs. For Perimeter Bases see page 14. Handle is standard reflective white.

## V-Grip™ wire carts Casters are not recommended for units over 66"H

| Depth            | Width | Overall Height | Number of Shelves | With Standard Duty Casters<br>(500 lbs. Static Load Capacity) | With Heavy Duty Casters<br>(800 lbs. Static Load Capacity) | Additional Intermediate Shelves |
|------------------|-------|----------------|-------------------|---------------------------------------------------------------|------------------------------------------------------------|---------------------------------|
| <b>18" Depth</b> |       |                |                   |                                                               |                                                            |                                 |
|                  | 36"   | 42"            | 2                 | 4573                                                          | 4573D                                                      | 6073                            |
|                  |       | 54"            | 3                 | 4583                                                          | 4583D                                                      |                                 |
|                  |       | 66"            | 4                 | 4593                                                          | 4593D                                                      |                                 |
|                  | 48"   | 42"            | 2                 | 4574                                                          | 4574D                                                      | 6074                            |
|                  |       | 54"            | 3                 | 4584                                                          | 4584D                                                      |                                 |
|                  |       | 66"            | 4                 | 4594                                                          | 4594D                                                      |                                 |
|                  | 72"   | 42"            | 2                 | 4576                                                          | 4576D                                                      | 6076                            |
|                  |       | 54"            | 3                 | 4586                                                          | 4586D                                                      |                                 |
|                  |       | 66"            | 4                 | 4596                                                          | 4596D                                                      |                                 |
| <b>24" Depth</b> |       |                |                   |                                                               |                                                            |                                 |
|                  | 36"   | 42"            | 2                 | 4673                                                          | 4673D                                                      | 6083                            |
|                  |       | 54"            | 3                 | 4683                                                          | 4683D                                                      |                                 |
|                  |       | 66"            | 4                 | 4693                                                          | 4693D                                                      |                                 |
|                  | 48"   | 42"            | 2                 | 4674                                                          | 4674D                                                      | 6084                            |
|                  |       | 54"            | 3                 | 4684                                                          | 4684D                                                      |                                 |
|                  |       | 66"            | 4                 | 4694                                                          | 4694D                                                      |                                 |
|                  | 72"   | 42"            | 2                 | 4676                                                          | 4676D                                                      | 6086                            |
|                  |       | 54"            | 3                 | 4686                                                          | 4686D                                                      |                                 |
|                  |       | 66"            | 4                 | 4696                                                          | 4696D                                                      |                                 |

## Carts

- Quality one-piece tray construction, tubular posts and handles
- 4" deep reversible steel trays with beaded edges for extra strength
- Smooth rolling 5" rubber casters two swivel, two fixed
- Optional welded drawer units provide extra capacity
- Ships un-assembled



| Width | Length | Height | Trays | Caster Capacity | Drawers   |                  |                   |                   |
|-------|--------|--------|-------|-----------------|-----------|------------------|-------------------|-------------------|
|       |        |        |       |                 | A<br>None | B<br>(8)11" Deep | C<br>(18)11" Deep | D<br>(18)17" Deep |
| 16"   | 30"    | 36"    | 2     | 500 lbs.        | 145       | 145-8            | --                | --                |
|       |        |        |       | 800 lbs.        | 145D      | 145D8            | --                | --                |
| 24"   | 36"    | 36"    | 2     | 500 lbs.        | 150       | 150-8            | 150-11            | 150-22            |
|       |        |        |       | 800 lbs.        | 150D      | 150D8            | 150D11            | 150D22            |

Cart heights include casters. Casters are not recommended for carts over 66". Capacity weights are static load.



# Military Storage Systems



# Weapon Racks

## Store:

- Long guns
- Heavy weapons
- Sidearms
- Optics
- Spare barrels
- Bolt assemblies
- Helmets & personal gear
- Ammo boxes & magazines
- Accessories



# Bi-Fold Weapon Racks

Bi-Fold Weapon Racks are the best closed-access storage solution when space is a concern. Bi-folding gates save 35% in floor space compared to other gates to reduce aisle-space and mobility issues.

The all-welded steel construction provides high-level security and includes our universal back panel, built-in side lift handles and security cable eyelets. The front of the cabinet is secured by perforated bi-folding gates so you can visually inspect weapons. Bi-Fold Weapon Racks come with a multi-point locking mechanism and swing-arm padlock hasp.

Bi-Fold Weapon Racks can be fixed side-to-side, back-to-back and on top of each other to build a solution that suits your armoury's size. For additional security, you can secure the rack to the floor and/or wall.

Store any weapon and accessory with over 75 storage components. Contact a storage specialist to guide you through the process.



## Available sizes:

48" H x 36" W x 15" D

64.5" H x 42" W x 15" D

72" H x 36" W x 15" D

84" H x 36" W x 15" D

48" H x 42" W x 15" D

72" H x 42" W x 15" D

84" H x 42" W x 15" D



# CONNEX Modules

An EQUIPTO Connex Module is designed to organize your storage container, however, that does not limit your use. When you are finished using the Connex Module in a storage container, you can easily relocate the Module for additional storage into Bench Stock, Parts Room or a Tool Room.

Once you have decided where to install the Module, EQUIPTO offers endless opportunities to expand your storage horizons. Looking for additional storage capacity in the same area, your Connex Module can evolve into a Deck-over Mezzanine Structure or a High Density Mobile Aisle Storage System.

**All Modules are 20' long with shelving units at a depth of 24" and a height of 90"**




**Before**



**After**


## CNX-BKS-20

Starter Unit




## CNX-BKSWC-20

Starter Unit




## CNX-BKSBR-20

Starter Unit



## CNX-BKSWCBR-20

Starter Unit



**Modules available for both Stationary and Deployable Connex Modules**

Images are a rendered version of the final product. Actual product may vary.

A standard color chart is available on page 160.

## CONNEX Module Options – Drawers, Doors and Deployment Kits

Enhance your Connex Modules with optional kits and accessory packs.

### Under Bench Drawer Packs



CNX-WCDWRK-1S

Drawer sizes included:  
(2)3", (2)4.5", 6", 12"




CNX-WCDWRK-2S

Drawer sizes included:  
3", (2)4.5", 9", 12"



CNX-WCDWRK-3S

Drawer sizes included:  
(2)3", 4.5", 6", 7.5", 9"



CNX-WCDWRK-4S

Drawer sizes included:  
(5)3", (4)4.5"



CNX-WCDWRK-5S


Drawer sizes included:  
(4)3", (2)4.5", (2)6"



CNX-WCDWRK-6S

Drawer sizes included:  
3", 6", (2)12"

### Shelving Unit Drawer Packs



CNX-SDWRK-1S

Drawer sizes included:  
(2)3", (2)4.5", (2)6", 12"




CNX-SDWRK-2S

Drawer sizes included:  
(2)4.5", (5)6"




CNX-SDWRK-3S

Drawer sizes included:  
(2)7.5", (2)12"




CNX-SDWRK-4S

Drawer sizes included:  
(7)3", (4)4.5"



CNX-SDWRK-5S

Drawer sizes included:  
(2)6", (2)7.5", 12"



CNX-SDWRK-6S

Drawer sizes included:  
(2)3", (2)4.5", (2)7.5", 9"

### Deployable Kits and Accessories

| Part No.         | Description                                               |
|------------------|-----------------------------------------------------------|
| CNX-BKDK         | Upper bracing deployable kit                              |
| CNX-BKS-20DK     | Deployable kit - Base Shelving Unit                       |
| CNX-BKSBR-20DK   | Deployable kit - Base Shelving/Bulk Rack Unit             |
| CNX-BKSWC-20DK   | Deployable kit - Base Shelving/Work Center Unit           |
| CNX-BKSWCBR-20DK | Deployable kit - Base Shelving/Work Center/Bulk Rack Unit |
| CNX-SDWRDK       | Deployable kit - Shelving Drawer Kits                     |
| CNX-WCDWRDK      | Deployable kit - Work Center Drawer Kits                  |

### Shelving Door Kits


| Part No.    | Description                     |
|-------------|---------------------------------|
| CNX-DK-3684 | Shelving Door Kit - 84"H x 36"W |
| CNX-DK-3642 | Shelving Door Kit - 42"H x 36"W |

A standard color chart is available on page 160.



# SATS Insert Storage System

Years of working with Army Tool and Parts Room Managers has led to development of EQUIPTO's SATS Insert Storage System. Our system incorporates all the advantages of the SATS now in a user-friendly housing system that all shop personnel will appreciate.



| Name      | Part No.     |
|-----------|--------------|
| SATS CORE | 1007D350-SC  |
| MOD 1     | 1007D250-SM1 |
| MOD 2     | 1007-SM2     |

Completely modular — procure for only Core Set or Full Set with Mods 1 & 2 (individually or as they are added to shop books)



More manageable — two inserts per drawer



Military grade drawers — 400 lb. static load capacity



Seamless integration with Tool and/or Parts Room





# CLUBSTOR<sup>®</sup>

Clubstor<sup>®</sup> is the premier golf bag storage system. It was developed to offer space saving solutions for country club bag storage rooms. With over 30 years experience and over 500 installations worldwide, Clubstor<sup>®</sup> is your golf bag storage solution! Clubstor<sup>®</sup> products are backed with a structural lifetime warranty to the original purchaser. We make every effort to provide you with the best service and highest quality products to meet your specific needs.

## Clubstor<sup>®</sup>




# Clubstor® Specialized Golf Club Storage

Clubstor® is the premier golf bag storage system. It was developed to offer space saving solutions for country club bag storage rooms. With over 30 years experience and over 500 installations worldwide, Clubstor® is your golf bag storage solution! Clubstor® products are backed with a structural lifetime warranty to the original purchaser. We make every effort to provide you with the best service and highest quality products to meet your specific needs.

## Stationary Units


- Stores 67% more bags in the same space.
- Drastically reduces golf bag retrieval time.
- Provides optimum ventilation to eliminate mildew.
- Middle shelf is adjustable in height, up or down, to fit difficult storage situations.
- Fabricated from all prime steel construction, with no wood components.



### Single Sided, 2 Tier Clubstor® (82"H)

| Part Number | Depth x Length | Weight   |
|-------------|----------------|----------|
| 370-1240    | 15"x50"        | 97 lbs.  |
| 370-1260    | 15"x60"        | 109 lbs. |
| 370-1270    | 15"x72"        | 123 lbs. |
| 370-1280    | 15"x84"        | 137 lbs. |
| 370-1290    | 15"x100"       | 157 lbs. |

Clubstor



### Single Sided, 1 Tier Clubstor® (57"H)

| Part Number | Depth x Length | Weight   |
|-------------|----------------|----------|
| 370-0583    | 15"x50"        | 63 lbs.  |
| 370-0585    | 15"x60"        | 84 lbs.  |
| 370-0590    | 15"x72"        | 95 lbs.  |
| 370-0595    | 15"x84"        | 107 lbs. |
| 370-0580    | 15"x100"       | 122 lbs. |



### Double Sided, 2 Tier Clubstor® (82"H)

| Part Number | Depth x Length | Weight   |
|-------------|----------------|----------|
| 370-0220    | 30"x50"        | 150 lbs. |
| 370-0230    | 30"x60"        | 170 lbs. |
| 370-0240    | 30"x72"        | 194 lbs. |
| 370-0250    | 30"x84"        | 217 lbs. |
| 370-0200    | 30"x100"       | 250 lbs. |



### Double Sided, 1 Tier Clubstor® (57"H)

| Part Number | Depth x Length | Weight   |
|-------------|----------------|----------|
| 370-0520    | 30"x50"        | 97 lbs.  |
| 370-0530    | 30"x72"        | 134 lbs. |
| 370-0532    | 30"x84"        | 150 lbs. |
| 370-0533    | 30"x100"       | 171 lbs. |



# Clubstor® Specialized Mobile Aisles for Golf Club Storage

## Mobile Units

- Stores 67% more bags in the same space.
- Drastically reduces golf bag retrieval time.
- Provides optimum ventilation to eliminate mildew.
- Middle shelf is adjustable in height, up or down, to fit difficult storage situations.
- Fabricated from all prime steel construction, with no wood components.



Tandem Double Sided, 1 Tier

### Mobile Double Sided, 1 Tier Clubstor®

| Part Number | Depth x Length | Weight   |
|-------------|----------------|----------|
| 370-0535    | 30"x50"        | 113 lbs. |
| 370-0540    | 30"x60"        | 135 lbs. |
| 370-0544    | 30"x72"        | 158 lbs. |
| 370-0548    | 30"x84"        | 174 lbs. |
| 370-0550    | 30"x100"       | 195 lbs. |

In addition, (2) pairs of End Stops and (2) pairs of Track must be ordered for each mobile unit. Contact Equipto Inside Sales.

### Mobile Tandem, Double Sided, 1 Tier Clubstor®

| Part Number | Depth x Length | Weight   |
|-------------|----------------|----------|
| 370-0555    | 50"x72"        | 195 lbs. |
| 370-0557    | 60"x72"        | 285 lbs. |
| 370-0560    | 72"x72"        | 316 lbs. |
| 370-0570    | 84"x84"        | 347 lbs. |

In addition, (4) pairs of End Stops and (4) pairs of Track must be ordered for each mobile unit. Contact Equipto Inside Sales.



Tandem Double Sided, 2 Tier

### Mobile Double Sided, 2 Tier Clubstor®

| Part Number | Depth x Length | Weight   |
|-------------|----------------|----------|
| 370-0310    | 30"x50"        | 154 lbs. |
| 370-0320    | 30"x60"        | 174 lbs. |
| 370-0330    | 30"x72"        | 200 lbs. |
| 370-0340    | 30"x84"        | 223 lbs. |
| 370-0350    | 30"x100"       | 254 lbs. |

In addition, (2) pairs of End Stops and (2) pairs of Track must be ordered for each mobile unit. Contact Equipto Inside Sales.

### Mobile Tandem, Double Sided, 2 Tier Clubstor®

| Part Number | Depth x Length | Weight   |
|-------------|----------------|----------|
| 370-0410    | 50"x50"        | 321 lbs. |
| 370-0420    | 50"x60"        | 344 lbs. |
| 370-0430    | 50"x72"        | 375 lbs. |
| 370-0440    | 60"x60"        | 367 lbs. |
| 370-0450    | 60"x72"        | 419 lbs. |
| 370-0460    | 72"x72"        | 303 lbs. |
| 370-0463    | 72"x84"        | 396 lbs. |
| 370-0465    | 84"x84"        | 472 lbs. |

In addition, (4) pairs of End Stops and (4) pairs of Track must be ordered for each mobile unit. Contact Equipto Inside Sales.





# Clubstor® Specialized Golf Accessories Storage

### Shelves


| Part Number | Dimensions | Capacity |
|-------------|------------|----------|
| 370-5015    | 15"x50"    | 250      |
| 370-6015    | 15"x60"    | 250      |
| 370-7215    | 15"x72"    | 250      |
| 370-5030    | 30"x50"    | 250      |
| 370-6030    | 30"x60"    | 250      |
| 370-7230    | 30"x72"    | 250      |

### End Panels

| Unit                                       | Part Number |
|--------------------------------------------|-------------|
| Single-Sided 1-Tier Clubstor 57"           | 372-1557    |
| Single-Sided 2-Tier Clubstor 82"           | 372-1582    |
| Double-Sided 2-Tier Clubstor 82"           | 372-3082    |
| Double-Sided 1-Tier Clubstor 27"           | 372-3057    |
| Mobile Double-Sided 1-Tier Clubstor        | 372-3057    |
| Mobile Tandem Double-Sided 1-Tier Clubstor | 372-3057    |
| Mobile Double-Sided 2-Tier Clubstor        | 372-3082    |
| Mobile Tandem Double-Sided 2-Tier Clubstor | 372-3082    |


### Pull Cart Holders

| Part Number | Usage               |
|-------------|---------------------|
| 371-0050    | For 50" Long Units  |
| 371-0060    | For 60" Long Units  |
| 371-0072    | For 72" Long Units  |
| 371-0084    | For 84" Long Units  |
| 371-0100    | For 100" Long Units |




Clubstor

Available in eight standard colors (custom colors available – call for details)



## Equipto Standard Color Chart

Textured paint is the standard on all Equipto products. Most products are available in the following colors at no additional cost. Contact Equipto Inside Sales for specific product applications.




### Detailed Index

| Category                                   | Page No.   | Category                                      | Page No. | Category                                      | Page No.    |
|--------------------------------------------|------------|-----------------------------------------------|----------|-----------------------------------------------|-------------|
| Accessories                                |            | CONNEX Modules .....                          | 153-154  | 388 Series .....                              | 136         |
| Closed Leg & Pedestal Workcenter.....      | 123-124    | Crossover Bridges.....                        | 102      | 389 Series .....                              | 136         |
| Iron-I Workcenter Accessories.....         | 131        | Conveyor Crossovers                           |          | Accessories.....                              | 137         |
| Modular Drawer Cabinets .....              | 59-61      | Double.....                                   | 76-77    | Extension Posts & Stacking Brackets .....     | 94          |
| V-Grip™ Shelving .....                     | 9-16       | Four Stairs .....                             | 80-81    | Finishing End Panels - V-Grip™ Shelving ..... | 10          |
| Adjustable Height Iron-I Workcenters ..... | 125        | Induct Single Conveyor.....                   | 82       | Flammable Liquid Storage Cabinets.....        | 142         |
| Aerials Workbenches .....                  | 132, 138   | Single .....                                  | 74-75    | Flow Rack.....                                | 20          |
| Angle Cutter .....                         | 95         | Triple Stairs.....                            | 78-79    | Hanger Bar Parts.....                         | 15          |
| Armadillo Cabinets                         |            | Divider Kits                                  |          | Hardwood Tops (various products).....         | 59, 122-123 |
| Heavy-Duty Cabinets .....                  | 143        | 22 1/2" W Modular Drawer Divider Kits .....   | 42       | Heavy Duty Bar Rack .....                     | 29          |
| Bin Cabinets.....                          | 142        | 30" W Modular Drawer Divider Kits .....       | 47       | IBC Stairways.....                            | 99, 101     |
| Janitorial Cabinets .....                  | 145-146    | 36 7/8" W Modular Drawer Divider Kits .....   | 50       | Iron-Grip Shelving .....                      | 24-27       |
| Tool Crib Cabinets .....                   | 146        | 45" W Modular Drawer Divider Kits .....       | 54       | Label Holders                                 |             |
| Back Panels - V-Grip™ Shelving .....       | 10         | 60" W Modular Drawer Divider Kits .....       | 58       | Modular Drawer Cabinet Partitions.....        | 61          |
| End Panels - V-Grip™ Shelving.....         | 10         | V-Grip™ Shelving .....                        | 12-13    | V-Grip™ Shelving .....                        | 13          |
| Bar Rack.....                              | 28-29      | Dividers                                      |          | Landings (platform) .....                     | 92          |
| Bench Cabinets .....                       | 147-148    | Iron-Grip Shelving .....                      | 27       | Lateral Mobile Aisle .....                    | 109         |
| Bin Fronts                                 |            | Modular Drawer Cabinets .....                 | 61       | Leveler Kit for Modular Cabinet.....          | 61          |
| Iron-Grip Shelving .....                   | 27         | V-Grip™ Shelving .....                        | 12-13    | Mobile Aisle System                           |             |
| V-Grip™ Shelving .....                     | 12         | Doors for Shelving                            |          | Accessories.....                              | 108         |
| Bin Units - V-Grip™ Shelving .....         | 7          | Iron-Grip Shelving .....                      | 27       | Carriages .....                               | 107         |
| Bulk Rack .....                            | 17-22      | V-Grip™ Shelving .....                        | 14       | Decking .....                                 | 107         |
| Cabinet Locks/Keys-Modular Cabinets .....  | 60         | Drawer Inserts - Modular Drawer Cabinets..... | 60       | Fixed Drive Panel .....                       | 108         |
| Cabinets                                   |            | Drawers in Shelving                           |          | Lateral .....                                 | 109         |
| Armadillo Cabinets.....                    | 145-146    | Iron-Grip Shelving .....                      | 26       | Manual Drive Panel .....                      | 108         |
| Bench Cabinets.....                        | 147-148    | V-Grip™ Shelving .....                        | 6        | Mechanical Assist Drive Panel .....           | 107         |
| Flammable Liquid Storage Cabinets.....     | 142        | Drop Gates .....                              | 94       | Motorized Pallet Rack .....                   | 110         |
| Quick View Cabinets.....                   | 141-142    | Electrical Power Center                       |          | Mobile Tool Control Cabinets (FOD).....       | 63          |
| Storage Cabinets.....                      | 141-142    | Modular Drawer Cabinets .....                 | 61       | Modular Drawer Cabinets                       |             |
| Carts                                      |            | Workcenters.....                              | 133      | 22 1/2" W Preconfigured Units.....            | 39-41       |
| Wire Carts.....                            | 8, 31, 150 | End Braces Plates - V-Grip™ Shelving .....    | 11       | 22 1/2" W Modular Drawer Divider Kits .....   | 42          |
| V-Grip™ Shelving Carts .....               | 8, 150     | EquiptoBay Workcenters.....                   | 116-117  | 22 1/2" W Modular Drawers.....                | 42          |
| Casters                                    |            | Equiptoflex Workcenters                       |          | 22 1/2" W Modular Drawer Housing .....        | 41          |
| Closed Leg Workcenters .....               | 131        | 363 Series.....                               | 135      | 30" W Preconfigured Units.....                | 43-45       |
| Open Leg Workcenters.....                  | 131        | 364 Series.....                               | 135      | 30" W Modular Drawer Housing .....            | 45          |
| Teardown Bench.....                        | 130        | 365 Series.....                               | 135      | 30" W Modular Drawers.....                    | 45-47       |
| V-Grip™ Shelving .....                     | 14         | 366 Series.....                               | 135      | 30" W Modular Drawer Divider Kits .....       | 47          |
| Catwalks and Walkways.....                 | 91, 104    | 367 Series.....                               | 135      | 36 7/8" W Preconfigured Units.....            | 48          |
| Closed Leg Workcenters                     |            | 384 Series.....                               | 136      | 36 7/8" W Modular Drawer Housing .....        | 49          |
| Accessories.....                           | 125        | 385 Series.....                               | 136      | 36 7/8" W Modular Drawers .....               | 49-50       |
| Preconfigured Units .....                  | 124        | 386 Series.....                               | 136      | 36 7/8" W Modular Drawer Divider Kits .....   | 50          |
| Clubstor Golf Storage.....                 | 156-159    | 387 Series.....                               | 136      | 45" W Preconfigured Units.....                | 51-52       |

|                                              |         |                                               |             |                                           |         |
|----------------------------------------------|---------|-----------------------------------------------|-------------|-------------------------------------------|---------|
| 45" W Modular Drawer Housing .....           | 52      | Landings .....                                | 92          | Modular Drawers Divider Kits .....        | 12-13   |
| 45" W Modular Drawers.....                   | 53-54   | Low Height Platform .....                     | 86-87       | Modular Drawers for Shelving .....        | 12      |
| 45" W Modular Drawer Divider Kits .....      | 54      | Maintenance Access Platform .....             | 85          | Open Shelving Ends .....                  | 10      |
| 60" W Preconfigured Units.....               | 55-56   | OSHA Stairways .....                          | 100-101     | Open Solid Shelving .....                 | 4       |
| 60" W Modular Drawer Housing .....           | 56      | Perforated Open Grating .....                 | 95          | Partitions & Individual Dividers .....    | 12-13   |
| 60" W Modular Drawers.....                   | 57-58   | Platforms.....                                | 90, 103     | Perimeter Bases .....                     | 14      |
| 60" W Modular Drawer Divider Kits .....      | 58      | Railing .....                                 | 94          | Plastic Containers.....                   | 14      |
| Accessories.....                             | 59-61   | Ship's Stairs.....                            | 101         | Pull Out Reference Shelves.....           | 12      |
| Anchor Bolt .....                            | 61      | Stair Tread Solid Panels.....                 | 95          | Rack Ends.....                            | 21      |
| Cabinet Locks & Keys.....                    | 60      | Stairways .....                               | 99-101      | Reinforcements.....                       | 9       |
| Dividers (Individual) .....                  | 61      | Pull Out Reference Shelves .....              | 12          | Seismic Accessories.....                  | 15      |
| Drawer Inserts.....                          | 60      | Quarter Trays .....                           | 60          | Shelving for Lateral Mobile Aisles .....  | 109     |
| Electrical Power Center .....                | 61      | Quick View Cabinets .....                     | 141-142     | Sliding Dividers .....                    | 13      |
| Hardwood Tops.....                           | 59      | Reel Rack.....                                | 30          | Solid Rack Decking Panels.....            | 18-19   |
| Hinged Locking Bars.....                     | 60      | SATS Storage System .....                     | 155         | Solid Back Panels.....                    | 10      |
| Leveler Kit.....                             | 61      | Seismic Accessories                           |             | Solid End Panels .....                    | 10      |
| Mobile Tool Control Cabinets .....           | 63      | Iron Grip.....                                | 27          | Solid Shelves Heavy Duty 18ga .....       | 9       |
| Mobile Unit Kit.....                         | 60      | V-Grip™ Shelving .....                        | 15          | Solid Shelves Heavy Duty Reinforced.....  | 9       |
| Partitions (Individual) .....                | 61      | Shelf Drawers & Cabinets .....                | 66-69       | Spill Containment System.....             | 5       |
| Partitions & Individual Sets .....           | 61      | Shelves (extra)                               |             | Tie Bars .....                            | 21      |
| Plastic Bins .....                           | 60      | Iron-Grip Shelving .....                      | 27          | Tire Rack.....                            | 23      |
| Shelving Cabinets .....                      | 62      | V-Grip™ Shelving .....                        | 9           | Top/Bottom Caps .....                     | 13      |
| Sliding Doors w/Locks .....                  | 62      | Wire Shelving.....                            | 33          | Upright Posts .....                       | 9       |
| Sloping Desk Top .....                       | 60      | Sliding Dividers                              |             | Wire Back & End Grids.....                | 11      |
| Stationary & Roll Out Shelves .....          | 59      | V-Grip™ Shelving .....                        | 13          | Wire Dividers.....                        | 14      |
| Swinging Doors (Flush Mount) .....           | 59      | Sliding Doors with Locks .....                | 62          | Wire Rack.....                            | 33-35   |
| Swinging Doors for 44"H & 59"H Cabinets..... | 59      | Solid Back Panels - V-Grip™ Shelving .....    | 10          | Wire Rack Deck Grids .....                | 35      |
| Motorized Pallet Rack .....                  | 110     | Solid End Panels - V-Grip™ Shelving.....      | 10          | Wire Shelves (Truss Included).....        | 33      |
| OmniVerse Workcenters                        |         | Solid Laminated Tops.....                     | 59, 122-123 | Wire Shelving.....                        | 33-35   |
| Accessories.....                             | 114-115 | Stairways.....                                | 99-101      | Wire Shelves Trusses.....                 | 33      |
| Build-Your-Own.....                          | 114     | Storage Cabinets.....                         | 141-142     | Workcenters.....                          | 16      |
| Preconfigured.....                           | 113     | Swinging Doors - Modular Drawer Cabinets..... | 59          | V-Grip™ Wire Rack.....                    | 33-35   |
| Open Leg Workcenters                         |         | Teardown Bench .....                          | 130         | Walkways .....                            | 91, 104 |
| 2200 Series.....                             | 128     | Tech Bench .....                              | 118-121     | Wall Mount Open Leg Bench .....           | 130     |
| 2300 Series.....                             | 128     | Tie Bars .....                                | 21          | Weapons Storage.....                      | 152     |
| 2400 Series.....                             | 129     | Tire Rack.....                                | 23          | Wire Rack Carts .....                     | 31      |
| 2500 Series.....                             | 129     | Tool Cabinet.....                             | 64          | Wire Spool Rack.....                      | 31      |
| Accessories.....                             | 132-133 | Top/Bottom Caps .....                         | 21          | Workcenters                               |         |
| Mobile Kit .....                             | 131     | Upright Posts                                 |             | Accessories.....                          | 132-133 |
| Open Safety Grating.....                     | 95      | Iron-Grip Shelving .....                      | 27          | Adjustable Height Iron-I Workcenters..... | 125     |
| OSHA Stairways.....                          | 100-101 | V-Grip™ Shelving .....                        | 9           | Closed Leg Workcenters .....              | 124     |
| Partitions                                   |         | V-Grip™ Shelving.....                         | 4-23        | Equiptoflex Workcenters .....             | 134-136 |
| Modular Drawer Cabinets .....                | 61      | Back Sway Braces.....                         | 11          | Equiptoflex Accessories.....              | 137     |
| V-Grip™ Shelving .....                       | 12-13   | Bin Fronts.....                               | 12          | Modular Drawer Cabinet Workcenters.....   | 122     |
| Pedestal Workcenters                         |         | Bin Units.....                                | 7           | OmniVerse Workcenters.....                | 113-114 |
| Accessories.....                             | 132-133 | Bulk Rack.....                                | 17-22       | Open Leg Workcenters.....                 | 128-129 |
| Preconfigured Units .....                    | 123     | Bulk Rack Solid Decking.....                  | 18-19       |                                           |         |
| Perforated Open Grating .....                | 94      | Bulk Rack Wire Decking .....                  | 18-19       |                                           |         |
| Perimeter Bases.....                         | 14      | Carts .....                                   | 8           |                                           |         |
| Pick Rack .....                              | 70      | Closed Shelving Ends.....                     | 10          |                                           |         |
| Plastic Containers .....                     | 14      | Closed Solid Shelving.....                    | 4           |                                           |         |
| Platforms                                    |         | Components.....                               | 9-16        |                                           |         |
| Angle Cutter .....                           | 95      | Doors for Shelving .....                      | 14          |                                           |         |
| Catwalks & Walkways.....                     | 91, 104 | Drawers in Shelving.....                      | 6           |                                           |         |
| Crossover Bridges .....                      | 102     | End Braces Plates .....                       | 11          |                                           |         |
| Drop Gates.....                              | 94      | Finishing End Panels.....                     | 10          |                                           |         |
| Elevated Platform.....                       | 84      | Front Bases.....                              | 12          |                                           |         |
| Extension Posts & Stacking Brackets.....     | 94      | Full Height Shelf Dividers .....              | 13          |                                           |         |
| Flooring Options.....                        | 94      | Hanger Bar Parts .....                        | 15          |                                           |         |
| IBC Stairways .....                          | 99, 101 | Label Holders.....                            | 13          |                                           |         |
| Kickplates.....                              | 94      | Miscellaneous Parts.....                      | 15          |                                           |         |





**800.323.0801**

[sales@equipto.com](mailto:sales@equipto.com)

[equipto.com](http://equipto.com) | 225 Main St, Tatamy, PA 18085

**EQUIPTO<sup>®</sup>**

ONE DECISION • INFINITE SOLUTIONS

[equipto.com](http://equipto.com)